

Program EVALPLOT
(Version 2017-1)

by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start
















293 Kelvin Cross Sections



MAT 2025


20-Ca-40


(n,p) Levels
293 Kelvin Cross Sections





20-Ca-40

Incident Energy (MeV)










MAT 2025

Elastic Legendre Coefficients


20-Ca-40





14


Incident Energy (MeV)


20-Ca-40





















MAT 2025

MT= 53 (n, n') Level
Legendre Coefficients


20-Ca-40





MAT 2025


MT= 53 (n, n') Level
Legendre Coefficients


20-Ca-40















MAT 2025

MT= 55 (n, n') Level
Legendre Coefficients


20-Ca-40



MAT 2025

MT= 55 (n, n') Level
Legendre Coefficients


20-Ca-40





MAT 2025


MT= 56 (n, n') Level
Legendre Coefficients


20-Ca-40




























































MAT 2025

MT= 63 (n, n') Level
Legendre Coefficients


20-Ca-40





MAT 2025


MT= 63 (n, n') Level
Legendre Coefficients


20-Ca-40













































MAT 2025

MT= 68 (n, n') Level
Legendre Coefficients


20-Ca-40



MAT 2025

MT= 69 (n, n') Level
Legendre Coefficients


20-Ca-40



MAT 2025

MT= 69 (n, n') Level
Legendre Coefficients

20-Ca-40




MAT 2025

MT= 69 (n, n') Level

20-Ca-40

Legendre Coefficients



23

Incident Energy (MeV)

20-Ca-40

