


MAT 2037


Total
Cross Section

20-Ca-44
-0.006 To 0.078 %




Elastic
Cross Section

0.000 To 0.078 %




20-Ca-44





Cross Section


-90.10 To 0.000 %





(n,2n)
Cross Section
20-Ca-44
0.000 To 4.001 %


















MAT 2037


(n,n') d


20-Ca-44


Cross Section


-90.56 To 0.000 %





















MAT 2037

MT= 53 (n,n') Level

20-Ca-44

0.000 To 0.063 %

Cross Section




20

Incident Energy (eV)

20-Ca-44


0.000 To 0.308 %

Cross Section




0.000 To 0.520 %


Cross Section



0.000 To 0.609 %


Cross Section






0.000 To 0.521 %

Cross Section





Cross Section


To 10.14 %



Cross Section To 10.13 %











Cross Section

To 10.23 %











Cross Section


To 0.622 %






Cross Section


To 0.614 %



Cross Section

To 0.318 %






MAT 2037

MT= 73 (n,n') Level

20-Ca-44

0.000 To 0.319 %

Cross Section




40

Incident Energy (eV)

20-Ca-44

Cross Section To 10.18 %




MAT 2037

MT= 75 (n,n') Level

20-Ca-44

0.000 To 0.320 %


Cross Section





42

Incident Energy (eV)


20-Ca-44











Cross Section To 10.12 %
















Cross Section


-28.30 To 0.000 %





Cross Section


-63.14 To 0.000 %





































Cross Section

-4.540 To 0.898 %




Incident Energy (eV)

20-Ca-44




Cross Section

-7.945 To 0.904 %



Incident Energy (eV)


20-Ca-44




Cross Section

0.000


To 1.854 %






Cross Section

-9.194 To 1.835 %




Cross Section


-4.540 To 0.898 %




Cross Section

-0.316 To 3.685 %








Cross Section

-21.49 To 0.175 %



Incident Energy (eV)

20-Ca-44