


MAT 2049

20-Ca-48


Total
Cross Section


-99.80 To 165.0 %



Incident Energy (eV)

20-Ca-48






MAT 2049


(n,2n)


20-Ca-48


Cross Section


-6.495 To 1.386 %
















MAT 2049

(n,n') t
Cross Section

20-Ca-48
0.000 To 34.45 %






MAT 2049

(n,2n) p
Cross Section


20-Ca-48
0.000 To 36.99 %



12

Incident Energy (MeV)

20-Ca-48



MAT 2049


MT= 52 (n,n') Level

20-Ca-48

Cross Section

0.000


To 69.35 %



14

Incident Energy (eV)

20-Ca-48




MAT 2049

MT= 54 (n,n') Level

20-Ca-48

0.000 To 2.421 %

Cross Section



16

Incident Energy (eV)

20-Ca-48

MAT 2049


MT= 55 (n,n') Level

20-Ca-48

Cross Section

0.000


To 69.40 %





17


Incident Energy (eV)


20-Ca-48














MAT 2049


MT= 62 (n,n') Level

20-Ca-48

Cross Section

0.000


To 69.34 %



24

Incident Energy (eV)

20-Ca-48




MAT 2049

MT= 64 (n,n') Level

20-Ca-48


0.000 To 13.94 %





26


Incident Energy (eV)

20-Ca-48










MAT 2049

MT= 69 (n,n') Level

20-Ca-48

0.000 To 16.62 %

Cross Section



31

Incident Energy (eV)

20-Ca-48


MAT 2049

MT= 70 (n,n') Level

20-Ca-48

Cross Section

0.000 To 69.35 %



32

Incident Energy (eV)

20-Ca-48


MAT 2049

MT= 71 (n,n') Level

20-Ca-48

Cross Section


To 69.32 %




33

Incident Energy (eV)

20-Ca-48






MAT 2049

MT= 74 (n,n') Level

20-Ca-48

0.000 To 69.35 %

Cross Section



36

Incident Energy (eV)

20-Ca-48

MAT 2049


MT= 75 (n,n') Level

20-Ca-48

Cross Section

0.000

To 69.49 %



37

Incident Energy (eV)

20-Ca-48


MAT 2049

MT= 76 (n,n') Level

20-Ca-48

Cross Section

To 15.34 %



38

Incident Energy (eV)

20-Ca-48

MAT 2049


MT= 77 (n,n') Level

20-Ca-48

Cross Section

0.000


To 69.32 %





39


Incident Energy (eV)


20-Ca-48























-91.14 To 0.000 %


(n, α)

Cross Section











Cross Section


-99.38 To 1492. %







Cross Section

-100.0 To 9999. %








Cross Section

-100.0 To 9999. %




Incident Energy (eV)

20-Ca-48

Cross Section

-99.38 To 1492. %





Incident Energy (eV)


20-Ca-48

Cross Section

-99.81 To 163.5 %








Cross Section

-100.0 To 9999. %



Incident Energy (eV)

20-Ca-48