


MAT 4825

Total

48-Cd-106

Cross Section

-99.64 To 9999. %




MAT 4825

Elastic

48-Cd-106

Cross Section


-99.86 To 9999. %



48-Cd-106

Inelastic
Cross Section


-36.58 To 23.56 %



48-Cd-106

-73.35

-73.35 To 1.096 %





48-Cd-106

MAT 4825

(n,3n)
Cross Section

48-Cd-106
-76.85 To 10.32 %






MAT 4825

(n,n') p
Cross Section


48-Cd-106
-100.0 To 123.0 %




7

Incident Energy (eV)

48-Cd-106






MAT 4825

MT= 52 (n,n') Level
Cross Section


48-Cd-106
-100.0 To 8.772 %



10

Incident Energy (eV)


48-Cd-106



MAT 4825

MT= 54 (n,n') Level
Cross Section


48-Cd-106
-100.0 To 39.22 %



12

Incident Energy (eV)


48-Cd-106



MAT 4825

MT= 56 (n,n') Level
Cross Section

48-Cd-106
-98.13 To 233.9 %



14


Incident Energy (eV)

48-Cd-106

MAT 4825

MT= 57 (n,n') Level
Cross Section

48-Cd-106
-100.0 To -8.612%




MAT 4825

MT= 58 (n,n') Level

48-Cd-106

-97.74 To 9999. %

Cross Section



16

Incident Energy (eV)

48-Cd-106


MAT 4825


MT= 59 (n,n') Level


48-Cd-106


-100.0 To -24.35%


Cross Section
















Cross Section


-72.84 To 5192. %








Cross Section


-97.39 To 9999. %












MAT 4825


Tritium Production
Cross Section


48-Cd-106
10.09 To 9999. %



Incident Energy (eV)


48-Cd-106








Cross Section


-100.0 To 9999. %













Cross Section


-100.0 To 9999. %





Cross Section

-100.0 To -0.841%




MAT 4825


Dpa total (eV-barns)


48-Cd-106

-99.34 To 9999. %

Cross Section







Cross Section

-100.0 To 9999. %

