





MAT 9867

Elastic

98-Cf-254

Cross Section

-20.61 To 647.2 %




Incident Energy (eV)


98-Cf-254

MAT 9867

Inelastic
Cross Section

98-Cf-254
-55.88 To 62.44 %






MAT 9867

Elastic

98-Cf-254

Cross Section

-20.61 To 647.2 %




Incident Energy (eV)


98-Cf-254

MAT 9867

Inelastic
Cross Section

98-Cf-254
-55.88 To 62.44 %






MAT 9867

Elastic

98-Cf-254

Cross Section

-20.61 To 647.2 %




MAT 9867

98-Cf-254

Inelastic
Cross Section

-55.88 To 62.44 %




MAT 9867


(n,2n)


98-Cf-254


Cross Section

-53.62 To 6.325 %











-100.0 To -43.51%






MAT 9867


(n,4n)

98-Cf-254

Cross Section

-100.0 To -93.13%






MAT 9867

MT= 51 (n,n') Level

98-Cf-254

-76.75 To 97.44 %

Cross Section




12

Incident Energy (eV)

98-Cf-254

(n, n') Continuum	98-Cf-254
Cross Section	-99.92 To -4.830%




MAT 9867

98-Cf-254

-96.00 To 9999. %

(n, γ)

Cross Section



Incident Energy (eV)

98-Cf-254


MAT 9867

Kerma total (eV-barns)

98-Cf-254

-44.46 To 9999. %

Cross Section



15


Incident Energy (eV)

98-Cf-254


MAT 9867

Kerma elastic
Cross Section

98-Cf-254
-45.38 To 646.9 %





n-Cf254.endfb8.0/n-Cf254.tendl




Incident Energy (eV)

98-Cf-254











Cross Section


-96.00 To 9999. %














Cross Section

-99.99 To 9999. %

