


MAT 9628

96-Cm-241

-96.75 To 1024. %




96-Cm-241

Incident Energy (eV)

MAT 9628

Elastic
Cross Section
96-Cm-241
-99.03 To 205.1 %




MAT 9628

96-Cm-241

Inelastic
Cross Section


-47.08 To 649.6 %



MAT 9628

96-Cm-241

-96.75 To 1024. %




Incident Energy (eV)

96-Cm-241

MAT 9628

Elastic
Cross Section
96-Cm-241
-99.03 To 205.1 %




MAT 9628

96-Cm-241


Inelastic
Cross Section

-47.08 To 649.6 %



MAT 9628

Total
Cross Section
96-Cm-241
-96.75 To 1024. %




Incident Energy (eV)
96-Cm-241

MAT 9628

96-Cm-241

Elastic
Cross Section

-99.03 To 205.1 %



Incident Energy (eV)


96-Cm-241

MAT 9628

96-Cm-241

Inelastic
Cross Section


-47.08 To 649.6 %



MAT 9628


(n,2n)
Cross Section


96-Cm-241
-32.36 To 28.61 %





Incident Energy (eV)

96-Cm-241










MAT 9628

(n,2nf) Third Chance
Cross Section


96-Cm-241
-100.0 To -75.02%



MAT 9628

(n,3nf) Fourth Chance
Cross Section

96-Cm-241
-100.0 To -99.97%



10

Incident Energy (eV)

96-Cm-241


MAT 9628

MT= 51 (n,n') Level

96-Cm-241

Cross Section

-47.08 To 9472. %



11

Incident Energy (eV)

96-Cm-241


MAT 9628

MT= 52 (n,n') Level

96-Cm-241

Cross Section

-50.38 To 9471. %



12

Incident Energy (eV)

96-Cm-241


MAT 9628

MT= 53 (n,n') Level

96-Cm-241

-55.14 To 476.7 %

Cross Section



13


Incident Energy (eV)

96-Cm-241

MAT 9628

MT= 54 (n, n') Level
Cross Section


96-Cm-241
-43.33 To 479.9 %





14

Incident Energy (eV)

96-Cm-241








MAT 9628

Kerma elastic
Cross Section


96-Cm-241
-99.03 To 205.0 %





18


Incident Energy (eV)


96-Cm-241















MAT 9628

Dpa total (eV-barns)

96-Cm-241

-96.50 To 9999. %


Cross Section



25


Incident Energy (eV)

96-Cm-241



Cross Section

-48.08 To 1183. %



Cross Section

-100.0 To 999. %

