



MAT 5528

55-Cs-134

-97.08 To 1195. %

Total
Cross Section






MAT 5528

Inelastic
Cross Section

55-Cs-134
-72.62 To 94.64 %



Incident Energy (eV)

55-Cs-134


MAT 5528

(n,2n)

55-Cs-134


Cross Section


-54.20 To 32.23 %



Incident Energy (eV)

55-Cs-134






MAT 5528

55-Cs-134

(n,n') p

Cross Section

-81.27 To 6.150 %



7


Incident Energy (eV)

55-Cs-134

MAT 5528

MT= 51 (n,n') Level
Cross Section

55-Cs-134
-72.62 To 9999. %




Incident Energy (eV)

55-Cs-134

MAT 5528

MT= 52 (n, n') Level
Cross Section

55-Cs-134
-31.67 To 9999. %



9


Incident Energy (eV)

55-CS-134

MAT 5528

MT= 53 (n,n') Level
Cross Section


55-Cs-134
6.929 To 9999. %



MAT 5528

MT= 54 (n,n') Level
Cross Section

55-Cs-134
-85.11 To 157.2 %



11


Incident Energy (eV)

55-Cs-134

MAT 5528

MT= 55 (n,n') Level
Cross Section

55-Cs-134
-97.63 To 175.5 %



12


Incident Energy (eV)

55-Cs-134

MAT 5528

MT= 56 (n,n') Level
Cross Section

55-Cs-134
23.02 To 9999. %



13


Incident Energy (eV)

55-Cs-134

MAT 5528

MT= 57 (n,n') Level
Cross Section

55-Cs-134
-48.77 To 9999. %



14


Incident Energy (eV)

55-Cs-134

MAT 5528

MT= 58 (n,n') Level
Cross Section


55-Cs-134
-42.01 To 9999. %





15


Incident Energy (eV)

55-Cs-134










MAT 5528

MT= 63 (n, n') Level
Cross Section

55-Cs-134
-35.50 To 679.7 %



20

Incident Energy (eV)

55-Cs-134

MAT 5528


MT= 64 (n,n') Level

55-Cs-134

Cross Section

11.35


To 972.6 %





21


Incident Energy (eV)


55-Cs-134

































MAT 5528

He-4 Production
Cross Section


55-Cs-134
-78.36 To 29.42 %





34

Incident Energy (eV)

55-Cs-134











Cross Section

-72.72 To 176.0 %












Cross Section

-100.0 To -72.56%







Cross Section

-72.58 To 336.5 %

