


MAT 8043

Total

80-Hg-202

Cross Section

-97.90 To 9999. %





Incident Energy (eV)

80-Hg-202

Cross Section

-99.76 To 9999. %






MAT 8043

(n,remainder)
Cross Section

80-Hg-202
0.136 To 11.68 %




MAT 8043

(n,2n)

80-Hg-202


Cross Section

-100.0 To 230.2 %



Incident Energy (eV)

80-Hg-202




MAT 8043

(n,n') α

80-Hg-202

Cross Section

-100.0 To 9999. %




Incident Energy (eV)

80-Hg-202


MAT 8043


(n,n') p
Cross Section


80-Hg-202
-100.0 To 9999. %



MT= 51 (n, n') Level
Cross Section








MAT 8043

MT= 54 (n,n') Level
Cross Section

80-Hg-202
-100.0 To 61.76 %



12

Incident Energy (eV)

80-Hg-202


MAT 8043

MT= 55 (n,n') Level

80-Hg-202

-100.0 To 548.3 %


Cross Section



MAT 8043

MT= 56 (n, n') Level
Cross Section


80-Hg-202
-100.0 To 310.1 %





MAT 8043

MT= 57 (n,n') Level
Cross Section

80-Hg-202
-100.0 To 26.48 %








MAT 8043

MT= 60 (n, n') Level
Cross Section

80-Hg-202
-100.0 To 146.0 %



18

Incident Energy (eV)

80-Hg-202


MAT 8043

MT= 61 (n,n') Level

80-Hg-202

Cross Section

-100.0 To 302.0 %



19

Incident Energy (eV)

80-Hg-202


MAT 8043

MT= 62 (n,n') Level

80-Hg-202

-100.0 To 305.1 %


Cross Section



20

Incident Energy (eV)

80-Hg-202




MAT 8043

MT= 64 (n,n') Level

80-Hg-202

Cross Section

-100.0 To 0.000 %




MAT 8043

MT= 65 (n,n') Level

80-Hg-202

Cross Section

-100.0 To 1001. %




MAT 8043

MT= 66 (n,n') Level

80-Hg-202

Cross Section


-100.0 To 29.01 %





MAT 8043

MT= 67 (n,n') Level
Cross Section

80-Hg-202
-100.0 To 18.78 %










MAT 8043

(n,n') Continuum
Cross Section

80-Hg-202
-100.0 To 230.4 %








MAT 8043


(n,d)


80-Hg-202

Cross Section

-100.0 To 9999. %








MAT 8043

Tritium Production
Cross Section

80-Hg-202
-80.59 To -64.45%



35


Incident Energy (eV)

80-Hg-202

MAT 8043


He-4 Production
Cross Section


80-Hg-202
-86.31 To 9999. %



Cross Section


-99.49 To 9999. %








Cross Section

-99.49 To 9999. %













Cross Section

-100.0 To 39.10 %










80-Hg-202
-100.0 To 126.9 %

80-H₂-202

Cross Section

-100.0 To 999.9 %

