


MAT 1925

Total  
Cross Section

19-K -39  
-99.27 To 1164. %




Incident Energy (eV)

19-K -39

MAT 1925

Elastic  
Cross Section

19-K -39  
-99.28 To 1096. %




Incident Energy (eV)

19-K -39

MAT 1925

Inelastic  
Cross Section


19-K -39  
-90.64 To 51.60 %



3


Incident Energy (eV)


19-K -39



Cross Section

-43.09 To 9999. %






MAT 1925

MT= 51 (n,n') Level  
Cross Section

19-K -39  
-99.88 To -17.07%




7

19-K -39

MAT 1925

MT= 52 (n,n') Level  
Cross Section


19-K -39  
-99.90 To -33.85%



MAT 1925

MT= 53 (n,n') Level  
Cross Section


19-K -39  
-99.89 To -38.82%



MAT 1925

MT= 54 (n,n') Level  
Cross Section


19-K -39  
-99.96 To -31.88%



10


Incident Energy (eV)

19-K -39



Cross Section

-100.0 To 9999. %




MAT 1925

(n, p)

Cross Section

19-K -39

-100.0 To 955.6 %



MAT 1925

(n,  $\alpha$ )

Cross Section

19-K -39

-53.15 To 9999. %

