



MAT 4231

Total
Cross Section

42-Mo-94
-96.64 To 9999. %






MAT 4231

42-Mo-94

Inelastic
Cross Section

-24.83 To 14.35 %




Incident Energy (eV)


42-Mo-94

42-Mo-94

-12.17 To 14.48 %




42-Mo-94



(n,n') α


-8.012 To 133.0 %




MAT 4231

(n,n') p
Cross Section

42-Mo-94
-83.90 To 33.73 %






MAT 4231

MT= 52 (n,n') Level

42-Mo-94

-84.69 To 50.60 %



10


Incident Energy (eV)


42-Mo-94

MAT 4231

MT= 53 (n,n') Level
Cross Section

42-Mo-94
-17.77 To 9999. %






MAT 4231

MT= 55 (n,n') Level

42-Mo-94

-53.71 To 441.4 %

Cross Section



13


Incident Energy (eV)

42-Mo-94

MAT 4231

MT= 56 (n,n') Level
Cross Section


42-Mo-94
-35.30 To 9999. %



14

Incident Energy (eV)


42-Mo-94



MAT 4231

MT= 58 (n,n') Level
Cross Section

42-Mo-94
6.293 To 1699. %



16


Incident Energy (eV)

42-Mo-94

MAT 4231

MT= 59 (n,n') Level
Cross Section


42-Mo-94
-36.45 To 444.6 %



17

Incident Energy (eV)


42-Mo-94



MAT 4231

MT= 61 (n,n') Level
Cross Section

42-Mo-94
-56.39 To 124.8 %




MAT 4231


MT= 62 (n,n') Level


42-Mo-94


-47.15 To 1158. %


Cross Section














MAT 4231


MT= 68 (n,n') Level

42-Mo-94

Cross Section

43.28

To 9999. %



26

Incident Energy (eV)

42-Mo-94


MAT 4231

MT= 69 (n,n') Level

42-Mo-94

-70.59 To 9999. %


Cross Section




27

Incident Energy (eV)


42-Mo-94






(n, γ)
Cross Section

-98.83 To 9999. %




(n,p)
Cross Section


-83.64 To 90.53 %



Cross Section


-52.34 To 958.8 %








Cross Section

-81.64 To 9999. %












MAT 4231


Tritium Production
Cross Section

42-Mo-94
-100.0 To 9999. %













Cross Section


-98.83 To 9999. %













Cross Section


-98.83 To 9999. %




Cross Section

-98.78 To 9999. %







Cross Section

-98.78 To 9999. %

