


MAT 4231

Total
Cross Section


42-Mo-94
-96.64 To 9999. %



MAT 4231

Elastic
Cross Section

42-Mo-94
-98.06 To 9999. %




Incident Energy (eV)

42-Mo-94

42-Mo-94

-24.83 To 14.35 %





Incident Energy (eV)

3

42-Mo-94


-12.17 To 14.48 %





(n,n') α


-8.012 To 133.0 %




MAT 4231

(n,n') p
Cross Section

42-Mo-94
-83.90 To 33.73 %






MAT 4231

MT= 52 (n,n') Level
Cross Section


42-Mo-94
-84.69 To 50.60 %





10

Incident Energy (eV)

42-Mo-94








MAT 4231

MT= 56 (n,n') Level
Cross Section

42-Mo-94
-35.30 To 9999. %



14


Incident Energy (eV)

42-Mo-94

MAT 4231

MT= 57 (n,n') Level
Cross Section


42-Mo-94
-21.08 To 1157. %





15

Incident Energy (eV)

42-Mo-94








MAT 4231

MT= 61 (n,n') Level
Cross Section


42-Mo-94
-56.39 To 124.8 %



MAT 4231

MT= 62 (n,n') Level
Cross Section


42-Mo-94
-47.15 To 1158. %





20


Incident Energy (eV)


42-Mo-94














MAT 4231


MT= 68 (n,n') Level
Cross Section

43.28 To 9999. %
42-Mo-94











(n, γ)
Cross Section

-98.83 To 9999. %




(n,p)
Cross Section

-83.64 To 90.53 %




Cross Section


-52.34 To 958.8 %





Cross Section


-72.37 To 1197. %












MAT 4231

Tritium Production
Cross Section


42-Mo-94
-100.0 To 9999. %





38


Incident Energy (eV)

42-Mo-94











Cross Section


-98.83 To 9999. %






Cross Section

-35.37 To 35.68 %






MAT 4231

Total photon (eV-barns)

42-Mo-94

Cross Section


-98.83 To 9999. %





47

Incident Energy (eV)

42-Mo-94







Cross Section

-84.75 To 9999. %

