


MAT 4234

Total

42-Mo-95

Cross Section

-96.31 To 2479. %



Incident Energy (eV)

42-Mo-95


MAT 4234

Elastic

Cross Section

42-Mo-95

-96.64 To 1211. %



2


Incident Energy (eV)

42-Mo-95

MAT 4234

Inelastic  
Cross Section


42-Mo-95  
-86.71 To 12.84 %



MAT 4234

(n,2n)  
Cross Section


42-Mo-95  
10.75 To 44.41 %



MAT 4234


(n,3n)  
Cross Section

42-Mo-95  
-69.37 To -22.51%



Cross Section


-51.11 To 2391. %



MAT 4234

(n,2n)  $\alpha$   
Cross Section

42-Mo-95  
-7.448 To 78.16 %




42-Mo-95

MAT 4234

(n, n') p  
Cross Section


42-Mo-95  
-60.52 To 275.5 %



8

Incident Energy (eV)


42-Mo-95



MAT 4234

MT= 51 (n,n') Level  
Cross Section

42-Mo-95  
-86.23 To 83.58 %



10


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 52 (n,n') Level  
Cross Section


42-Mo-95  
-77.98 To 9999. %



MAT 4234

MT= 53 (n,n') Level  
Cross Section


42-Mo-95  
-100.0 To -55.13%



MAT 4234

MT= 54 (n,n') Level  
Cross Section

42-Mo-95  
-100.0 To -10.57%



13


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 55 (n,n') Level  
Cross Section

42-Mo-95  
80.01 To 9999. %



14


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 56 (n,n') Level  
Cross Section

42-Mo-95  
-100.0 To -57.91%



15


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 57 (n,n') Level  
Cross Section

42-Mo-95  
-100.0 To -0.864%



16


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 58 (n, n') Level  
Cross Section

42-Mo-95  
-100.0 To 495.3 %



17


Incident Energy (eV)

42-Mo-95

MAT 4234

MT= 59 (n,n') Level  
Cross Section


42-Mo-95  
-100.0 To -13.58%



MAT 4234

MT= 60 (n,n') Level  
Cross Section


42-Mo-95  
-100.0 To -76.33%



MAT 4234

MT= 61 (n,n') Level  
Cross Section


42-Mo-95  
-76.04 To 160.0 %



MAT 4234

MT= 62 (n, n') Level  
Cross Section


42-Mo-95  
-99.99 To 404.8 %





MAT 4234


MT= 63 (n, n') Level  
Cross Section

42-Mo-95  
-39.03 To 382.2 %










MAT 4234

MT= 67 (n, n') Level  
Cross Section


42-Mo-95  
-68.90 To 240.3 %



MAT 4234

MT= 68 (n,n') Level  
Cross Section


42-Mo-95  
-99.98 To 5.366 %



MAT 4234

MT= 69 (n,n') Level  
Cross Section


42-Mo-95  
-100.0 To 40.06 %



MAT 4234

MT= 70 (n,n') Level  
Cross Section


42-Mo-95  
-100.0 To -28.23%



MAT 4234

MT= 71 (n,n') Level  
Cross Section


42-Mo-95  
-100.0 To 137.5 %



MAT 4234

MT= 72 (n,n') Level  
Cross Section


42-Mo-95  
-100.0 To 36.62 %





MAT 4234

MT= 73 (n,n') Level  
Cross Section

42-Mo-95  
-100.0 To -33.93%








MAT 4234

MT= 76 (n,n') Level  
Cross Section


42-Mo-95  
-99.99 To 286.6 %



MAT 4234

MT= 77 (n,n') Level  
Cross Section


42-Mo-95  
-99.95 To 92.36 %





MAT 4234

MT= 78 (n,n') Level  
Cross Section

42-Mo-95  
-100.0 To 1.803 %









MAT 4234


42-Mo-95

-95.61 To 114.4 %

(n,p)  
Cross Section








MAT 4234


He-4 Production  
Cross Section


42-Mo-95  
-88.44 To 9999. %





Cross Section

-96.52 To 9999. %












MAT 4234


Kerma fission (mt18 or mt19-20-21-38)  
Cross Section

42-Mo-95  
-61.20 To 28.77 %











Cross Section

-99.36 To 2384. %





MAT 4234

Dpa inelastic (mt51-91)  
Cross Section

42-Mo-95  
-91.59 To 195.3 %

