


MAT 9340

Total $\bar{\nu}$
Parameters


93-Np-235
-5.243 To -5.242%



MAT 9340

Delayed $\bar{\nu}$
Parameters

93-Np-235
-75.09 To -75.09%




Incident Energy (eV)

93-Np-235

MAT 9340

Prompt $\bar{\nu}$
Parameters


93-Np-235
-4.751 To -4.750%



MAT 9340


Total $\bar{\nu}$
Parameters

93-Np-235
-5.243 To -1.843%



Incident Energy (MeV)


93-Np-235




MAT 9340

Prompt $\bar{\nu}$
Parameters

93-Np-235
-4.751 To -1.716%






MAT 9340

Elastic

93-Np-235

Cross Section


-73.93 To 89.13 %



MAT 9340

93-Np-235
-26.23 To 415.0 %

Inelastic
Cross Section




MAT 9340

(n,2n)

93-Np-235

Cross Section


-44.44 To 51.98 %



4

Incident Energy (eV)

93-Np-235




MAT 9340

93-Np-235


Fission
Cross Section

-21.01 To 9999. %



Incident Energy (eV)

93-Np-235




MAT 9340

(n,nf) Second Chance

93-Np-235

-100.0 To 17.11 %




Incident Energy (eV)

93-Np-235

MAT 9340

(n,2nf) Third Chance
Cross Section


93-Np-235
-100.0 To -88.42%





MAT 9340


(n,3nf) Fourth Chance
Cross Section


93-Np-235
-100.0 To -89.85%












MAT 9340

MT= 55 (n,n') Level

93-Np-235

-59.40 To 4629. %


Cross Section





15


Incident Energy (eV)


93-Np-235
















Cross Section


-14.07 To 9999. %








Cross Section

-14.88 To 9999. %











Cross Section

1.445


To 9999. %





Cross Section

-19.37 To 1194. %



Cross Section

-100.0 To 9999. %

