


MAT 8237


Total
Cross Section


82-Pb-208
-78.96 To 390.0 %





Incident Energy (eV)


82-Pb-208













MAT 8237

MT= 51 (n,n') Level
Cross Section

82-Pb-208
-61.86 To 109.7 %






MAT 8237

MT= 53 (n,n') Level
Cross Section


82-Pb-208
-23.61 To 9999. %



MAT 8237

MT= 54 (n,n') Level
Cross Section

82-Pb-208
-98.28 To 160.6 %



10


Incident Energy (eV)

82-Pb-208

MAT 8237

MT= 55 (n,n') Level
Cross Section

82-Pb-208
-12.10 To 9999. %



11


Incident Energy (eV)

82-Pb-208

MAT 8237

MT= 56 (n,n') Level
Cross Section


82-Pb-208
-15.44 To 9999. %



12

Incident Energy (eV)


82-Pb-208



MAT 8237

MT= 58 (n,n') Level
Cross Section

82-Pb-208
-94.57 To 9999. %



14


Incident Energy (eV)

82-Pb-208

MAT 8237

MT= 59 (n,n') Level
Cross Section


82-Pb-208
-98.54 To 25.57 %




15

Incident Energy (eV)

82-Pb-208






MAT 8237

MT= 62 (n,n') Level
Cross Section


8.387 82-Pb-208
To 972.7 %



18

Incident Energy (eV)


82-Pb-208



MAT 8237

MT= 64 (n,n') Level
Cross Section


82-Pb-208
-96.73 To 9999. %





20


Incident Energy (eV)


82-Pb-208






































































Cross Section


-99.42 To 9999. %







Cross Section

-99.98 To 9999. %









Cross Section

-99.98 To 9999. %




Cross Section

-99.97 To 19.38 %




Cross Section


-100.0 To 226.1 %




Cross Section

-79.25 To 9999. %







Cross Section

-64.06 To 9999. %

