


MAT 9458

Total $\bar{\nu}$
Parameters


94-Pu-246
-33.15 To -33.14%



MAT 9458

Delayed $\bar{\nu}$
Parameters


94-Pu-246
443.9 To 443.9 %



MAT 9458

Prompt $\bar{\nu}$
Parameters


94-Pu-246
-35.30 To -35.30%



MAT 9458

Total $\bar{\nu}$
Parameters

94-Pu-246
-33.15 To -9.822%



1


Incident Energy (MeV)

94-Pu-246

MAT 9458

Delayed $\bar{\nu}$
Parameters

94-Pu-246
386.4 To 566.0 %




Incident Energy (MeV)

94-Pu-246

MAT 9458

Prompt $\bar{\nu}$
Parameters

94-Pu-246
-35.30 To -10.61%



3

Incident Energy (MeV)

94-Pu-246


MAT 9458

Total

94-Pu-246

Cross Section

-97.91 To 2244. %




MAT 9458

Elastic

94-Pu-246

Cross Section

-95.19 To 9999. %



Incident Energy (eV)


94-Pu-246

MAT 9458

94-Pu-246

Inelastic
Cross Section

-20.09 To 124.5 %




MAT 9458

(n,2n)

94-Pu-246


Cross Section

-26.05 To 51.10 %



Cross Section

-71.59 To 21.06 %




MAT 9458

94-Pu-246

Fission

Cross Section


-99.87 To 9999. %




Incident Energy (eV)

94-Pu-246

6






MAT 9458

(n,2nf) Third Chance
Cross Section

94-Pu-246
-100.0 To 62.86 %




MAT 9458


(n,4n)

94-Pu-246

Cross Section

-100.0 To -74.44%






MAT 9458

MT= 51 (n,n') Level

94-Pu-246

Cross Section

-20.24 To 9999. %




MAT 9458

MT= 52 (n,n') Level

94-Pu-246

-50.13 To 385.2 %

Cross Section




MAT 9458

MT= 53 (n,n') Level

94-Pu-246

-70.77 To 672.2 %

Cross Section



14


Incident Energy (eV)

94-Pu-246

MAT 9458

MT= 54 (n,n') Level
Cross Section

94-Pu-246
-56.17 To 439.3 %




MAT 9458

MT= 55 (n,n') Level

94-Pu-246

-74.34 To 9999. %

Cross Section



16


Incident Energy (eV)

94-Pu-246

MAT 9458

MT= 56 (n,n') Level
Cross Section

94-Pu-246
-56.95 To 9999. %



17

Incident Energy (eV)

94-Pu-246


MAT 9458

MT= 57 (n,n') Level

94-Pu-246

-100.0 To 9999. %


Cross Section



MAT 9458

MT= 58 (n,n') Level
Cross Section

94-Pu-246
-90.65 To 9999. %



Incident Energy (eV)

94-Pu-246


MAT 9458


MT= 59 (n,n') Level

94-Pu-246

-83.17 To 9999. %

Cross Section






MAT 9458

94-Pu-246

(n, γ)

Cross Section


-99.68 To 9999. %





22

Incident Energy (eV)

94-Pu-246








Cross Section

-54.98 To 40.25 %




MAT 9458


Kerma fission (mt18 or mt19-20-21-38)


94-Pu-246


Cross Section

-99.85 To 9999. %










MAT 9458


Dpa total (eV-barns)

94-Pu-246

-99.52 To 9999. %


Cross Section





Cross Section

-17.52 To 1323. %



Cross Section

-99.99 To 9999. %

