


MAT 5237

Total

52-Te-124

Cross Section

-98.04 To 9999. %




MAT 5237


Elastic

52-Te-124

Cross Section

-98.35 To 9999. %






MAT 5237

(n,2n)

52-Te-124


Cross Section

-50.02 To 20.00 %




52-Te-124

151.3 To 477.9 %




5



MAT 5237

(n,n') p
Cross Section


52-Te-124
-100.0 To -43.77%




MAT 5237

MT= 51 (n,n') Level
Cross Section

52-Te-124
-100.0 To -34.94%






MAT 5237

MT= 53 (n,n') Level

52-Te-124

-100.0 To 35.68 %


Cross Section



10

Incident Energy (eV)

52-Te-124




MAT 5237

MT= 55 (n,n') Level

52-Te-124

-100.0 To 9999. %


Cross Section



MAT 5237

MT= 56 (n,n') Level
Cross Section


52-Te-124
-79.61 To 9999. %



MAT 5237

MT= 57 (n,n') Level
Cross Section

52-Te-124
-100.0 To 43.06 %



14


Incident Energy (eV)

52-Te-124

MAT 5237

MT= 58 (n,n') Level
Cross Section

52-Te-124
-94.16 To 829.8 %



15


Incident Energy (eV)

52-Te-124

MAT 5237

MT= 59 (n,n') Level
Cross Section


52-Te-124
-100.0 To 90.15 %



MAT 5237

MT= 60 (n,n') Level
Cross Section


52-Te-124
-100.0 To 143.4 %



MAT 5237

MT= 61 (n,n') Level
Cross Section

52-Te-124
-91.98 To 698.5 %




MAT 5237

MT= 62 (n,n') Level

52-Te-124

Cross Section


-100.0 To 589.6 %



MAT 5237

MT= 63 (n,n') Level
Cross Section

52-Te-124
-100.0 To 9999. %



20


Incident Energy (eV)


52-Te-124


MAT 5237


MT= 64 (n,n') Level
Cross Section


52-Te-124
-100.0 To 180.4 %

















MAT 5237


(n,t)
Cross Section

52-Te-124
-100.0 To 193.4 %










MAT 5237

Tritium Production
Cross Section


52-Te-124
-100.0 To 193.4 %



31


Incident Energy (eV)

52-Te-124



Cross Section


-99.64 To 9999. %



MAT 5237


Kerma elastic
Cross Section

52-Te-124
-98.36 To 9999. %



Cross Section

-99.65 To 9999. %




MAT 5237

Kerma inelastic (mt51-91)

52-Te-124

Cross Section


-100.0 To 8.370 %





36

Incident Energy (eV)

52-Te-124









Cross Section


-100.0 To -22.43%



Cross Section


-97.99 To 9999. %





Cross Section

-100.0 To 22.28 %



Cross Section

-91.70 To 9999. %

