


MAT 9213

Total $\bar{\nu}$
Parameters

92-U -230
-29.86 To -29.86%




Incident Energy (eV)

92-U -230

MAT 9213

Delayed $\bar{\nu}$
Parameters


92-U -230
-88.52 To -88.52%



MAT 9213

Prompt $\bar{\nu}$
Parameters

92-U -230
-29.50 To -29.50%




Incident Energy (eV)

92-U -230

MAT 9213

Total $\bar{\nu}$
Parameters

92-U -230
-29.86 To -27.83%




Incident Energy (MeV)

92-U -230

MAT 9213

Delayed $\bar{\nu}$
Parameters

92-U -230
-89.45 To -86.90%




Incident Energy (MeV)

92-U -230

MAT 9213

Prompt $\bar{\nu}$
Parameters

92-U -230
-29.50 To -27.71%



Incident Energy (MeV)


92-U -230

3

MAT 9213


92-U -230
-91.92 To 2510. %

Total
Cross Section




MAT 9213

Elastic
Cross Section
92-U -230
-68.45 To 603.5 %



Incident Energy (eV)

92-U -230




MAT 9213

$$(n, 2n)$$


Cross Section


92-U -230
-74.25 To 417.7 %





Incident Energy (eV)

92-U -230










MAT 9213


(n,2nf) Third Chance
Cross Section


92-U -230
3.785 To 9999. %



Incident Energy (eV)

92-U -230






MAT 9213

MT= 52 (n,n') Level

92-U -230

-51.39 To 254.8 %

Cross Section




MAT 9213


MT= 53 (n,n') Level


92-U -230

-87.37 To 806.1 %

Cross Section








MAT 9213

MT= 56 (n,n') Level
Cross Section


92-U -230
-55.41 To 20.58 %





16


Incident Energy (eV)

92-U -230










MAT 9213

Kerma non-elastic (all but mt2)

92-U -230
-84.01 To 9372. %


Cross Section





21

Incident Energy (eV)

92-U -230








MAT 9213

Total photon (eV-barns)

92-U -230

-98.66 To 5114. %


Cross Section



25


Incident Energy (eV)

92-U -230




Cross Section

-44.00 To 23.65 %



Cross Section

7.443 To 2626. %



MAT 9213

Dpa disappearance (mt102 -120)

92-U -230

Cross Section

-100.0 To 999. %

