


MAT 9213

Total $\bar{\nu}$
Parameters

92-U -230
-29.86 To -29.86%




92-U -230

MAT 9213

Delayed $\bar{\nu}$
Parameters

92-U -230
-88.52 To -88.52%




Incident Energy (eV)

92-U -230

MAT 9213

Prompt $\bar{\nu}$
Parameters

-29.50 To -29.50%
92-U -230




Incident Energy (eV)

92-U -230

MAT 9213

Total $\bar{\nu}$
Parameters

92-U -230
-29.86 To -27.83%




Incident Energy (MeV)

92-U -230

MAT 9213


Delayed $\bar{\nu}$
Parameters

92-U -230
-89.45 To -86.90%



Incident Energy (MeV)

92-U -230




MAT 9213

92-U -230

-91.92 To 2510. %

Total

Cross Section




Incident Energy (eV)

92-U -230


MAT 9213

Elastic
Cross Section
92-U -230
-68.45 To 603.5 %



Incident Energy (eV)

92-U -230




MAT 9213

(n,2n)

92-U -230


Cross Section

-74.25 To 417.7 %



Incident Energy (eV)


92-U -230



MAT 9213


92-U -230
-83.79 To 8923. %


Fission
Cross Section



Incident Energy (eV)

92-U -230






MAT 9213


(n,2nf) Third Chance
Cross Section


92-U -230
3.785 To 9999. %



Incident Energy (eV)

92-U -230






MAT 9213

MT= 52 (n,n') Level

92-U -230

-51.39 To 254.8 %


Cross Section




12

Incident Energy (eV)

92-U -230






MAT 9213


MT= 56 (n,n') Level


92-U -230


-55.41 To 20.58 %

Cross Section










MAT 9213

Kerma elastic
Cross Section


92-U -230
-68.46 To 603.3 %





20


Incident Energy (eV)


92-U -230



















Cross Section

-44.00 To 23.65 %



Cross Section

7.443 To 2626. %



MAT 9213

Dpa disappearance (mt102 -120)

92-U -230

Cross Section

-100.0 To 999. %

