










MAT 9222

Inelastic
Cross Section

92-U -233
-0.830 To 130.0 %









MAT 9222


92-U -233

Inelastic
Cross Section

-0.830 To 130.0 %








MAT 9222

92-U -233

Inelastic
Cross Section


-0.830 To 130.0 %



MAT 9222

(n,2n)
Cross Section


92-U -233
-2.020 To 197.7 %



4

Incident Energy (eV)

92-U -233




MAT 9222

Fission

92-U -233


Cross Section

-4.450 To 74.04 %



Incident Energy (eV)

92-U -233




MAT 9222

(n,nf) Second Chance

92-U -233


-100.0 To 53.06 %



8

Incident Energy (eV)

92-U -233




MAT 9222


(n,4n)

92-U -233

Cross Section

-100.0 To -99.77%






MAT 9222

MT= 51 (n,n') Level

92-U -233

Cross Section

-0.688 To 130.0 %



12


Incident Energy (eV)

92-U -233

MAT 9222

MT= 52 (n,n') Level
Cross Section

92-U -233
-0.267 To 28.25 %




Incident Energy (eV)

92-U -233

MAT 9222

MT= 53 (n,n') Level
Cross Section

92-U -233
-0.087 To 15.77 %



14


Incident Energy (eV)

92-U -233

MAT 9222

MT= 54 (n,n') Level
Cross Section

92-U -233
-3.724 To 5.089 %



15

Incident Energy (eV)

92-U -233


MAT 9222

MT= 55 (n,n') Level

92-U -233

-5.435 To 2.504 %

Cross Section



16


Incident Energy (eV)

92-U -233

MAT 9222

MT= 56 (n,n') Level
Cross Section

92-U -233
-4.012 To 264.2 %



17

Incident Energy (eV)

92-U -233


MAT 9222

MT= 57 (n,n') Level

92-U -233

-12.88 To 3.272 %

Cross Section



18


Incident Energy (eV)

92-U -233

MAT 9222

MT= 58 (n,n') Level
Cross Section


92-U -233
-3.892 To 117.8 %



19

Incident Energy (eV)


92-U -233



MAT 9222

MT= 60 (n,n') Level
Cross Section

92-U -233
-3.553 To 63.51 %



21


Incident Energy (eV)

92-U -233

MAT 9222

MT= 61 (n,n') Level
Cross Section


92-U -233
-3.609 To 21.88 %




22

Incident Energy (eV)

92-U -233






MAT 9222


MT= 64 (n,n') Level

92-U -233

-2.972 To 4.595 %

Cross Section






MAT 9222

MT= 66 (n,n') Level
Cross Section


92-U -233
-3.000 To 90.98 %





27


Incident Energy (eV)

92-U -233










MAT 9222

MT= 71 (n,n') Level

92-U -233

-3.504 To 4.129 %

Cross Section



32


Incident Energy (eV)


92-U -233

MAT 9222

MT= 72 (n,n') Level
Cross Section

92-U -233
-3.011 To 316.7 %






MAT 9222

MT= 74 (n,n') Level
Cross Section


92-U -233
-58.05 To 48.23 %



35

Incident Energy (eV)


92-U -233



MAT 9222

MT= 76 (n,n') Level
Cross Section

92-U -233
-81.15 To 6.335 %



37


Incident Energy (eV)


92-U -233


MAT 9222


MT= 77 (n,n') Level
Cross Section

92-U -233
-2.578 To 103.9 %












Cross Section

-4.225 To 73.56 %







Cross Section





n-U233.endfb8.0/n-U233.tendl



Incident Energy (eV)









Cross Section


-55.18 To 19.48 %






Cross Section


-11.00 To 62.09 %





Cross Section

-21.39 To 267.6 %



Cross Section

-100.0 To 13.28 %

