


MAT 9222

Total $\bar{\nu}$
Parameters

92-U -233
0.465 To 0.843 %




Incident Energy (eV)

92-U -233

MAT 9222

Delayed $\bar{\nu}$
Parameters

92-U -233
0.448 To 0.635 %




92-U -233

MAT 9222

Prompt $\bar{\nu}$
Parameters

92-U -233
0.438 To 0.817 %




Incident Energy (eV)

92-U -233

MAT 9222

Total $\bar{\nu}$
Parameters


92-U -233
-6.216 To 15.62 %



MAT 9222

Delayed $\bar{\nu}$
Parameters

92-U -233
-6.725 To 7.256 %



2


Incident Energy (MeV)

92-U -233

MAT 9222

Prompt $\bar{\nu}$
Parameters

92-U -233
-6.222 To 15.63 %



3

Incident Energy (MeV)

92-U -233


MAT 9222

Total

92-U -233

Cross Section

-6.622 To 13.66 %



Incident Energy (eV)

92-U -233


MAT 9222

Elastic

92-U -233

Cross Section

-6.458 To 20.54 %




Incident Energy (eV)

92-U -233

MAT 9222

Inelastic
Cross Section


92-U -233
-12.40 To 625.9 %



3

Incident Energy (eV)

92-U -233




MAT 9222

(n,3n)

92-U -233

Cross Section

-99.42 To -87.84%




MAT 9222

Fission

92-U -233


Cross Section


-28.24 To 48.11 %




Incident Energy (eV)

92-U -233








MAT 9222

(n,4n)

92-U -233

Cross Section


-99.98 To 24.93 %



MAT 9222

MT= 51 (n,n') Level
Cross Section

92-U -233
-7.096 To 625.9 %



12

Incident Energy (eV)


92-U -233

MAT 9222

MT= 52 (n,n') Level

92-U -233

-23.93 To 171.9 %




MAT 9222

MT= 53 (n,n') Level

92-U -233

-35.48 To 320.8 %

Cross Section



14


Incident Energy (eV)

92-U -233

MAT 9222

MT= 54 (n, n') Level
Cross Section

92-U -233
-96.30 To 142.9 %



15

Incident Energy (eV)

92-U -233


MAT 9222

MT= 55 (n,n') Level

92-U -233

259.8 To 2585. %

Cross Section




MAT 9222

MT= 56 (n,n') Level

92-U -233

-95.28 To 43.39 %

Cross Section



17

Incident Energy (eV)

92-U -233


MAT 9222

MT= 57 (n,n') Level

92-U -233

-93.84 To 2639. %

Cross Section



18

Incident Energy (eV)

92-U -233


MAT 9222

MT= 58 (n,n') Level

92-U -233

-99.34 To 7654. %

Cross Section




MAT 9222

MT= 59 (n,n') Level

92-U -233

-85.13 To 9999. %

Cross Section




MAT 9222

MT= 60 (n,n') Level

92-U -233

-89.55 To 89.17 %

Cross Section



21

Incident Energy (eV)

92-U -233


MAT 9222

MT= 61 (n,n') Level

92-U -233

-90.05 To 45.89 %

Cross Section



22

Incident Energy (eV)

92-U -233


MAT 9222

MT= 62 (n,n') Level

92-U -233

-90.30 To 73.70 %


Cross Section



MAT 9222

MT= 63 (n,n') Level
Cross Section

92-U -233
-98.41 To 34.05 %




MAT 9222

MT= 64 (n,n') Level

92-U -233

-98.37 To -41.33%

Cross Section



25


Incident Energy (eV)

92-U -233

MAT 9222

MT= 65 (n, n') Level
Cross Section


92-U -233
-99.96 To 3822. %





26

Incident Energy (eV)

92-U -233








MAT 9222

MT= 69 (n,n') Level
Cross Section

92-U -233
-83.57 To 9999. %




MAT 9222


MT= 70 (n,n') Level


92-U -233

-95.79 To 53.31 %

Cross Section








MAT 9222

MT= 73 (n,n') Level
Cross Section

92-U -233
-89.36 To 72.43 %



34

Incident Energy (eV)

92-U -233


MAT 9222


MT= 74 (n,n') Level

92-U -233

-91.50 To 9999. %

Cross Section






MAT 9222

MT= 76 (n,n') Level

92-U -233

-96.09 To 23.12 %

Cross Section



37


Incident Energy (eV)


92-U -233

MAT 9222

MT= 77 (n,n') Level
Cross Section

92-U -233
-93.22 To 102.9 %






MAT 9222

(n,n') Continuum
Cross Section

92-U -233
-96.28 To -3.219%



40


Incident Energy (eV)

92-U -233

MAT 9222


(n, γ)
Cross Section

92-U -233
-42.75 To 384.3 %



Cross Section


-27.89 To 42.61 %



MAT 9222


Kerma elastic
Cross Section


92-U -233
-7.539 To 29.63 %





Cross Section

-27.89 To 42.61 %










Cross Section

-28.43 To 41.95 %




MAT 9222

Dpa total (eV-barns)

92-U -233

Cross Section

-99.97 To -27.48%




50

Incident Energy (eV)

92-U -233


Cross Section

-10.47 To 28.19 %



Cross Section

-8.646 To 630.2 %



Cross Section

-99.75 To 9999. %

