


MAT 9222

Total $\bar{\nu}$
Parameters

92-U -233
-0.037 To -0.030%




Incident Energy (eV)

92-U -233

MAT 9222

Prompt $\bar{\nu}$
Parameters

92-U -233
-0.037 To -0.030%




92-U -233


MAT 9222


92-U -233

Inelastic
Cross Section

-0.830 To 130.0 %









MAT 9222


92-U -233


Inelastic
Cross Section

-0.830 To 130.0 %










MAT 9222

(n,2n)

92-U -233

Cross Section

-2.020 To 197.7 %




Incident Energy (eV)

92-U -233

Cross Section

-98.71 To -32.93%




MAT 9222

Fission

92-U -233

Cross Section


-4.450 To 74.04 %



Incident Energy (eV)

92-U -233

6




MAT 9222

(n,nf) Second Chance

92-U -233


-100.0 To 53.06 %



8

Incident Energy (eV)

92-U -233




MAT 9222

(n,4n)

92-U -233

Cross Section


-100.0 To -99.77%



10

Incident Energy (eV)


92-U -233



MAT 9222

MT= 51 (n,n') Level
Cross Section

92-U -233
-0.688 To 130.0 %



12


Incident Energy (eV)

92-U -233

MAT 9222

MT= 53 (n,n') Level
Cross Section

92-U -233
-0.087 To 15.77 %



14

Incident Energy (eV)

92-U -233


MAT 9222

MT= 54 (n,n') Level

92-U -233

-3.724 To 5.089 %

Cross Section



15


Incident Energy (eV)


92-U -233

MAT 9222

MT= 55 (n,n') Level
Cross Section

92-U -233
-5.435 To 2.504 %






MAT 9222

MT= 57 (n,n') Level
Cross Section

92-U -233
-12.88 To 3.272 %



18


Incident Energy (eV)

92-U -233

MAT 9222

MT= 58 (n,n') Level
Cross Section


92-U -233
-3.892 To 117.8 %





19


Incident Energy (eV)


92-U -233


















MAT 9222

MT= 66 (n,n') Level
Cross Section


92-U -233
-3.000 To 90.98 %




27

Incident Energy (eV)

92-U -233






MAT 9222

MT= 69 (n,n') Level

92-U -233

Cross Section


-37.93 To 56.70 %



30

Incident Energy (eV)


92-U -233



MAT 9222

MT= 71 (n,n') Level
Cross Section


92-U -233
-3.504 To 4.129 %



MAT 9222

MT= 72 (n,n') Level
Cross Section


92-U -233
-3.011 To 316.7 %





33

Incident Energy (eV)

92-U -233








MAT 9222

MT= 76 (n,n') Level
Cross Section

92-U -233
-81.15 To 6.335 %



37


Incident Energy (eV)


92-U -233


MAT 9222


MT= 77 (n,n') Level
Cross Section

92-U -233
-2.578 To 103.9 %












-4.224 To 73.56 %

Cross Section








Cross Section



n-U233.jendl4.0/n-U233.tendl









Cross Section


-29.35 To 0.445 %



Cross Section


-55.18 To 19.48 %






Cross Section

-11.00 To 62.10 %





Cross Section

-21.39 To 267.6 %

