


MAT 3031


Total

30-Zn-66

Cross Section

-98.19 To 938.5 %






MAT 3031

Inelastic

30-Zn-66


Cross Section


-20.48 To 95.30 %





Incident Energy (eV)

30-Zn-66











MAT 3031

(n,n') p
Cross Section

30-Zn-66
-76.95 To 9999. %






MAT 3031

MT= 51 (n,n') Level
Cross Section


30-Zn-66
-7.744 To 95.28 %



MAT 3031

MT= 52 (n,n') Level
Cross Section


30-Zn-66
-16.45 To 26.44 %



MAT 3031

MT= 53 (n,n') Level
Cross Section


30-Zn-66
-14.94 To 36.87 %




12

Incident Energy (eV)

30-Zn-66






MAT 3031

MT= 56 (n,n') Level

30-Zn-66

-2.788 To 9999. %

Cross Section



15


Incident Energy (eV)


30-Zn-66

MAT 3031

MT= 57 (n,n') Level
Cross Section

30-Zn-66
-77.05 To 158.5 %






MAT 3031

MT= 59 (n,n') Level
Cross Section


30-Zn-66
-52.12 To -7.321%





18


Incident Energy (eV)


30-Zn-66


































Cross Section


-71.93 To 9999. %





Cross Section


-97.43 To 9999. %



























MAT 3031

He-4 Production
Cross Section

30-Zn-66
50.03 To 9999. %




42


Incident Energy (eV)

30-Zn-66

Cross Section


-99.94 To 9999. %






Cross Section


-99.94 To 9999. %



Cross Section


-21.14 To 94.93 %






Cross Section


-99.94 To 9999. %






Cross Section


-99.94 To 9999. %




Cross Section

-98.39 To 1799. %







Cross Section

-99.87 To 9999. %

