Program Complot
(Version 2018-1)
by
Dermott E. Cullen
(Present Contact Information)
Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.
Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 3234
Total
Cross Section
32-Ge-73
-96.94 To 1807. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
1
32-Ge-73


MAT 3234
Elastic
Cross Section
32-Ge-73
-97.42 To 1865. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
2
32-Ge-73


MAT 3234
Inelastic
Cross Section
32-Ge-73
-0.547 To 0.214 %
Min
Ratio
Max
Ratio
TENDL Threshold 13.469 keV
JEFF3.3 Threshold 13.469 keV
Cross Section (barns)
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2 3 4 6 8 10^5 2 3 4 6 8 10^6 2 3 4 6 8 10^7 2 3 4 6 8 10^8 2
3
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,2n) d
Cross Section
32-Ge-73
-0.222 To 0.665 %
Max
Ratio
TENDL Threshold 23.921 MeV
JEFF3.3 Threshold 23.921 MeV
Cross Section (micro-barns)
250
200
150
100
50
0
JEFF3.3/TENDL
Ratio
1.01
1.00
40
60
80
100
120
140
160
180
200
4
Incident Energy (MeV)
32-Ge-73


MAT 3234
(n,2n)
Cross Section
32-Ge-73
-0.311 To 0.585 %
Min Ratio
Max Ratio
TENDL Threshold 6.8768 MeV
JEFF3.3 Threshold 6.8768 MeV
Cross Section (barns)
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
5
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,3n)
Cross Section
32-Ge-73
-0.035 To 1.159 %
Min Ratio
Max Ratio
TENDL Threshold 17.776 MeV
JEFF3.3 Threshold 17.776 MeV
Cross Section (milli-barns)
600
400
200
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
2
3
4
5
6
7
8
9
10^8
2
6
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') α
Cross Section
32-Ge-73
-18.29 To 2036. %
Max Ratio
Min Ratio
TENDL Threshold 5.3780 MeV
JEFF3.3 Threshold 5.3780 MeV
Cross Section (milli-barns)
60
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
10^1
10^0
6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
7
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,2n) α
Cross Section
32-Ge-73
-15.00 To 1662. %
Max Ratio
Min Ratio
TENDL Threshold 11.950 MeV
JEFF3.3 Threshold 11.950 MeV
Cross Section (milli-barns)
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
4
10^1
6
4
10^0
2
3
4
5
6
7
8
9
10^8
2
8
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,3n) α
Cross Section
32-Ge-73
-99.83 To 613.0 %
Max
Ratio
TENDL Threshold 22.289 MeV
JEFF3.3 Threshold 22.289 MeV
Cross Section (micro-barns)
0
5
10
15
20
JEFF3.3/TENDL
Ratio
10^0
10^-2
40
60
80
100
120
140
160
180
200
9
Incident Energy (MeV)
32-Ge-73


MAT 3234
(n,n') p
Cross Section
32-Ge-73
-0.247 To 0.446 %
Min Ratio
Max Ratio
TENDL Threshold 10.137 MeV
JEFF3.3 Threshold 10.137 MeV
Cross Section (milli-barns)
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
10^7
2
3
4
5
6
7
8
9
10^8
2
10
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') 2α
Cross Section
32-Ge-73
-29.60 To 4936. %
Max Ratio
Min Ratio
TENDL Threshold 11.174 MeV
JEFF3.3 Threshold 11.174 MeV
Cross Section (micro-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
11
32-Ge-73


MAT 3234
(n,2n) 2α
Cross Section
32-Ge-73
0.000 To 2477. %
Max Ratio
Min Ratio
TENDL Threshold 17.357 MeV
JEFF3.3 Threshold 17.357 MeV
Cross Section (10^-9 barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
12
32-Ge-73


MAT 3234
(n,n') d
Cross Section
32-Ge-73
-1.203 To 0.190 %
Min Ratio
Max Ratio
TENDL Threshold 14.492 MeV
JEFF3.3 Threshold 14.492 MeV
Cross Section (milli-barns)
16
12
8
4
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
9
10^8
2
13
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') t
Cross Section
32-Ge-73
-0.181 To 0.211 %
Min Ratio
Max Ratio
TENDL Threshold 17.577 MeV
JEFF3.3 Threshold 17.577 MeV
Cross Section (milli-barns)
0
2
4
6
8
JEFF3.3/TENDL
Ratio
0.99
1.00
1.01
2
3
4
5
6
7
8
9
10^8
2
14
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') He-3
Cross Section
32-Ge-73
-0.180 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 16.895 MeV
JEFF3.3 Threshold 16.895 MeV
Cross Section (micro-barns)
700
600
500
400
300
200
100
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
9
10^8
2
15
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,4n)
Cross Section
32-Ge-73
0.000 To 1.189 %
Min
Ratio
TENDL Threshold 25.295 MeV
JEFF3.3 Threshold 25.295 MeV
Cross Section (milli-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
40
60
80
100
120
140
160
180
200
16
Incident Energy (MeV)
32-Ge-73


MAT 3234
(n,2n) p
Cross Section
32-Ge-73
-0.095 To 0.956 %
Min Ratio
Max Ratio
TENDL Threshold 16.747 MeV
JEFF3.3 Threshold 16.747 MeV
Cross Section (milli-barns)
60
40
20
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
2
3
4
5
6
7
8
9
2
10^8
17
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,3n) p
Cross Section
32-Ge-73
0.000 To 1.083 %
Min
Ratio
TENDL Threshold 26.176 MeV
JEFF3.3 Threshold 26.176 MeV
Cross Section (micro-barns)
35
30
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
40
60
80
100
120
140
160
180
200
18
Incident Energy (MeV)
32-Ge-73


MAT 3234
(n,2n) p
Cross Section
32-Ge-73
0.000 To 1.036 %
Max Ratio
Min Ratio
TENDL Threshold 18.803 MeV
JEFF3.3 Threshold 18.803 MeV
Cross Section (micro-barns)
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
2
3
4
5
6
7
8
9
10^8
2
19
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') p α
Cross Section
32-Ge-73
-16.18 To 1500. %
Max Ratio
Min Ratio
TENDL Threshold 15.658 MeV
JEFF3.3 Threshold 15.658 MeV
Cross Section (micro-barns)
60
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
4
10^1
6
4
10^0
2
3
4
5
6
7
8
9
10^8
2
20
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 51 (n,n') Level
Cross Section
32-Ge-73
-0.547 To 1.252 %
Min
Ratio
Max
Ratio
TENDL Threshold 13.469 keV
JEFF3.3 Threshold 13.469 keV
Cross Section (milli-barns)
160
140
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
2 3 4 6 8 10^5 2 3 4 6 8 10^6 2 3 4 6 8 10^7 2 3 4 6 8 10^8 2
21
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 52 (n,n') Level
Cross Section
32-Ge-73
-0.194 To 1.247 %
Min
Ratio
Max
Ratio
TENDL Threshold 67.649 keV
JEFF3.3 Threshold 67.649 keV
Cross Section (milli-barns)
0
1
2
3
4
5
JEFF3.3/TENDL
Ratio
1.00
1.01
1.02
10^5
10^6
10^7
10^8
Incident Energy (eV)
22
32-Ge-73


MAT 3234
MT= 53 (n,n') Level
Cross Section
32-Ge-73
-0.041 To 0.018 %
Min
Ratio
Max
Ratio
TENDL Threshold 69.703 keV
JEFF3.3 Threshold 69.703 keV
Cross Section (milli-barns)
400
300
200
100
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
10^5
10^6
10^7
10^8
23
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 54 (n,n') Level
Cross Section
32-Ge-73
-0.016 To 1.252 %
Min
Ratio
Max
Ratio
TENDL Threshold 358.57 keV
JEFF3.3 Threshold 358.57 keV
Cross Section (milli-barns)
60
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
4 5 6 7 8
10^6
2 3 4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
24
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 55 (n,n') Level
Cross Section
32-Ge-73
-0.029 To 1.249 %
Min
Ratio
Max
Ratio
TENDL Threshold 369.09 keV
JEFF3.3 Threshold 369.09 keV
Cross Section (milli-barns)
14
12
10
8
6
4
2
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
4 5 6 7 8
10^6
2 3 4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
25
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 56 (n,n') Level
Cross Section
32-Ge-73
-0.027 To 1.249 %
Min
Ratio
Max
Ratio
TENDL Threshold 397.89 keV
JEFF3.3 Threshold 397.89 keV
Cross Section (milli-barns)
14
12
10
8
6
4
2
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
4 5 6 7 8
10^6
2 3 4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
26
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 57 (n,n') Level
Cross Section
32-Ge-73
-0.013 To 0.041 %
Min
Ratio
Max
Ratio
TENDL Threshold 505.99 keV
JEFF3.3 Threshold 505.99 keV
Cross Section (milli-barns)
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
5 6 7 8
10^6
2 3 4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
27
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 58 (n,n') Level
Cross Section
32-Ge-73
-0.011 To 1.252 %
Min
Ratio
Max
Ratio
TENDL Threshold 508.31 keV
JEFF3.3 Threshold 508.31 keV
Cross Section (milli-barns)
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
5 6 7 8
10^6
2 3 4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
28
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 59 (n,n') Level
Cross Section
32-Ge-73
-0.011 To 0.032 %
Min
Ratio
Max
Ratio
TENDL Threshold 558.62 keV
JEFF3.3 Threshold 558.62 keV
Cross Section (milli-barns)
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
6 7 8
10^6
2 3 4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
29
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 60 (n,n') Level
Cross Section
32-Ge-73
-0.012 To 1.247 %
Min
Ratio
Max
Ratio
TENDL Threshold 562.62 keV
JEFF3.3 Threshold 562.62 keV
Cross Section (milli-barns)
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
6 7 8
10^6
2 3 4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
30
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 61 (n,n') Level
Cross Section
32-Ge-73
-0.010 To 0.039 %
Min
Ratio
Max
Ratio
TENDL Threshold 606.06 keV
JEFF3.3 Threshold 606.06 keV
Cross Section (milli-barns)
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
6 7 8
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
31
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 62 (n,n') Level
Cross Section
32-Ge-73
-0.016 To 0.017 %
Min
Ratio
Max
Ratio
TENDL Threshold 668.01 keV
JEFF3.3 Threshold 668.01 keV
Cross Section (milli-barns)
160
140
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
7 8
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
32
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 63 (n,n') Level
Cross Section
32-Ge-73
-0.008 To 0.035 %
Min Ratio
Max Ratio
TENDL Threshold 752.09 keV
JEFF3.3 Threshold 752.09 keV
Cross Section (milli-barns)
70
60
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
8
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
33
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 64 (n,n') Level
Cross Section
32-Ge-73
-0.006 To 1.252 %
Min
Ratio
Max
Ratio
TENDL Threshold 788.36 keV
JEFF3.3 Threshold 788.36 keV
Cross Section (milli-barns)
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
8
2
3
4
5
6
7
8
10^6
10^7
10^8
34
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 65 (n,n') Level
Cross Section
32-Ge-73
-0.006 To 1.252 %
Min
Ratio
Max
Ratio
TENDL Threshold 820.19 keV
JEFF3.3 Threshold 820.19 keV
Cross Section (milli-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
8
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
35
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 66 (n,n') Level
Cross Section
32-Ge-73
-0.006 To 1.248 %
Min
Ratio
Max
Ratio
TENDL Threshold 831.34 keV
JEFF3.3 Threshold 831.34 keV
Cross Section (milli-barns)
0
1
2
3
4
5
6
JEFF3.3/TENDL
Ratio
1.00
1.01
1.02
8
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
36
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 67 (n,n') Level
Cross Section
32-Ge-73
-0.038 To 0.015 %
Min
Ratio
Max
Ratio
TENDL Threshold 837.13 keV
JEFF3.3 Threshold 837.13 keV
Cross Section (milli-barns)
140
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
8
2
3
4
5
6
7
8
10^6
10^7
10^8
37
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 68 (n,n') Level
Cross Section
32-Ge-73
-0.018 To 0.028 %
Min
Ratio
Max
Ratio
TENDL Threshold 880.03 keV
JEFF3.3 Threshold 880.03 keV
Cross Section (milli-barns)
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
10^6
10^7
10^8
38
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 69 (n,n') Level
Cross Section
32-Ge-73
-0.005 To 1.249 %
Min
Ratio
Max
Ratio
TENDL Threshold 906.47 keV
JEFF3.3 Threshold 906.47 keV
Cross Section (milli-barns)
0
1
2
3
4
5
6
JEFF3.3/TENDL
Ratio
1.00
1.01
1.02
10^6
10^7
10^8
Incident Energy (eV)
39
32-Ge-73


MAT 3234
MT= 70 (n,n') Level
Cross Section
32-Ge-73
-0.005 To 1.248 %
Min
Ratio
Max
Ratio
TENDL Threshold 916.50 keV
JEFF3.3 Threshold 916.50 keV
Cross Section (milli-barns)
0
1
2
3
4
5
JEFF3.3/TENDL
Ratio
1.00
1.01
1.02
10^6
10^7
10^8
Incident Energy (eV)
40
32-Ge-73


MAT 3234
MT= 71 (n,n') Level
Cross Section
32-Ge-73
-0.005 To 1.252 %
Min
Ratio
Max
Ratio
TENDL Threshold 919.22 keV
JEFF3.3 Threshold 919.22 keV
Cross Section (milli-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
41
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 72 (n,n') Level
Cross Section
32-Ge-73
-0.005 To 1.252 %
Min
Ratio
Max
Ratio
TENDL Threshold 928.49 keV
JEFF3.3 Threshold 928.49 keV
Cross Section (milli-barns)
15
10
5
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
42
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 73 (n,n') Level
Cross Section
32-Ge-73
-0.005 To 1.246 %
Min
Ratio
Max
Ratio
TENDL Threshold 944.46 keV
JEFF3.3 Threshold 944.46 keV
Cross Section (milli-barns)
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
43
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 74 (n,n') Level
Cross Section
32-Ge-73
-0.007 To 0.039 %
Min
Ratio
Max
Ratio
TENDL Threshold 1.0078 MeV
JEFF3.3 Threshold 1.0078 MeV
Cross Section (milli-barns)
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
10^6
10^7
10^8
44
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 75 (n,n') Level
Cross Section
32-Ge-73
-0.004 To 0.037 %
Min
Ratio
Max
Ratio
TENDL Threshold 1.0241 MeV
JEFF3.3 Threshold 1.0241 MeV
Cross Section (milli-barns)
16
14
12
10
8
6
4
2
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
45
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 76 (n,n') Level
Cross Section
32-Ge-73
-0.004 To 1.248 %
Min
Ratio
Max
Ratio
TENDL Threshold 1.0402 MeV
JEFF3.3 Threshold 1.0402 MeV
Cross Section (milli-barns)
0
1
2
3
4
JEFF3.3/TENDL
Ratio
1.00
1.01
1.02
10^6
10^7
10^8
Incident Energy (eV)
46
32-Ge-73


MAT 3234
MT= 77 (n,n') Level
Cross Section
32-Ge-73
-0.007 To 0.030 %
Min Ratio
Max Ratio
TENDL Threshold 1.0534 MeV
JEFF3.3 Threshold 1.0534 MeV
Cross Section (milli-barns)
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
10^6
10^7
10^8
47
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 78 (n,n') Level
Cross Section
32-Ge-73
-0.003 To 1.248 %
Min
Ratio
Max
Ratio
TENDL Threshold 1.0577 MeV
JEFF3.3 Threshold 1.0577 MeV
Cross Section (milli-barns)
0
1
2
3
4
JEFF3.3/TENDL
Ratio
1.00
1.01
1.02
10^6
10^7
10^8
Incident Energy (eV)
48
32-Ge-73


MAT 3234
MT= 79 (n,n') Level
Cross Section
32-Ge-73
-0.007 To 0.058 %
Min
Ratio
Max
Ratio
TENDL Threshold 1.1459 MeV
JEFF3.3 Threshold 1.1459 MeV
Cross Section (milli-barns)
60
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
49
Incident Energy (eV)
32-Ge-73


MAT 3234
MT= 80 (n,n') Level
Cross Section
32-Ge-73
-0.005 To 0.037 %
Min
Ratio
Max
Ratio
TENDL Threshold 1.1472 MeV
JEFF3.3 Threshold 1.1472 MeV
Cross Section (milli-barns)
30
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
50
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') Continuum
Cross Section
32-Ge-73
-0.005 To 0.215 %
Min
Ratio
Max
Ratio
TENDL Threshold 1.1472 MeV
JEFF3.3 Threshold 1.1472 MeV
Cross Section (barns)
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
51
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,γ)
Cross Section
32-Ge-73
-99.96 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
52
32-Ge-73


MAT 3234
(n,p)
Cross Section
32-Ge-73
-0.004 To 0.105 %
Min Ratio
Max Ratio
TENDL Threshold 827.12 keV
JEFF3.3 Threshold 827.12 keV
Cross Section (milli-barns)
35
30
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
8
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
53
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,d)
Cross Section
32-Ge-73
-0.472 To 0.065 %
Min Ratio
Max Ratio
TENDL Threshold 7.8812 MeV
JEFF3.3 Threshold 7.8812 MeV
Cross Section (milli-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
54
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,t)
Cross Section
32-Ge-73
-0.047 To 0.061 %
Max
Ratio
TENDL Threshold 8.1480 MeV
JEFF3.3 Threshold 8.1480 MeV
Cross Section (milli-barns)
12
10
8
6
4
2
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
55
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,He-3)
Cross Section
32-Ge-73
0.000 To 0.301 %
Max Ratio
Min Ratio
TENDL Threshold 10.978 MeV
JEFF3.3 Threshold 10.978 MeV
Cross Section (milli-barns)
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
9
10^8
2
56
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,α)
Cross Section
32-Ge-73
-18.59 To 518.3 %
Max Ratio
Min Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
57
32-Ge-73


MAT 3234
(n,2α)
Cross Section
32-Ge-73
-84.46 To 3889. %
Min Ratio
Max Ratio
TENDL Threshold 2.0984 MeV
JEFF3.3 Threshold 2.0984 MeV
Cross Section (micro-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
58
32-Ge-73


MAT 3234
(n,2p)
Cross Section
32-Ge-73
0.000 To 0.747 %
Max Ratio
Min Ratio
TENDL Threshold 9.7922 MeV
JEFF3.3 Threshold 9.7922 MeV
Cross Section (micro-barns)
200
150
100
50
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
10^7
2
3
4
5
6
7
8
9
10^8
2
59
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,p) α
Cross Section
32-Ge-73
-15.96 To 855.0 %
Max Ratio
Min Ratio
TENDL Threshold 7.3035 MeV
JEFF3.3 Threshold 7.3035 MeV
Cross Section (micro-barns)
250
200
150
100
50
0
JEFF3.3/TENDL
Ratio
$10^1$
6
4
2
$10^0$
8 9 $10^7$ 2 3 4 5 6 7 8 9 $10^8$ 2
60
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,p) d
Cross Section
32-Ge-73
0.000 To 0.716 %
Max Ratio
Min Ratio
TENDL Threshold 16.548 MeV
JEFF3.3 Threshold 16.548 MeV
Cross Section (micro-barns)
0
1
2
3
JEFF3.3/TENDL
Ratio
1.00
1.01
2
3
4
5
6
7
8
9
10^8
2
61
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,p) t
Cross Section
32-Ge-73
-1.251 To 0.501 %
Min Ratio
Max Ratio
TENDL Threshold 16.120 MeV
JEFF3.3 Threshold 16.120 MeV
Cross Section (micro-barns)
10
8
6
4
2
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
9
10^8
2
62
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,d) α
Cross Section
32-Ge-73
-99.00 To 874.9 %
Min Ratio
Max Ratio
TENDL Threshold 13.403 MeV
JEFF3.3 Threshold 13.403 MeV
Cross Section (micro-barns)
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
10^1
10^0
10^-1
10^-2
2
3
4
5
6
7
8
9
10^8
2
63
Incident Energy (eV)
32-Ge-73


MAT 3234
Hydrogen Production
Cross Section
32-Ge-73
-0.004 To 1.135 %
Min Ratio
Max Ratio
TENDL Threshold 827.12 keV
JEFF3.3 Threshold 827.12 keV
Cross Section (barns)
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
8
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
64
Incident Energy (eV)
32-Ge-73


MAT 3234
Deuterium Production
Cross Section
32-Ge-73
-0.472 To 0.604 %
Min
Ratio
Max
Ratio
TENDL Threshold 7.8812 MeV
JEFF3.3 Threshold 7.8812 MeV
Cross Section (milli-barns)
300
200
100
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
65
Incident Energy (eV)
32-Ge-73


MAT 3234
Tritium Production
Cross Section
32-Ge-73
-0.322 To 0.890 %
Max Ratio
Min Ratio
TENDL Threshold 8.1480 MeV
JEFF3.3 Threshold 8.1480 MeV
Cross Section (milli-barns)
160
140
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
66
Incident Energy (eV)
32-Ge-73


MAT 3234
He-3 Production
Cross Section
32-Ge-73
0.000 To 0.301 %
Max Ratio
Min Ratio
TENDL Threshold 10.978 MeV
JEFF3.3 Threshold 10.978 MeV
Cross Section (milli-barns)
300
250
200
150
100
50
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
9
10^8
2
67
Incident Energy (eV)
32-Ge-73


MAT 3234
He-4 Production
Cross Section
32-Ge-73
-18.59 To 518.3 %
Max
Ratio
Min
Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
68
32-Ge-73


MAT 3234
Kerma total (eV-barns)
Cross Section
32-Ge-73
-97.14 To 1838. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
69
32-Ge-73


MAT 3234
Kerma elastic
Cross Section
32-Ge-73
-97.42 To 1866. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
70
32-Ge-73


MAT 3234
Kerma non-elastic (all but mt2)
Cross Section
32-Ge-73
-99.75 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
71
32-Ge-73


MAT 3234
Kerma inelastic (mt51-91)
Cross Section
32-Ge-73
-50.78 To 2028. %
Min Ratio
Max Ratio
TENDL Threshold 13.469 keV
JEFF3.3 Threshold 13.469 keV
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
72
32-Ge-73


MAT 3234
Kerma fission (mt18 or mt19-20-21-38)
Cross Section
32-Ge-73
-50.78 To 2028. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
1.0
0.5
0.0
-0.5
-1.0
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
73
32-Ge-73


MAT 3234
Kerma capture (mt102)
Cross Section
32-Ge-73
-99.96 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
74
32-Ge-73


MAT 3234
Total photon (eV-barns)
Cross Section
32-Ge-73
-99.96 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
75
32-Ge-73


MAT 3234
Total kinematic kerma (high limit)
Cross Section
32-Ge-73
-97.14 To 1838. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
76
32-Ge-73


MAT 3234
Dpa total (eV-barns)
Cross Section
32-Ge-73
-97.18 To 1840. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
77
32-Ge-73


MAT 3234
Dpa elastic (mt2)
Cross Section
32-Ge-73
-97.42 To 1867. %
Min Ratio
Max Ratio
TENDL Threshold 459.80 eV
JEFF3.3 Threshold 460.24 eV
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
78
32-Ge-73


MAT 3234
Dpa inelastic (mt51-91)
Cross Section
32-Ge-73
-0.547 To 0.278 %
Min Ratio
Max Ratio
TENDL Threshold 13.469 keV
JEFF3.3 Threshold 13.469 keV
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
79
32-Ge-73


MAT 3234
Dpa disappearance (mt102 -120)
Cross Section
32-Ge-73
-99.95 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
80
32-Ge-73


MAT 3234
Inelastic:32-Ge-73g
32-Ge-73
Radionuclide Production Cross Section
-0.547 To 0.219 %
Min Ratio
Max Ratio
TENDL Threshold 13.469 keV
JEFF3.3 Threshold 13.469 keV
Cross Section (barns)
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2 3 4 6 8 10^5 2 3 4 6 8 10^6 2 3 4 6 8 10^7 2 3 4 6 8 10^8 2
81
Incident Energy (eV)
32-Ge-73


MAT 3234
Inelastic:32-Ge-73m2
32-Ge-73
Radionuclide Production Cross Section
-0.194 To 0.148 %
Min Ratio
Max Ratio
TENDL Threshold 67.649 keV
JEFF3.3 Threshold 67.649 keV
Cross Section (milli-barns)
250
200
150
100
50
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
10^5
10^6
10^7
10^8
82
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') α:30-Zn-69g
32-Ge-73
Radionuclide Production Cross Section
-18.48 To 2036. %
Max Ratio
Min Ratio
TENDL Threshold 5.3780 MeV
JEFF3.3 Threshold 5.3780 MeV
Cross Section (milli-barns)
15
10
5
0
JEFF3.3/TENDL
Ratio
4
10^1
4
10^0
6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
83
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') α:30-Zn-69m1
32-Ge-73
Radionuclide Production Cross Section -18.19 To 1704. %
Max Ratio
Min Ratio
TENDL Threshold 7.6000 MeV
JEFF3.3 Threshold 7.4000 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
84
32-Ge-73


MAT 3234
(n,2n) p:30-Zn-71g
32-Ge-73
Radionuclide Production Cross Section 0.000 To 0.942 %
Max Ratio
Min Ratio
TENDL Threshold 18.803 MeV
JEFF3.3 Threshold 18.803 MeV
Cross Section (micro-barns)
14
12
10
8
6
4
2
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
2
3
4
5
6
7
8
9
10^8
2
85
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,2n) p:30-Zn-71m1
32-Ge-73
Radionuclide Production Cross Section 0.000 To 1.049 %
Max Ratio
Min Ratio
TENDL Threshold 18.963 MeV
JEFF3.3 Threshold 18.963 MeV
Cross Section (micro-barns)
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
2
3
4
5
6
7
8
9
10^8
2
86
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') p α:29-Cu-68g
32-Ge-73
Radionuclide Production Cross Section -16.36 To 1506. %
Max Ratio
Min Ratio
TENDL Threshold 15.658 MeV
JEFF3.3 Threshold 15.658 MeV
Cross Section (micro-barns)
30
20
10
0
JEFF3.3/TENDL
Ratio
4
10^1
6
4
10^0
2
3
4
5
6
7
8
9
10^8
2
87
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,n') p α:29-Cu-68m3
32-Ge-73
Radionuclide Production Cross Section
-15.87 To 827.0 %
Max Ratio
Min Ratio
TENDL Threshold 20.000 MeV
JEFF3.3 Threshold 16.389 MeV
Cross Section (micro-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
$10^1$
6
4
2
$10^0$
2
3
4
5
6
7
8
9
$10^8$
2
88
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,He-3):30-Zn-71g
32-Ge-73
Radionuclide Production Cross Section
-0.007 To 0.304 %
Max Ratio
Min Ratio
TENDL Threshold 10.978 MeV
JEFF3.3 Threshold 10.978 MeV
Cross Section (micro-barns)
250
200
150
100
50
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
9
10^8
2
89
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,He-3):30-Zn-71m1
32-Ge-73
Radionuclide Production Cross Section 0.000 To 0.299 %
Max Ratio
Min Ratio
TENDL Threshold 11.138 MeV
JEFF3.3 Threshold 11.138 MeV
Cross Section (milli-barns)
1.6
1.2
0.8
0.4
0.0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
9
10^8
2
90
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,p) d:30-Zn-71g
32-Ge-73
Radionuclide Production Cross Section 0.000 To 0.667 %
Max Ratio
Min Ratio
TENDL Threshold 16.548 MeV
JEFF3.3 Threshold 16.548 MeV
Cross Section ($10^{-9}$ barns)
500
400
300
200
100
0
JEFF3.3/TENDL
Ratio
1.01
1.00
2
3
4
5
6
7
8
9
$10^8$
2
91
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,p) d:30-Zn-71m1
32-Ge-73
Radionuclide Production Cross Section 0.000 To 0.723 %
Max Ratio
Min Ratio
TENDL Threshold 16.708 MeV
JEFF3.3 Threshold 16.708 MeV
Cross Section (micro-barns)
3.0
2.5
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
1.01
1.00
2
3
4
5
6
7
8
9
10^8
2
92
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,d) α:29-Cu-68g
32-Ge-73
Radionuclide Production Cross Section
-98.76 To 842.3 %
Min Ratio
Max Ratio
TENDL Threshold 13.403 MeV
JEFF3.3 Threshold 13.403 MeV
Cross Section (micro-barns)
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
10^1
10^0
10^-1
10^-2
2
3
4
5
6
7
8
9
10^8
2
93
Incident Energy (eV)
32-Ge-73


MAT 3234
(n,d) α:29-Cu-68m3
32-Ge-73
Radionuclide Production Cross Section -14.44 To 978.6 %
Max Ratio
Min Ratio
TENDL Threshold 14.134 MeV
JEFF3.3 Threshold 18.000 MeV
Cross Section (micro-barns)
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
JEFF3.3/TENDL
Ratio
10^1
10^0
2
6
4
2
2
3
4
5
6
7
8
9
10^8
2
94
Incident Energy (eV)
32-Ge-73