

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 4237

Total

42-Mo-96

Cross Section

-99.62 To 9999. %



1


Incident Energy (eV)

42-Mo-96

MAT 4237

Elastic
Cross Section

42-Mo-96
-99.71 To 9999. %




MAT 4237

Inelastic
Cross Section

42-Mo-96

-17.28 To 10.78 %




3


Incident Energy (eV)

42-Mo-96

MAT 4237 (n,2n) Cross Section 42-Mo-96 -22.87 To 3.512 %



4 42-Mo-96 Incident Energy (eV)




MAT 4237

(n, n') α

42-Mo-96

-98.77 To 61.21 %

Cross Section




6


Incident Energy (eV)

42-Mo-96


MAT 4237 (n,n') p Cross Section -73.73 To 33.92 % 42-Mo-96



42-Mo-96



MAT 4237 MT= 51 (n,n') Level Cross Section -15.33 To 50.98 % 42-Mo-96




9 Incident Energy (eV) 42-Mo-96

MAT 4237

MT= 52 (n,n') Level
Cross Section

42-Mo-96
-56.55 To 9999. %




10


Incident Energy (eV)

42-Mo-96


MAT 4237 MT= 53 (n,n') Level Cross Section -19.29 To 9999. % 42-Mo-96




MAT 4237 MT= 54 (n,n') Level Cross Section -57.40 To 166.2 % 42-Mo-96



MAT 4237 MT= 55 (n,n') Level Cross Section -39.22 To 166.5 % 42-Mo-96




MAT 4237 MT= 56 (n,n') Level Cross Section -70.79 To 32.29 % 42-Mo-96



MAT 4237

MT= 57 (n,n') Level
Cross Section

42-Mo-96
-23.99 To 522.7 %



15


Incident Energy (eV)

42-Mo-96

MAT 4237

MT= 58 (n,n') Level
Cross Section

42-Mo-96
-48.27 To 9999. %



16


Incident Energy (eV)

42-Mo-96

MAT 4237

MT= 59 (n,n') Level
Cross Section


42-Mo-96
-47.11 To 168.2 %



MAT 4237

MT= 60 (n,n') Level
Cross Section


42-Mo-96
-17.47 To 523.0 %




18

42-Mo-96


MAT 4237 MT= 61 (n,n') Level Cross Section 42-Mo-96 1.652 To 96.22 %



MAT 4237 MT= 62 (n,n') Level Cross Section -61.12 To 461.9 % 42-Mo-96




MAT 4237 MT= 63 (n,n') Level Cross Section -40.72 To 169.8 % 42-Mo-96




MAT 4237

MT= 64 (n,n') Level
Cross Section


42-Mo-96
-42.54 To 9999. %




MAT 4237 MT= 65 (n,n') Level Cross Section -2.439 To 798.2 % 42-Mo-96



MAT 4237 MT= 66 (n,n') Level Cross Section -59.74 To 523.1 % 42-Mo-96




MAT 4237 MT= 67 (n,n') Level Cross Section -27.73 To 447.1 % 42-Mo-96



25 42-Mo-96


MAT 4237 MT= 68 (n,n') Level Cross Section -57.10 To 9999. % 42-Mo-96




MAT 4237

MT= 69 (n,n') Level
Cross Section

42-Mo-96
-44.50 To 9999. %




MAT 4237 MT= 70 (n,n') Level Cross Section -36.19 To 9999. % 42-Mo-96



MAT 4237

MT= 71 (n,n') Level
Cross Section


42-Mo-96
-63.10 To 9999. %



MAT 4237

MT= 72 (n,n') Level
Cross Section

42-Mo-96
-24.35 To 9999. %




30


Incident Energy (eV)

42-Mo-96


MAT 4237 MT= 73 (n,n') Level Cross Section -46.80 To 330.1 % 42-Mo-96




MAT 4237 MT= 74 (n,n') Level Cross Section -99.85 To 311.9 % 42-Mo-96



MAT 4237 MT= 75 (n,n') Level Cross Section -90.14 To 9999. % 42-Mo-96



MAT 4237 MT= 76 (n,n') Level Cross Section 42-Mo-96 230.3 To 581.3 %




34 42-Mo-96

MAT 4237

MT= 77 (n,n') Level
Cross Section


42-Mo-96
7.429 To 9999. %




MAT 4237

MT= 78 (n,n') Level
Cross Section

42-Mo-96
-98.87 To 9999. %




MAT 4237 MT= 79 (n,n') Level Cross Section -82.70 To 9999. % 42-Mo-96



MAT 4237

MT= 80 (n,n') Level
Cross Section

42-Mo-96
-50.89 To 9999. %




MAT 4237

(n, n') Continuum
Cross Section

42-Mo-96

-99.50 To 2.098 %




MAT 4237

(n, γ)

42-Mo-96

Cross Section

-99.96 To 9999. %




40


Incident Energy (eV)


42-Mo-96

MAT 4237 (n,p) Cross Section 42-Mo-96 -80.33 To 22.50 %



MAT 4237 (n,d) Cross Section 42-Mo-96 -94.39 To 251.6 %






MAT 4237

(n, He-3)

42-Mo-96

Cross Section

27.81 To 7219. %



44

Incident Energy (eV)

42-Mo-96


MAT 4237

(n, α)

42-Mo-96

Cross Section

-13.32 To 225.0 %



45


Incident Energy (eV)

42-Mo-96

MAT 4237

Hydrogen Production
Cross Section


42-Mo-96
-80.33 To 22.50 %



MAT 4237

Deuterium Production
Cross Section

42-Mo-96
-94.39 To 251.6 %




47

42-Mo-96

MAT 4237

Tritium Production
Cross Section

42-Mo-96
-10.79 To 2483. %



48


Incident Energy (eV)

42-Mo-96

MAT 4237

He-3 Production
Cross Section

42-Mo-96
27.81 To 7219. %



49

Incident Energy (eV)


42-Mo-96

MAT 4237


He-4 Production
Cross Section

42-Mo-96

-16.61 To 225.0 %




MAT 4237 Kerma total (eV-barns) 42-Mo-96
 Cross Section -340.5 To 9999. %




MAT 4237


Kerma elastic
Cross Section

42-Mo-96
-99.71 To 9999. %



MAT 4237 Kerma non-elastic (all but mt2) 42-Mo-96
 Cross Section -9999. To 9999. %






MAT 4237

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


42-Mo-96
-100.0 To 9999. %



MAT 4237

Kerma capture (mt102)
Cross Section


42-Mo-96
8004. To 9999. %



MAT 4237

Total photon (eV-barns)
Cross Section

42-Mo-96
-99.96 To 9999. %




57

Incident Energy (eV)

42-Mo-96


MAT 4237 Total kinematic kerma (high limit) 42-Mo-96
Cross Section -99.55 To 9999. %



MAT 4237

Dpa total (eV-barns)
Cross Section


42-Mo-96
-99.55 To 9999. %




MAT 4237

Dpa elastic (mt2)
Cross Section

42-Mo-96
-99.71 To 9999. %




MAT 4237 Dpa inelastic (mt51-91) 42-Mo-96
 Cross Section -17.10 To 252.9 %



MAT 4237

Dpa disappearance (mt102 -120)
Cross Section

42-Mo-96
-99.20 To 9999. %



62

Incident Energy (eV)

42-Mo-96