

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5234

Total

52-Te-123

Cross Section

-95.78 To 9999. %



1

Incident Energy (eV)

52-Te-123


MAT 5234

Elastic

52-Te-123

Cross Section

-93.24 To 9999. %




2

Incident Energy (eV)


52-Te-123

MAT 5234 Inelastic Cross Section 52-Te-123 -0.378 To 0.203 %



3 52-Te-123

MAT 5234 (n,2n) d 52-Te-123
Cross Section -0.439 To 0.489 %




MAT 5234

(n,2n)

52-Te-123

Cross Section -0.625 To 0.171 %



5

Incident Energy (eV)

52-Te-123


MAT 5234

(n,3n)

52-Te-123

Cross Section

-2.247 To 0.185 %



6

Incident Energy (eV)

52-Te-123


MAT 5234

(n, n') α

52-Te-123

-5.012 To 9999. %

Cross Section



7

Incident Energy (eV)

52-Te-123


MAT 5234

(n,2n) α

52-Te-123

Cross Section

-2.470 To 9999. %




8

Incident Energy (eV)

52-Te-123

MAT 5234 (n,3n) α 52-Te-123
 Cross Section -98.66 To 9999. %




MAT 5234

(n, n') p

52-Te-123

Cross Section

-4.433 To 0.023 %




10


Incident Energy (eV)

52-Te-123

MAT 5234 (n,n') 2α Cross Section 52-Te-123 To 9999. %




MAT 5234 (n,n') d 52-Te-123
 Cross Section -3.607 To 0.000 %




12 52-Te-123


MAT 5234 (n,n') t 52-Te-123
 Cross Section -0.478 To 0.063 %




MAT 5234 (n, n') He-3 52-Te-123
 Cross Section -0.217 To 0.137 %




MAT 5234 (n,4n) 52-Te-123
 Cross Section -0.158 To 0.000 %




MAT 5234 (n,2n) p 52-Te-123
 Cross Section -2.578 To 0.000 %




MAT 5234 (n,3n) p 52-Te-123
Cross Section -0.113 To 0.912 %




MAT 5234 (n,2n) p 52-Te-123
 Cross Section 0.000 To 5.109 %



MAT 5234 (n,n') p α 52-Te-123
 Cross Section -22.16 To 9999. %




MAT 5234 MT= 51 (n,n') Level Cross Section 52-Te-123 -0.378 To 0.248 %




20 52-Te-123


MAT 5234 MT= 52 (n,n') Level Cross Section 52-Te-123 -1.181 To 0.248 %




MAT 5234 MT= 53 (n,n') Level Cross Section 52-Te-123 -0.932 To 0.249 %




MAT 5234 MT= 54 (n,n') Level Cross Section 52-Te-123 -0.280 To 0.248 %




MAT 5234 MT= 55 (n,n') Level Cross Section 52-Te-123 -0.657 To 0.248 %




MAT 5234 MT= 56 (n,n') Level Cross Section 52-Te-123 -0.292 To 0.249 %




MAT 5234 MT= 57 (n,n') Level Cross Section 52-Te-123 -0.417 To 0.248 %




MAT 5234 MT= 58 (n,n') Level Cross Section 52-Te-123
 -0.165 To 0.248 %




MAT 5234 MT= 59 (n,n') Level Cross Section 52-Te-123 -0.235 To 0.248 %



MAT 5234 MT= 60 (n,n') Level Cross Section 52-Te-123 -0.252 To 0.248 %




MAT 5234 MT= 61 (n,n') Level Cross Section 52-Te-123 -0.269 To 0.248 %




30 52-Te-123


MAT 5234 MT= 62 (n,n') Level Cross Section 52-Te-123 -0.202 To 0.248 %




MAT 5234 MT= 63 (n,n') Level Cross Section 52-Te-123 -0.207 To 0.249 %




MAT 5234 MT= 64 (n,n') Level Cross Section 52-Te-123 -0.186 To 0.248 %



MAT 5234 MT= 65 (n,n') Level Cross Section 52-Te-123 -0.251 To 0.248 %



MAT 5234 MT= 66 (n,n') Level Cross Section 52-Te-123 -1.021 To 0.249 %




35 Incident Energy (eV) 52-Te-123

MAT 5234

MT= 67 (n,n') Level
Cross Section

52-Te-123
-0.165 To 0.248 %




36

Incident Energy (eV)


52-Te-123

MAT 5234 MT= 68 (n,n') Level Cross Section 52-Te-123 -0.502 To 0.249 %




37 Incident Energy (eV) 52-Te-123


MAT 5234 MT= 69 (n,n') Level Cross Section 52-Te-123 -0.139 To 0.248 %




MAT 5234 MT= 70 (n,n') Level Cross Section 52-Te-123 -0.122 To 0.248 %




MAT 5234 MT= 71 (n,n') Level Cross Section 52-Te-123 -0.137 To 0.248 %




MAT 5234 MT= 72 (n,n') Level Cross Section 52-Te-123 -0.225 To 0.248 %




MAT 5234 MT= 73 (n,n') Level Cross Section 52-Te-123 -0.157 To 0.248 %




MAT 5234 MT= 74 (n,n') Level Cross Section 52-Te-123 -0.124 To 0.248 %




MAT 5234 MT= 75 (n,n') Level Cross Section 52-Te-123 -0.212 To 0.248 %




MAT 5234 MT= 76 (n,n') Level Cross Section 52-Te-123 -0.141 To 0.249 %




MAT 5234 MT= 77 (n,n') Level Cross Section 52-Te-123 -0.182 To 0.249 %




MAT 5234 MT= 78 (n,n') Level Cross Section 52-Te-123 -0.186 To 0.249 %



MAT 5234 MT= 79 (n,n') Level Cross Section 52-Te-123 -0.126 To 0.248 %



MAT 5234 (n,n') Continuum Cross Section 52-Te-123 -0.074 To 0.203 %




MAT 5234

52-Te-123

(n, γ)

-99.84 To 9999. %


Cross Section




MAT 5234

(n,p)
Cross Section


52-Te-123
0.000 To 2.110 %



MAT 5234 (n,d) Cross Section 52-Te-123 -8.548 To 1.793 %




MAT 5234 (n,t) 52-Te-123
 -6.784 To 0.000 %
 Cross Section



53 52-Te-123 Incident Energy (eV)

MAT 5234 (n,He-3) Cross Section 52-Te-123 To 4.115 %




MAT 5234

(n, α)


52-Te-123

-5.511 To 898.0 %


Cross Section




MAT 5234 (n,2α) Cross Section 52-Te-123 To 9999. %




MAT 5234 (n,2p) Cross Section 52-Te-123 -1.261 To 0.450 %




57 52-Te-123




MAT 5234 (n,p) d 52-Te-123
 Cross Section 0.000 To 4.939 %



MAT 5234 (n,p) t 52-Te-123
 Cross Section -1.175 To 0.000 %



MAT 5234 (n,d) α 52-Te-123
 Cross Section 0.000 To 8841. %




61 Incident Energy (eV) 52-Te-123

MAT 5234

Hydrogen Production
Cross Section


52-Te-123
-0.097 To 2.110 %



MAT 5234

Deuterium Production
Cross Section

52-Te-123
-8.548 To 1.793 %




63

Incident Energy (eV)


52-Te-123

MAT 5234 Tritium Production Cross Section 52-Te-123 -6.784 To 0.076 %



64 52-Te-123


MAT 5234 He-3 Production Cross Section 52-Te-123 To 4.115 %



MAT 5234

He-4 Production
Cross Section


52-Te-123
-4.273 To 898.0 %



MAT 5234

Kerma total (eV-barns)
Cross Section


52-Te-123
-81.41 To 6913. %




MAT 5234

Kerma elastic
Cross Section

52-Te-123
-93.24 To 9999. %




MAT 5234 Kerma non-elastic (all but mt2) 52-Te-123
 Cross Section -71.15 To 3976. %



MAT 5234

Kerma inelastic (mt51-91)
Cross Section

52-Te-123
-24.09 To 215.0 %



70


Incident Energy (eV)

52-Te-123

MAT 5234

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


52-Te-123
-24.09 To 215.0 %



MAT 5234

Kerma capture (mt102)
Cross Section


52-Te-123
-99.84 To 9999. %




MAT 5234

Total photon (eV-barns)
Cross Section

52-Te-123
-99.84 To 9999. %




MAT 5234 Total kinematic kerma (high limit) 52-Te-123
 Cross Section -81.31 To 6890. %



MAT 5234

Dpa total (eV-barns)
Cross Section


52-Te-123
-94.23 To 9999. %



MAT 5234

Dpa elastic (mt2)
Cross Section

52-Te-123
-93.24 To 9999. %




76

Incident Energy (eV)

52-Te-123


MAT 5234 Dpa inelastic (mt51-91) 52-Te-123
 Cross Section -1.019 To 0.253 %



MAT 5234

Dpa disappearance (mt102 -120)
Cross Section

52-Te-123
-97.74 To 9999. %



78

Incident Energy (eV)


52-Te-123

MAT 5234

Inelastic:52-Te-123g

52-Te-123

Radionuclide Production Cross Section -0.378 To 0.136 %



79

Incident Energy (eV)


52-Te-123

MAT 5234

Inelastic:52-Te-123m2

52-Te-123

Radionuclide Production Cross Section -1.181 To 0.163 %




MAT 5234

(n,2n) d:51-Sb-120g

52-Te-123

Radionuclide Production Cross Section -0.338 To 0.562 %




MAT 5234

(n,2n) d:51-Sb-120m6

52-Te-123

Radionuclide Production Cross Section -0.811 To 0.000 %




MAT 5234


(n,3n):52-Te-121g

52-Te-123

Radionuclide Production Cross Section -2.247 To 0.184 %



MAT 5234 (n,3n):52-Te-121m2 52-Te-123
 Radionuclide Production Cross Section -2.427 To 0.185 %




MAT 5234

(n, n') α :50-Sn-119g

52-Te-123

Radionuclide Production Cross Section -5.163 To 9999. %





85

Incident Energy (eV)


52-Te-123

MAT 5234 (n, n') α :50-Sn-119m2 52-Te-123
 Radionuclide Production Cross Section -4.872 To 9999. %





MAT 5234 (n,3n) α :50-Sn-117m2 52-Te-123
 Radionuclide Production Cross Section 0.000 To 9999. %




MAT 5234


(n, n') p:51-Sb-122g

52-Te-123

Radionuclide Production Cross Section -4.447 To 0.018 %




MAT 5234 (n,n') p:51-Sb-122m5 52-Te-123
 Radionuclide Production Cross Section -9.075 To 0.049 %




90 52-Te-123

MAT 5234


(n, n') 2α:48-Cd-115g 52-Te-123
Radionuclide Production Cross Section 0.000 To 9999. %




MAT 5234 (n, n') ^{208}Tl Production Cross Section 0.000 To 9999. % ^{208}Tl -123



MAT 5234 (n, n') t:51-Sb-120g 52-Te-123
 Radionuclide Production Cross Section -0.461 To 0.258 %



MAT 5234 (n,n') t:51-Sb-120m6 52-Te-123
 Radionuclide Production Cross Section -0.839 To 0.077 %




MAT 5234

(n,3n) p:51-Sb-120g

52-Te-123

Radionuclide Production Cross Section -0.131 To 0.911 %



95

Incident Energy (MeV)


52-Te-123

MAT 5234

(n,3n) p:51-Sb-120m6

52-Te-123

Radionuclide Production Cross Section -0.292 To 0.052 %




96

Incident Energy (MeV)

52-Te-123

MAT 5234 (n,2n) p:50-Sn-121g 52-Te-123
 Radionuclide Production Cross Section 0.000 To 5.291 %




MAT 5234


(n,2n) p:50-Sn-121m1

52-Te-123

Radionuclide Production Cross Section 0.000 To 0.986 %



MAT 5234 (n,n') p α:49-In-118g 52-Te-123
 Radionuclide Production Cross Section -21.17 To 9999. %




MAT 5234

(n,n') p α :49-In-118m1

52-Te-123

Radionuclide Production Cross Section -25.80 To 9999. %




100

Incident Energy (eV)

52-Te-123

MAT 5234 (n,n') p α :49-In-118m3 52-Te-123
 Radionuclide Production Cross Section -17.78 To 9999. %




MAT 5234

(n,d):51-Sb-122g

52-Te-123

Radionuclide Production Cross Section -8.549 To 1.943 %



102

Incident Energy (eV)


52-Te-123

MAT 5234

(n,d):51-Sb-122m5

52-Te-123


Radionuclide Production Cross Section -2.911 To 0.060 %



103


52-Te-123

MAT 5234 (n, He-3):50-Sn-121g 52-Te-123
 Radionuclide Production Cross Section 0.000 To 4.106 %



104 Incident Energy (eV) 52-Te-123

MAT 5234 (n,He-3):50-Sn-121m1 52-Te-123
 Radionuclide Production Cross Section 0.000 To 0.765 %




MAT 5234

(n,p) α : 49-In-119g

52-Te-123

Radionuclide Production Cross Section 0.000 To 9999. %




106

Incident Energy (eV)


52-Te-123

MAT 5234 (n,p) α :49-In-119m1 52-Te-123
 Radionuclide Production Cross Section 0.000 To 9999. %




107 10⁷ 10⁸ 2
 52-Te-123


MAT 5234 (n,p) d:50-Sn-121g 52-Te-123
 Radionuclide Production Cross Section 0.000 To 5.004 %



MAT 5234 (n,p) d:50-Sn-121m1 52-Te-123
 Radionuclide Production Cross Section 0.000 To 0.720 %




MAT 5234 (n, d) α : 49-In-118g 52-Te-123
Radionuclide Production Cross Section 0.000 To 9999. %



110 Incident Energy (eV) 52-Te-123

MAT 5234 (n,d) α :49-In-118m1 52-Te-123
 Radionuclide Production Cross Section 0.000 To 8394. %




MAT 5234

(n, d) α :49-In-118m3

52-Te-123

Radionuclide Production Cross Section 0.000 To 6869. %



112

Incident Energy (eV)

52-Te-123