

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 5234

Total
Cross Section

52-Te-123

-97.62 To 788.2 %




1


Incident Energy (eV)

52-Te-123


MAT 5234 Inelastic Cross Section 52-Te-123 -64.36 To 11.11 %




MAT 5234 (n,2n) Cross Section 52-Te-123 -42.06 To 369.0 %




MAT 5234 (n,3n) Cross Section 52-Te-123 To 137.9 %
73.12



MAT 5234 $(n, n') \alpha$ 52-Te-123
 Cross Section -66.60 To 9999. %




MAT 5234 (n,n') p 52-Te-123
 Cross Section -100.0 To -62.30%




7 Incident Energy (eV) 52-Te-123


MAT 5234 (n,n') d 52-Te-123
 Cross Section -100.0 To 606.1 %



MAT 5234 MT= 51 (n,n') Level Cross Section 52-Te-123 -99.62 To 41.18 %




MAT 5234 MT= 52 (n,n') Level Cross Section 52-Te-123 -99.62 To 210.0 %




10 Incident Energy (eV) 52-Te-123


MAT 5234 MT= 53 (n,n') Level Cross Section 52-Te-123 -99.77 To 223.4 %




MAT 5234 MT= 54 (n,n') Level Cross Section 52-Te-123 -99.47 To 72.41 %




MAT 5234 MT= 55 (n,n') Level Cross Section 52-Te-123 -99.76 To 231.5 %



MAT 5234 MT= 56 (n,n') Level Cross Section 52-Te-123 -99.85 To -18.25%




MAT 5234 MT= 57 (n,n') Level Cross Section 52-Te-123 -99.76 To 86.41 %




MAT 5234

MT= 58 (n,n') Level
Cross Section


52-Te-123
-98.81 To 191.7 %




MAT 5234 MT= 59 (n,n') Level Cross Section 52-Te-123 -99.47 To 72.83 %



MAT 5234 MT= 60 (n,n') Level Cross Section 52-Te-123 -99.76 To 133.1 %




MAT 5234 MT= 61 (n,n') Level Cross Section 52-Te-123 -99.76 To 106.3 %



MAT 5234

MT= 62 (n,n') Level
Cross Section

52-Te-123
-99.50 To 4.101 %




20

Incident Energy (eV)


52-Te-123

MAT 5234 MT= 63 (n,n') Level Cross Section 52-Te-123 -99.72 To 15.54 %




21 Incident Energy (eV) 52-Te-123

MAT 5234 MT= 64 (n,n') Level Cross Section 52-Te-123 -99.71 To 41.25 %




22 Incident Energy (eV) 52-Te-123

MAT 5234 MT= 65 (n,n') Level Cross Section 52-Te-123 -99.61 To 70.34 %



MAT 5234 (n, n') Continuum Cross Section 52-Te-123 -64.36 To 782.5 %




MAT 5234

(n, γ)

52-Te-123

-95.75 To 9999. %

Cross Section




MAT 5234

(n,p)

52-Te-123

Cross Section

-100.0 To -55.43%





26

Incident Energy (eV)

52-Te-123

MAT 5234 (n,d) 52-Te-123
 Cross Section -100.0 To 57.47 %






MAT 5234

(n, He-3)

52-Te-123


Cross Section

-99.87 To 606.1 %



MAT 5234


(n, α) Cross Section
52-Te-123
-99.98 To 9999. %



MAT 5234

Hydrogen Production Cross Section


52-Te-123
-100.0 To -58.31%



MAT 5234

Deuterium Production
Cross Section


52-Te-123
-100.0 To 57.47 %



32

52-Te-123

MAT 5234 Tritium Production Cross Section 52-Te-123 -100.0 To -15.75%




33 52-Te-123

MAT 5234

He-3 Production
Cross Section

52-Te-123
-99.87 To 606.1 %



34


Incident Energy (eV)

52-Te-123


MAT 5234

He-4 Production
Cross Section

52-Te-123
-99.98 To 9999. %




MAT 5234 Kerma total (eV-barns) 52-Te-123
 Cross Section 581.3 To 9999. %




MAT 5234

Kerma elastic
Cross Section


52-Te-123
-98.13 To 5974. %



MAT 5234 Kerma non-elastic (all but mt2) 52-Te-123
 Cross Section 596.8 To 9999. %




MAT 5234 Kerma inelastic (mt51-91) 52-Te-123
 Cross Section 2681. To 9999. %



MAT 5234

Kerma fission (mt18 or mt19-20-21-38)
Cross Section

52-Te-123
2681. To 9999. %



40


Incident Energy (eV)

52-Te-123

MAT 5234

Kerma capture (mt102)
Cross Section


52-Te-123
9999. To 9999. %




MAT 5234

Total photon (eV-barns)
Cross Section


52-Te-123
9999. To 9999. %




MAT 5234 Total kinematic kerma (high limit) 52-Te-123
 Cross Section -94.96 To 1955. %



MAT 5234 Dpa total (eV-barns) 52-Te-123
 Cross Section -94.99 To 9999. %




MAT 5234 Dpa elastic (mt2) 52-Te-123
 Cross Section -98.13 To 814.3 %



MAT 5234

Dpa inelastic (mt51-91)
Cross Section


52-Te-123
-13.94 To 9999. %




MAT 5234


Dpa disappearance (mt102 -120)
Cross Section

52-Te-123
-61.33 To 9999. %



MAT 5234 MT= 79 (n,n') Level Cross Section 52-Te-123 -0.126 To 0.248 %






MAT 5234

(n, γ)

52-Te-123

-99.84 To 9999. %


Cross Section




MAT 5234

(n,p)
Cross Section


52-Te-123
0.000 To 2.110 %



MAT 5234 (n,d) Cross Section 52-Te-123 -8.548 To 1.793 %




MAT 5234 (n,t) 52-Te-123
 -6.784 To 0.000 %
 Cross Section



53 52-Te-123 Incident Energy (eV)

MAT 5234 (n,He-3) Cross Section 52-Te-123 To 4.115 %




MAT 5234

(n, α)


52-Te-123

-5.511 To 898.0 %


Cross Section




MAT 5234 (n,2α) Cross Section 52-Te-123 To 9999. %




MAT 5234 (n,2p) Cross Section 52-Te-123 -1.261 To 0.450 %




57 52-Te-123




MAT 5234 (n,p) d 52-Te-123
 Cross Section 0.000 To 4.939 %



MAT 5234 (n,p) t 52-Te-123
 Cross Section -1.175 To 0.000 %



MAT 5234 (n,d) α 52-Te-123
 Cross Section 0.000 To 8841. %




61 Incident Energy (eV) 52-Te-123

MAT 5234

Hydrogen Production
Cross Section


52-Te-123
-0.097 To 2.110 %



MAT 5234

Deuterium Production
Cross Section

52-Te-123
-8.548 To 1.793 %




63


Incident Energy (eV)

52-Te-123

MAT 5234 Tritium Production Cross Section 52-Te-123 -6.784 To 0.076 %




MAT 5234 He-3 Production Cross Section 52-Te-123 To 4.115 %



MAT 5234

He-4 Production
Cross Section


52-Te-123
-4.273 To 898.0 %



MAT 5234

Kerma total (eV-barns)
Cross Section


52-Te-123
-81.41 To 6913. %




MAT 5234

Kerma elastic
Cross Section

52-Te-123
-93.24 To 9999. %




MAT 5234 Kerma non-elastic (all but mt2) 52-Te-123
 Cross Section -71.15 To 3976. %



MAT 5234

Kerma inelastic (mt51-91)
Cross Section

52-Te-123
-24.09 To 215.0 %



70


Incident Energy (eV)

52-Te-123

MAT 5234

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


52-Te-123
-24.09 To 215.0 %



MAT 5234

Kerma capture (mt102)
Cross Section


52-Te-123
-99.84 To 9999. %



MAT 5234

Total photon (eV-barns)
Cross Section


52-Te-123
-99.84 To 9999. %



MAT 5234

Total kinematic kerma (high limit)
Cross Section


52-Te-123
-81.31 To 6890. %



MAT 5234

Dpa total (eV-barns)
Cross Section

52-Te-123
-94.23 To 9999. %



75


Incident Energy (eV)

52-Te-123

MAT 5234

Dpa elastic (mt2)
Cross Section

52-Te-123
-93.24 To 9999. %




76

Incident Energy (eV)

52-Te-123


MAT 5234 Dpa inelastic (mt51-91) 52-Te-123
 Cross Section -1.019 To 0.253 %



MAT 5234

Dpa disappearance (mt102 -120)
Cross Section

52-Te-123
-97.74 To 9999. %




MAT 5234

Inelastic:52-Te-123g

52-Te-123

Radionuclide Production Cross Section -0.378 To 0.136 %



79

Incident Energy (eV)


52-Te-123

MAT 5234

Inelastic:52-Te-123m2

52-Te-123

Radionuclide Production Cross Section -1.181 To 0.163 %




MAT 5234

(n,2n) d:51-Sb-120g

52-Te-123

Radionuclide Production Cross Section -0.338 To 0.562 %




MAT 5234

(n,2n) d:51-Sb-120m6

52-Te-123

Radionuclide Production Cross Section -0.811 To 0.000 %




MAT 5234


(n,3n):52-Te-121g

52-Te-123


Radionuclide Production Cross Section -2.247 To 0.184 %




MAT 5234 (n,3n):52-Te-121m2 52-Te-123
 Radionuclide Production Cross Section -2.427 To 0.185 %



MAT 5234 (n, n') α :50-Sn-119g 52-Te-123
 Radionuclide Production Cross Section -5.163 To 9999. %



MAT 5234 (n, n') α :50-Sn-119m2 52-Te-123
 Radionuclide Production Cross Section -4.872 To 9999. %




MAT 5234


(n,3n) α :50-Sn-117g

52-Te-123


Radionuclide Production Cross Section -98.30 To 9999. %




MAT 5234 (n,3n) α :50-Sn-117m2 52-Te-123
 Radionuclide Production Cross Section 0.000 To 9999. %



MAT 5234 (n, n') p:51-Sb-122g 52-Te-123
 Radionuclide Production Cross Section -4.447 To 0.018 %




MAT 5234 (n,n') p:51-Sb-122m5 52-Te-123
Radionuclide Production Cross Section -9.075 To 0.049 %



90 52-Te-123

MAT 5234

(n, n') 2α:48-Cd-115g 52-Te-123
Radionuclide Production Cross Section 0.000 To 9999. %



91

Incident Energy (eV)


52-Te-123

MAT 5234

(n, n') 2α: 48-Cd-115m1

52-Te-123

Radionuclide Production Cross Section 0.000 To 9999. %




92


Incident Energy (eV)

52-Te-123

MAT 5234 (n,n') t:51-Sb-120g 52-Te-123
 Radionuclide Production Cross Section -0.461 To 0.258 %



MAT 5234 (n,n') t:51-Sb-120m6 52-Te-123
 Radionuclide Production Cross Section -0.839 To 0.077 %




MAT 5234

(n,3n) p:51-Sb-120g

52-Te-123

Radionuclide Production Cross Section -0.131 To 0.911 %



95

Incident Energy (MeV)


52-Te-123

MAT 5234


(n,3n) p:51-Sb-120m6

52-Te-123

Radionuclide Production Cross Section -0.292 To 0.052 %



MAT 5234 (n,2n) p:50-Sn-121g 52-Te-123
 Radionuclide Production Cross Section 0.000 To 5.291 %




MAT 5234


(n,2n) p:50-Sn-121m1

52-Te-123

Radionuclide Production Cross Section 0.000 To 0.986 %



MAT 5234 (n,n') p α:49-In-118g 52-Te-123
 Radionuclide Production Cross Section -21.17 To 9999. %




MAT 5234

(n,n') p α :49-In-118m1

52-Te-123

Radionuclide Production Cross Section -25.80 To 9999. %




100

Incident Energy (eV)

52-Te-123

MAT 5234 (n,n') p α :49-In-118m3 52-Te-123
 Radionuclide Production Cross Section -17.78 To 9999. %




MAT 5234

(n,d):51-Sb-122g

52-Te-123

Radionuclide Production Cross Section -8.549 To 1.943 %



102

Incident Energy (eV)


52-Te-123

MAT 5234

(n,d):51-Sb-122m5

52-Te-123

Radionuclide Production Cross Section -2.911 To 0.060 %




103

Incident Energy (eV)


52-Te-123

MAT 5234 (n, He-3):50-Sn-121g 52-Te-123
 Radionuclide Production Cross Section 0.000 To 4.106 %



104 Incident Energy (eV) 52-Te-123

MAT 5234 (n,He-3):50-Sn-121m1 52-Te-123
 Radionuclide Production Cross Section 0.000 To 0.765 %




105 52-Te-123

MAT 5234

(n,p) α : 49-In-119g

52-Te-123

Radionuclide Production Cross Section 0.000 To 9999. %




106

Incident Energy (eV)


52-Te-123

MAT 5234 (n,p) α :49-In-119m1 52-Te-123
 Radionuclide Production Cross Section 0.000 To 9999. %




Incident Energy (eV) 52-Te-123


MAT 5234 (n,p) d:50-Sn-121g 52-Te-123
 Radionuclide Production Cross Section 0.000 To 5.004 %



MAT 5234 (n,p) d:50-Sn-121m1 52-Te-123
 Radionuclide Production Cross Section 0.000 To 0.720 %




MAT 5234 (n, d) α : 49-In-118g 52-Te-123
Radionuclide Production Cross Section 0.000 To 9999. %



110 Incident Energy (eV) 52-Te-123

MAT 5234 (n,d) α :49-In-118m1 52-Te-123
 Radionuclide Production Cross Section 0.000 To 8394. %




MAT 5234

(n, d) α :49-In-118m3

52-Te-123

Radionuclide Production Cross Section 0.000 To 6869. %



112

Incident Energy (eV)

52-Te-123