

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 6037

Total

60-Nd-146

Cross Section

-98.76 To 178.9 %



Incident Energy (eV)

60-Nd-146


MAT 6037

Elastic

60-Nd-146

Cross Section

-99.48 To 658.8 %




2

Incident Energy (eV)

60-Nd-146


MAT 6037 60-Nd-146 -5.850 To 16.06 %

Inelastic Cross Section




3 60-Nd-146

MAT 6037 (n,2n) Cross Section 60-Nd-146 -29.71 To 24.91 %



MAT 6037 (n,3n) Cross Section 60-Nd-146 -24.32 To 50.31 %




MAT 6037

(n, n') α

60-Nd-146

Cross Section

-16.61 To 9999. %




6

Incident Energy (eV)

60-Nd-146

MAT 6037 $(n, 2n) \alpha$ 60-Nd-146
 Cross Section 703.5 To 9999. %



7 60-Nd-146


MAT 6037

(n,n') p

⁶⁰Nd-146

Cross Section

-98.61 To -11.60%




8


Incident Energy (eV)

⁶⁰Nd-146

MAT 6037 (n,2n) p 60-Nd-146
 Cross Section -99.96 To -97.83%




MAT 6037 MT= 51 (n,n') Level 60-Nd-146
 Cross Section -43.49 To 7.874 %




10 5 6 7 8 10⁶ 2 3 4 5 6 7 8 10⁷ 10⁸ 60-Nd-146

MAT 6037 MT= 52 (n,n') Level Cross Section 60-Nd-146 To 9999. %
 15.16




MAT 6037 MT= 53 (n,n') Level Cross Section 60-Nd-146 -91.86 To 83.98 %



12 Incident Energy (eV) 60-Nd-146


MAT 6037 MT= 54 (n,n') Level Cross Section 60-Nd-146
 -50.06 To 69.26 %



MAT 6037

MT= 55 (n,n') Level
Cross Section


60-Nd-146
-3.397 To 129.2 %




MAT 6037

MT= 56 (n,n') Level
Cross Section


60-Nd-146
-22.34 To 5576. %



MAT 6037 MT= 57 (n,n') Level Cross Section 60-Nd-146
 -3.102 To 130.8 %




MAT 6037 MT= 58 (n,n') Level Cross Section 60-Nd-146
 11.63 To 5305. %



MAT 6037

MT= 59 (n,n') Level
Cross Section


60-Nd-146
-44.01 To 316.8 %




MAT 6037

MT= 60 (n,n') Level
Cross Section

60-Nd-146
-44.08 To 313.4 %




MAT 6037 MT= 61 (n,n') Level Cross Section 60-Nd-146
 -100.0 To 267.9 %




MAT 6037

MT= 62 (n,n') Level
Cross Section

60-Nd-146
-73.29 To 1494. %




MAT 6037 MT= 63 (n,n') Level Cross Section 60-Nd-146
 -100.0 To 154.5 %



MAT 6037

MT= 64 (n,n') Level
Cross Section


60-Nd-146
-100.0 To 9999. %




MAT 6037

MT= 65 (n,n') Level
Cross Section


60-Nd-146
-99.99 To 280.1 %




MAT 6037 MT= 66 (n,n') Level Cross Section 60-Nd-146
 -100.0 To 9999. %




MAT 6037 MT= 67 (n,n') Level Cross Section 60-Nd-146
 -100.0 To 32.07 %



MAT 6037 MT= 68 (n,n') Level Cross Section 60-Nd-146 -100.0 To 288.8 %




MAT 6037 MT= 69 (n,n') Level Cross Section 60-Nd-146
 -100.0 To 1546. %




MAT 6037

MT= 70 (n,n') Level
Cross Section


60-Nd-146
-99.97 To 463.3 %




MAT 6037 MT= 71 (n,n') Level Cross Section 60-Nd-146
 -100.0 To 79.04 %



MAT 6037 MT= 72 (n,n') Level Cross Section 60-Nd-146
 -100.0 To 125.6 %



MAT 6037 (n, n') Continuum Cross Section 60-Nd-146 -9.443 To 861.4 %




MAT 6037


(n, γ)

60-Nd-146

Cross Section

-97.63 To 9999. %






MAT 6037

(n, α)

60-Nd-146

Cross Section


-34.20 To 9999. %



MAT 6037

Hydrogen Production
Cross Section

60-Nd-146
-21.01 To 9999. %



36


Incident Energy (eV)

60-Nd-146

MAT 6037


He-4 Production
Cross Section

60-Nd-146
-24.77 To 9999. %



60-Nd-146


MAT 6037 Kerma total (eV-barns)
 Cross Section 60-Nd-146
 -99.24 To 188.2 %




MAT 6037

Kerma elastic
Cross Section

60-Nd-146
-99.49 To 649.7 %




MAT 6037 Kerma non-elastic (all but mt.2) 60-Nd-146
Cross Section -95.43 To 9999. %



40 Incident Energy (eV) 60-Nd-146


MAT 6037 Kerma inelastic (mt51-91) 60-Nd-146
 -100.0 To 122.3 %
 Cross Section



MAT 6037

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


60-Nd-146
-100.0 To 122.3 %



MAT 6037

Kerma capture (mt102)
Cross Section

60-Nd-146
-95.43 To 9999. %




43


Incident Energy (eV)

60-Nd-146


MAT 6037 60-Nd-146
-97.65 To 9999. %
 Total photon (eV-barns)
 Cross Section



MAT 6037 Total kinematic kerma (high limit) Cross Section 60-Nd-146 -99.24 To 188.2 %




MAT 6037 Dpa total (eV-barns) 60-Nd-146
 -99.29 To 606.0 %



MAT 6037

Dpa elastic (mt2)
Cross Section


60-Nd-146
-99.49 To 631.8 %



47

60-Nd-146

MAT 6037 Dpa inelastic (mt51-91) 60-Nd-146
 Cross Section -100.0 To 178.3 %



MAT 6037 Dpa disappearance (mt102 -120) 60-Nd-146
 Cross Section -92.65 To 9999. %

