

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550


U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 9219 Total Cross Section 92-U -232
-55.35 To 362.6 %




1 Incident Energy (eV) 92-U -232

MAT 9219 Elastic Cross Section 92-U -232 -40.42 To 0.153 %




2 92-U -232

MAT 9219 Inelastic Cross Section 92-U -232
 -15.52 To 1.720 %




MAT 9219 (n,2n) Cross Section 92-U -232 -85.22 To 110.7 %




4 92-U -232

MAT 9219 (n,3n) 92-U -232
 Cross Section -98.79 To -50.42%




MAT 9219 Fission Cross Section 92-U -232
 -93.81 To 7965. %



MAT 9219

(n,f) First Chance
Cross Section

92-U -232
-93.81 To 7965. %



7


Incident Energy (eV)

92-U -232

MAT 9219

(n,nf) Second Chance
Cross Section


92-U -232
-98.62 To 69.52 %



MAT 9219

(n,2nf) Third Chance
Cross Section

92-U -232
-99.99 To -60.26%



9


Incident Energy (eV)

92-U -232

MAT 9219

(n,3nf) Fourth Chance
Cross Section

92-U -232
-99.97 To -67.14%




10


Incident Energy (eV)

92-U -232


MAT 9219 MT= 52 (n,n') Level Cross Section 92-U -232
 -0.329 To 4.464 %



MAT 9219 MT= 53 (n,n') Level Cross Section 92-U -232
 -2.843 To 68.75 %




MAT 9219 MT= 54 (n,n') Level Cross Section 92-U -232
 -83.03 To 50.07 %



MAT 9219

MT= 55 (n,n') Level
Cross Section

92-U -232
-4.376 To 8.729 %




15

Incident Energy (eV)

92-U -232


MAT 9219 MT= 56 (n,n') Level Cross Section 92-U -232
 -19.97 To 7.006 %



MAT 9219

MT= 57 (n,n') Level
Cross Section

92-U -232
-3.606 To 9999. %




17


Incident Energy (eV)

92-U -232


MAT 9219 MT= 58 (n,n') Level Cross Section 92-U -232
 -3.720 To 45.12 %




MAT 9219 MT= 59 (n,n') Level Cross Section 92-U -232
 -13.13 To 4.485 %




MAT 9219 MT= 60 (n,n') Level 92-U -232
 Cross Section -100.0 To 8.265 %




MAT 9219 MT= 61 (n,n') Level Cross Section 92-U -232
 -14.30 To 7.436 %




MAT 9219 MT= 62 (n,n') Level Cross Section 92-U -232 -3.622 To 9.251 %




MAT 9219 MT= 63 (n,n') Level Cross Section 92-U -232 -3.212 To 142.7 %



MAT 9219 MT= 64 (n,n') Level 92-U -232
 Cross Section -96.27 To 3.610 %




MAT 9219 MT= 65 (n,n') Level Cross Section 92-U -232
 -39.91 To 9999. %



25 Incident Energy (eV) 92-U -232

MAT 9219 MT= 66 (n,n') Level Cross Section 92-U -232
 -58.44 To 2.716 %




26 Incident Energy (eV) 92-U -232

MAT 9219

MT= 67 (n,n') Level
Cross Section

92-U -232
-3.208 To 18.47 %



27


Incident Energy (eV)

92-U -232

MAT 9219

(n, n') Continuum
Cross Section

92-U -232
-4.369 To 376.3 %




MAT 9219

(n, γ)


92-U -232

Cross Section

-70.08 To 0.571 %




MAT 9219 Kerma total (eV-barns) 92-U -232
 Cross Section -94.06 To 7632. %




MAT 9219

Kerma elastic
Cross Section


92-U -232
-40.43 To 18.79 %



MAT 9219 Kerma non-elastic (all but mt2) 92-U -232
 Cross Section -94.06 To 7632. %




MAT 9219 Kerma inelastic (mt51-91) 92-U -232
 Cross Section -94.68 To 9999. %



MAT 9219

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


92-U -232
-94.06 To 7632. %



MAT 9219

Kerma capture (mt102)
Cross Section


92-U -232
-65.70 To 131.9 %




Incident Energy (eV)

92-U -232


MAT 9219 Total photon (eV-barns) 92-U -232
 -67.35 To 4423. %



MAT 9219 Total kinematic kerma (high limit) 92-U -232
 Cross Section -93.81 To 7965. %




MAT 9219 Dpa total (eV-barns) 92-U -232
 Cross Section -93.76 To 7969. %




MAT 9219

Dpa elastic (mt2)
Cross Section

92-U -232
-18.84 To 18.21 %



MAT 9219 Dpa inelastic (mt51-91) 92-U -232
 Cross Section -11.40 To 9999. %



40 Incident Energy (eV) 92-U -232

MAT 9219 Dpa disappearance (mt102 -120) 92-U -232
 Cross Section -100.0 To 102.1 %

