

Program EVALPLOT
(Version 2018-1)

by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start










MAT 2425

24-Cr-50

(d,n') Level
0 Kelvin Cross Sections



5


Incident Energy (MeV)

24-Cr-50

MAT 2425

24-Cr-50

(d,p) Levels
0 Kelvin Cross Sections



24-Cr-50


Incident Energy (MeV)

6

MAT 2425

24-Cr-50

(d,d) Levels
0 Kelvin Cross Sections




24-Cr-50

Incident Energy (MeV)

MAT 2425

24-Cr-50

(d,t) Levels
0 Kelvin Cross Sections



24-Cr-50


Incident Energy (MeV)

8

MAT 2425

(d,He3) Levels
0 Kelvin Cross Sections

24-Cr-50



9


Incident Energy (MeV)

24-Cr-50

MAT 2425

24-Cr-50

(d, α) Levels
0 Kelvin Cross Sections



24-Cr-50

Incident Energy (MeV)

