

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9855

Total

98-Cf-250

-90.38 To 4660. %

Cross Section




MAT 9855

Elastic

98-Cf-250

Cross Section


-86.71 To 1314. %



MAT 9855

Inelastic
Cross Section

98-Cf-250
-61.02 To -14.79%



98-Cf-250

Incident Energy (eV)

3


MAT 9855

(n,2n)

98-Cf-250

Cross Section

-91.87 To -48.61%




MAT 9855

(n, 3n)

98-Cf-250

Cross Section

-87.09 To 48.30 %



5

Incident Energy (eV)

98-Cf-250


MAT 9855

Fission

98-Cf-250

-50.62 To 9999. %


Cross Section



MAT 9855

(n,f) First Chance
Cross Section

98-Cf-250
-50.62 To 9999. %



7


Incident Energy (eV)

98-Cf-250

MAT 9855

(n, nf) Second Chance
Cross Section


98-Cf-250
-100.0 To 333.0 %



MAT 9855

(n,2nf) Third Chance
Cross Section

98-Cf-250
-67.35 To 9999. %



9

Incident Energy (eV)

98-Cf-250


MAT 9855

(n, 4n)

98-Cf-250

Cross Section

-99.84 To -99.82%



10


Incident Energy (eV)

98-Cf-250

MAT 9855

(n,3nf) Fourth Chance
Cross Section


98-Cf-250
-77.49 To 9999. %




MAT 9855

MT= 51 (n,n') Level
Cross Section

98-Cf-250
-38.49 To 15.28 %






MAT 9855

MT= 54 (n,n') Level
Cross Section

98-Cf-250
-52.86 To 449.4 %



15


Incident Energy (eV)

98-Cf-250

MAT 9855

(n, n') Continuum
Cross Section


98-Cf-250
-69.63 To 256.6 %



MAT 9855

(n, γ)
Cross Section

98-Cf-250
-94.31 To 7969. %





Incident Energy (eV)

98-Cf-250

MAT 9855

Kerma total (eV-barns)
Cross Section


98-Cf-250
-51.51 To 9999. %



MAT 9855

Kerma elastic
Cross Section


98-Cf-250
-86.71 To 1314. %



MAT 9855

Kerma non-elastic (all but mt2)
Cross Section


98-Cf-250
-51.51 To 9999. %



MAT 9855

Kerma inelastic (mt51-91)
Cross Section


98-Cf-250
-100.0 To 9999. %



MAT 9855

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


98-Cf-250
-51.51 To 9999. %



MAT 9855

Kerma capture (mt102)
Cross Section


98-Cf-250
-93.92 To 8516. %



MAT 9855

Total photon (eV-barns)
Cross Section


98-Cf-250
-94.30 To 7972. %



MAT 9855

Total kinematic kerma (high limit)
Cross Section

98-Cf-250
-49.73 To 9999. %



25


Incident Energy (eV)

98-Cf-250

MAT 9855

Dpa total (eV-barns)
Cross Section


98-Cf-250
-48.81 To 9999. %



MAT 9855

Dpa elastic (mt2)
Cross Section


98-Cf-250
-35.31 To 33.23 %



MAT 9855

Dpa inelastic (mt51-91)
Cross Section

98-Cf-250
-100.0 To 183.9 %



MAT 9855

Dpa disappearance (mt102 -120)
Cross Section

98-Cf-250
-100.0 To 9342. %

