

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 4843

Total

48-Cd-112

Cross Section

-99.84 To 9999. %



1

Incident Energy (eV)


48-Cd-112

MAT 4843

Elastic

48-Cd-112

Cross Section -100.0 To 9999. %




Ratio

2

Incident Energy (eV)

48-Cd-112

MAT 4843 Inelastic 48-Cd-112  
 Cross Section -100.0 To 55.00 %




3 Incident Energy (eV) 48-Cd-112

MAT 4843

(n,2n)

48-Cd-112

Cross Section -100.0 To 662.8 %



4

Incident Energy (eV)


48-Cd-112

MAT 4843

(n,3n)

48-Cd-112

Cross Section -100.0 To 4516. %




5

Incident Energy (eV)

48-Cd-112

MAT 4843 (n, n')  $\alpha$  48-Cd-112  
 Cross Section -100.0 To 9999. %




6 Incident Energy (eV) 48-Cd-112

MAT 4843

(n, n') p

48-Cd-112

Cross Section -99.46 To 9999. %



7

Incident Energy (eV)


48-Cd-112

MAT 4843

(n, n') d

48-Cd-112

Cross Section -100.0 To -99.60%



8

Incident Energy (eV)


48-Cd-112

MAT 4843


(n, n') t

48-Cd-112

Cross Section -100.0 To -57.31%




MAT 4843 MT= 51 (n,n') Level 48-Cd-112  
 Cross Section -100.0 To 55.00 %




10 Incident Energy (eV) 48-Cd-112


MAT 4843 MT= 52 (n, n') Level 48-Cd-112  
 Cross Section -100.0 To 24.80 %




MAT 4843 MT= 53 (n, n') Level 48-Cd-112  
 Cross Section -100.0 To 18.19 %




MAT 4843 MT= 54 (n, n') Level 48-Cd-112  
 Cross Section -100.0 To 28.94 %




MAT 4843 MT= 55 (n, n') Level 48-Cd-112  
 Cross Section -100.0 To 9999. %




MAT 4843 MT= 56 (n, n') Level 48-Cd-112  
 Cross Section -100.0 To 26.14 %




MAT 4843 MT= 57 (n,n') Level 48-Cd-112  
 Cross Section -100.0 To -7.100%



MAT 4843 MT= 58 (n, n') Level 48-Cd-112  
 Cross Section -100.0 To 9999. %



MAT 4843 (n,n') Continuum 48-Cd-112  
 Cross Section -63.34 To 4885. %




MAT 4843

(n,  $\gamma$ )

48-Cd-112

Cross Section -100.0 To 9999. %



19

Incident Energy (eV)


48-Cd-112

MAT 4843


(n,p)

48-Cd-112

Cross Section -28.51 To 9999. %



MAT 4843 (n,d) 48-Cd-112  
 Cross Section -17.16 To 9999. %




MAT 4843

(n, t)

48-Cd-112

Cross Section -100.0 To 9999. %



22

Incident Energy (eV)


48-Cd-112

MAT 4843

(n, He-3)

48-Cd-112

Cross Section -100.0 To 9999. %



23

Incident Energy (eV)


48-Cd-112

MAT 4843

(n,  $\alpha$ )

48-Cd-112

Cross Section -100.0 To 9999. %




24

Incident Energy (eV)


48-Cd-112

MAT 4843


Hydrogen Production 48-Cd-112  
Cross Section -28.51 To 9999. %



MAT 4843 Deuterium Production 48-Cd-112  
 Cross Section -17.16 To 9999. %



MAT 4843 Tritium Production 48-Cd-112  
 Cross Section -100.0 To 9999. %




MAT 4843

He-3 Production

48-Cd-112

Cross Section -100.0 To 9999. %



28

Incident Energy (eV)


48-Cd-112

MAT 4843

He-4 Production

48-Cd-112

Cross Section -100.0 To 9999. %




29


Incident Energy (eV)

48-Cd-112


MAT 4843 Kerma total (eV-barns) 48-Cd-112  
 Cross Section 55.95 To 9999. %




MAT 4843      Kerma elastic      48-Cd-112  
 Cross Section      -100.0 To 9999. %




MAT 4843 Kerma non-elastic (all but mt2) 48-Cd-112  
 Cross Section 113.6 To 9999. %




MAT 4843 Kerma inelastic (mt51-91) 48-Cd-112  
 Cross Section -100.0 To 9999. %



MAT 4843 Kerma fission (mt18 or mt19-20-21-38) 48-Cd-112  
 Cross Section -100.0 To 9999. %




MAT 4843 Kerma capture (mt102) 48-Cd-112  
 Cross Section -100.0 To 9999. %




35 Incident Energy (eV) 48-Cd-112

MAT 4843 Total photon (eV-barns) 48-Cd-112  
 Cross Section -100.0 To 9999. %




36 Incident Energy (eV) 48-Cd-112

MAT 4843 Total kinematic kerma (high limit) 48-Cd-112  
 Cross Section -99.74 To 9999. %




MAT 4843      Dpa total (eV-barns)      48-Cd-112  
 Cross Section      -99.74 To 9999. %





MAT 4843 Dpa inelastic (mt51-91) 48-Cd-112  
 Cross Section -100.0 To 65.76 %



MAT 4843 Dpa disappearance (mt102 -120) 48-Cd-112  
 Cross Section -99.99 To 9999. %

