

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9631

Total

96-Cm-242

Cross Section

-25.48 To 9999. %



1

Incident Energy (eV)


96-Cm-242

MAT 9631

Elastic

96-Cm-242

Cross Section -91.70 To 9999. %



2

Incident Energy (eV)


96-Cm-242

MAT 9631

Inelastic

96-Cm-242

Cross Section -100.0 To 1882. %




3

Incident Energy (eV)

96-Cm-242

MAT 9631 (n,2n) 96-Cm-242  
 Cross Section -100.0 To 9999. %




4 7 8 10<sup>7</sup> 2 3 4 5 6 7 8 10<sup>8</sup> 2 96-Cm-242

MAT 9631

(n,3n)

96-Cm-242

Cross Section 1820. To 9999. %



5

Incident Energy (eV)


96-Cm-242

MAT 9631

Fission

96-Cm-242

Cross Section -99.88 To 9999. %




6


Incident Energy (eV)

96-Cm-242


MAT 9631 MT= 51 (n,n') Level 96-Cm-242  
 Cross Section -100.0 To 9145. %



MAT 9631 MT= 52 (n, n') Level 96-Cm-242  
 Cross Section 0.000 To 276.1 %



MAT 9631 MT= 53 (n, n') Level 96-Cm-242  
 Cross Section 0.000 To 918.4 %




MAT 9631

(n,n') Continuum

96-Cm-242

Cross Section 138.4 To 9999. %



10


Incident Energy (eV)

96-Cm-242


MAT 9631

(n,  $\gamma$ )  
Cross Section -95.97 To 9999. %

96-Cm-242



MAT 9631 Kerma total (eV-barns) 96-Cm-242  
 Cross Section -99.88 To 9999. %




12 Incident Energy (eV) 96-Cm-242

MAT 9631

Kerma elastic  
Cross Section

-91.70 To 9999. %

96-Cm-242




13


Incident Energy (eV)

96-Cm-242


MAT 9631 Kerma non-elastic (all but mt2) 96-Cm-242  
 Cross Section -99.88 To 9999. %



MAT 9631 Kerma inelastic (mt51-91) 96-Cm-242  
 Cross Section -3039. To 9622. %




MAT 9631 Kerma fission (mt18 or mt19-20-21-38) 96-Cm-242  
 Cross Section -99.88 To 9999. %



MAT 9631

Kerma capture (mt102) 96-Cm-242  
Cross Section -96.97 To 9999. %




17

Incident Energy (eV)

96-Cm-242

MAT 9631

Total photon (eV-barns) 96-Cm-242  
Cross Section -95.42 To 9999. %




18


Incident Energy (eV)

96-Cm-242

MAT 9631 Total kinematic kerma (high limit) 96-Cm-242  
 Cross Section -99.87 To 9999. %



MAT 9631      Dpa total (eV-barns)      96-Cm-242  
Cross Section      -99.86 To 9999. %




20      Incident Energy (eV)      96-Cm-242

MAT 9631

Dpa elastic (mt2)

96-Cm-242

Cross Section -39.80 To 25.51 %




21


Incident Energy (eV)

96-Cm-242


MAT 9631      Dpa inelastic (mt51-91)      96-Cm-242  
 Cross Section      -100.0 To 3899. %



MAT 9631 Dpa disappearance (mt102 -120) 96-Cm-242  
 Cross Section -100.0 To 9999. %



MAT 9631      Dpa total (eV-barns)      96-Cm-242  
 Cross Section      -99.86 To 9999. %



24      Incident Energy (eV)      96-Cm-242


MAT 9631

Dpa elastic (mt2)

96-Cm-242

Cross Section

-39.80 To 25.51 %




25

Incident Energy (eV)

96-Cm-242

MAT 9631      Dpa inelastic (mt51-91)      96-Cm-242  
 Cross Section      -100.0 To 3899. %



MAT 9631 Dpa disappearance (mt102 -120) 96-Cm-242  
 Cross Section -100.0 To 9999. %

