

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start






MAT 2425

Inelastic

24-Cr-50


Cross Section -98.13 To 23.64 %





3


Incident Energy (eV)


24-Cr-50
















































MAT 2425 Kerma non-elastic (all but mt2) 24-Cr-50
Cross Section -99.95 To 9999. %







MAT 2425 Kerma fission (mt18 or mt19-20-21-38) 24-Cr-50
Cross Section -9999. To 115.3 %










MAT 2425 Total kinematic kerma (high limit) 24-Cr-50
Cross Section -98.00 To 9999. %














MAT 2425 Dpa disappearance (mt102 -120) 24-Cr-50
Cross Section -99.99 To 9999. %
















MAT 2425


$$(n, t)$$


24-Cr-50


Cross Section -100.0 To 9999. %









































MAT 2425 Kerma non-elastic (all but mt2) 24-Cr-50
Cross Section -15.82 To 9999. %




49 Incident Energy (eV) 24-Cr-50




MAT 2425 Kerma fission (mt18 or mt19-20-21-38) 24-Cr-50
Cross Section -9999. To 8.288 %




51 Incident Energy (eV) 24-Cr-50



MAT 2425 Total photon (eV-barns) 24-Cr-50
Cross Section -9.185 To 93.60 %




MAT 2425 Total kinematic kerma (high limit) 24-Cr-50
Cross Section -55.89 To 272.6 %




45


Incident Energy (eV)

24-Cr-50





MAT 2425 Dpa inelastic (mt51-91) 24-Cr-50
Cross Section -100.0 To 45.88 %



57 Incident Energy (eV) 24-Cr-50

MAT 2425 Dpa disappearance (mt102 -120) 24-Cr-50
Cross Section -100.0 To 918.2 %

