

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start






MAT 2434

Inelastic

24-Cr-53

Cross Section	-94.64 To 35.30 %
---------------	-------------------



3

Incident Energy (eV)


24-Cr-53

MAT 2434

(n, remainder)

24-Cr-53


Cross Section -1.723 To -0.189%





4

Incident Energy (eV)


24-Cr-53










MAT 2434 MT= 54 (n,n') Level 24-Cr-53
Cross Section -1.787 To 301.8 %



MAT 2434	MT= 55 (n,n')	Level	24-Cr-53
	Cross Section	0.000	To 304.2 %










11


24-Cr-53









MAT 2434 MT= 61 (n,n') Level 24-Cr-53
Cross Section -100.0 To 302.3 %



15 Incident Energy (eV) 24-Cr-53




MAT 2434 MT= 63 (n,n') Level 24-Cr-53
Cross Section -100.0 To 9999. %





17 Incident Energy (eV) 24-Cr-53


MAT 2434 MT= 64 (n,n') Level 24-Cr-53
Cross Section -100.0 To 1.679 %





18 Incident Energy (eV) 24-Cr-53






































MAT 2434 Kerma non-elastic (all but mt2) 24-Cr-53
Cross Section -98.49 To 1693. %




33 Incident Energy (eV) 24-Cr-53





MAT 2434 Kerma fission (mt18 or mt19-20-21-38) 24-Cr-53
Cross Section -94.54 To 24.39 %





35 Incident Energy (eV) 24-Cr-53












MAT 2434 Dpa inelastic (mt51-91) 24-Cr-53
Cross Section -89.02 To 28.58 %



41 Incident Energy (eV) 24-Cr-53

