

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start


































MAT 2434

MT=55 (n,n') Level


24-Cr-53

Cross Section -100.0 To 9999. %








MAT 2434 MT= 57 (n,n') Level 24-Cr-53
Cross Section -100.0 To 889.6 %





15 Incident Energy (eV) 24-Cr-53














MAT 2434 MT= 63 (n,n') Level 24-Cr-53
Cross Section -100.0 To 2174. %




21 Incident Energy (eV) 24-Cr-53





MAT 2434 MT= 65 (n,n') Level 24-Cr-53
Cross Section -100.0 To 9999. %



23 Incident Energy (eV) 24-Cr-53








MAT 2434


MT= 69 (n,n') Level


24-Cr-53

Cross Section

-100.0 To 9999. %









MAT 2434


MT=72 (n,n') Level


24-Cr-53


Cross Section	-100.0 To 4.189 %
---------------	-------------------







































42


24-Cr-53















MAT 2434

Kerma elastic Cross Section

24-Cr-53
-64.97 To 2701. %




49


Incident Energy (eV)

24-Cr-53


MAT 2434 Kerma non-elastic (all but mt2) 24-Cr-53
Cross Section -97.47 To 2869. %





50 Incident Energy (eV) 24-Cr-53




MAT 2434 Kerma fission (mt18 or mt19-20-21-38) 24-Cr-53
Cross Section -9999. To 35.74 %










MAT 2434 Total kinematic kerma (high limit) 24-Cr-53
Cross Section -65.02 To 250.4 %




55 Incident Energy (eV) 24-Cr-53







MAT 2434 Dpa disappearance (mt102 -120) 24-Cr-53
Cross Section -100.0 To 2889. %



59 Incident Energy (eV) 24-Cr-53