

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.


Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 6725

Total Cross Section  
67-Ho-165  
-67.84 To 678.0 %



Ratio

1

Incident Energy (eV)

67-Ho-165


MAT 6725

Elastic

67-Ho-165

Cross Section

-94.35 To 695.3 %




MAT 6725

Inelastic

67-Ho-165

Cross Section

-61.58 To 17.43 %



3

Incident Energy (eV)


67-Ho-165

MAT 6725

(n,2n)

67-Ho-165

Cross Section -100.0 To 50.59 %



4

Incident Energy (eV)


67-Ho-165

MAT 6725

(n,3n)

67-Ho-165

Cross Section -93.05 To 59.94 %



5

Incident Energy (eV)


67-Ho-165

MAT 6725

(n,4n)

67-Ho-165

Cross Section -84.03 To -7.598%




MAT 6725

MT= 51 (n, n') Level

67-Ho-165


Cross Section -61.58 To 15.08 %




Incident Energy (eV)

67-Ho-165

MAT 6725 MT= 52 (n, n') Level 67-Ho-165  
 Cross Section -51.61 To 57.58 %




MAT 6725 MT= 53 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 246.0 %




9 Incident Energy (eV) 67-Ho-165

MAT 6725 MT= 54 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 9999. %




10 Incident Energy (eV) 67-Ho-165

MAT 6725 MT= 55 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 9999. %




11 Incident Energy (eV) 67-Ho-165


MAT 6725 MT= 56 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 9999. %



MAT 6725 MT= 57 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 9999. %




MAT 6725 MT= 58 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 9999. %




14 Incident Energy (eV) 67-Ho-165


MAT 6725 MT= 59 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 99.83 %




MAT 6725 MT= 60 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 9999. %




MAT 6725 MT= 61 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 337.7 %




MAT 6725 MT= 62 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 9999. %



MAT 6725 MT= 63 (n, n') Level 67-Ho-165  
 Cross Section -100.0 To 311.4 %



MAT 6725 (n,n') Continuum 67-Ho-165  
 Cross Section -34.82 To 4369. %




MAT 6725

(n,  $\gamma$ )

67-Ho-165

Cross Section -99.83 To 1809. %




21

Incident Energy (eV)

67-Ho-165

MAT 6725 Kerma total (eV-barns) 67-Ho-165  
 Cross Section -118.4 To 2679. %




22 Incident Energy (eV) 67-Ho-165


MAT 6725

Kerma elastic Cross Section -94.35 To 694.9 %

67-Ho-165




MAT 6725 Kerma non-elastic (all but mt2) 67-Ho-165  
 Cross Section -242.1 To 9999. %




24 Incident Energy (eV) 67-Ho-165

MAT 6725 Kerma inelastic (mt51-91) 67-Ho-165  
 Cross Section -9999. To 1460. %




25 Incident Energy (eV) 67-Ho-165

MAT 6725 Kerma fission (mt18 or mt19-20-21-38) 67-Ho-165  
 Cross Section -9999. To 1460. %




MAT 6725

Kerma capture (mt102) 67-Ho-165  
Cross Section -99.06 To 9999. %




MAT 6725

Total photon (eV-barns) 67-Ho-165  
Cross Section -99.83 To 1809. %



MAT 6725 Total kinematic kerma (high limit) 67-Ho-165  
 Cross Section -79.33 To 2679. %




MAT 6725

Dpa total (eV-barns)

67-Ho-165

Cross Section -69.99 To 3918. %



30

Incident Energy (eV)

67-Ho-165


MAT 6725

Dpa elastic (mt2)

67-Ho-165

Cross Section

-82.39 To 374.8 %




31

Incident Energy (eV)

67-Ho-165

MAT 6725      Dpa inelastic (mt51-91)      67-Ho-165  
 Cross Section      -61.59 To 91.67 %



MAT 6725 Dpa disappearance (mt102 -120) 67-Ho-165  
 Cross Section -100.0 To 9999. %

