

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 5325

Total

53-I -127

Cross Section -99.32 To 9999. %



1

Incident Energy (eV)


53-I -127

MAT 5325

Elastic

53-I -127

Cross Section -99.36 To 9999. %




2

Incident Energy (eV)

53-I -127

MAT 5325 Inelastic 53-I -127
 Cross Section -100.0 To 40.06 %




3 Incident Energy (eV) 53-I -127

MAT 5325

(n,2n)

53-I -127

Cross Section -100.0 To 11.83 %



53-I -127

Incident Energy (eV)


5

MAT 5325

(n,3n)

53-I -127

Cross Section -100.0 To 37.79 %




MAT 5325

(n, n') α

53-I -127

Cross Section -100.0 To 9999. %



7

Incident Energy (eV)


53-I -127

MAT 5325

(n,n') p

53-I -127

Cross Section -100.0 To 9999. %




8

Incident Energy (eV)

53-I -127

MAT 5325 (n, n') d 53-I -127
 Cross Section -100.0 To 2127. %




9 Incident Energy (eV) 53-I -127

MAT 5325

(n,2n) p

53-I -127

Cross Section -100.0 To 29.14 %




10


Incident Energy (eV)

53-I -127


MAT 5325 MT= 51 (n, n') Level 53-I -127
 Cross Section -100.0 To 7851. %




MAT 5325 MT= 52 (n,n') Level 53-I -127
 Cross Section -100.0 To 9999. %




MAT 5325 MT= 53 (n,n') Level 53-I -127
 Cross Section -100.0 To 57.99 %



MAT 5325 MT= 54 (n, n') Level 53-I -127
 Cross Section -100.0 To 9999. %




MAT 5325 MT= 55 (n, n') Level 53-I -127
 Cross Section -100.0 To 9999. %




15 Incident Energy (eV) 53-I -127

MAT 5325 MT= 56 (n,n') Level 53-I -127
 Cross Section -100.0 To 136.9 %




MAT 5325 MT= 57 (n, n') Level 53-I -127
 Cross Section -100.0 To 9999. %




17 Incident Energy (eV) 53-I -127

MAT 5325 MT= 58 (n, n') Level 53-I -127
 Cross Section -100.0 To 79.69 %




18 Incident Energy (eV) 53-I -127

MAT 5325 MT= 59 (n, n') Level 53-I -127
 Cross Section -100.0 To 7991. %




MAT 5325 MT= 60 (n,n') Level 53-I -127
 Cross Section -100.0 To 331.0 %




20 Incident Energy (eV) 53-I -127


MAT 5325 MT= 61 (n,n') Level 53-I -127
 Cross Section -100.0 To 43.80 %




MAT 5325 MT= 62 (n, n') Level 53-I -127
 Cross Section -100.0 To 557.8 %



MAT 5325 MT= 63 (n, n') Level 53-I -127
 Cross Section -100.0 To 0.000 %




MAT 5325 MT= 64 (n, n') Level 53-I -127
 Cross Section -100.0 To 115.3 %




24 Incident Energy (eV) 53-I -127

MAT 5325 MT= 65 (n, n') Level 53-I -127
 Cross Section -100.0 To 299.1 %




25 Incident Energy (eV) 53-I -127


MAT 5325 MT= 66 (n, n') Level 53-I -127
 Cross Section -100.0 To 9999. %




MAT 5325 MT= 67 (n, n') Level 53-I -127
 Cross Section -100.0 To 0.000 %




MAT 5325 MT= 68 (n, n') Level 53-I -127
 Cross Section -100.0 To 55.62 %




MAT 5325 MT= 69 (n, n') Level 53-I -127
 Cross Section -100.0 To 239.3 %




MAT 5325 MT= 70 (n,n') Level 53-I -127
 Cross Section -100.0 To 220.7 %




MAT 5325 MT= 71 (n,n') Level 53-I -127
 Cross Section -100.0 To 111.0 %




MAT 5325 MT= 72 (n, n') Level 53-I -127
 Cross Section -100.0 To 173.7 %




MAT 5325 MT= 73 (n, n') Level 53-I -127
 Cross Section -100.0 To 58.53 %




MAT 5325 MT= 74 (n, n') Level 53-I -127
 Cross Section -100.0 To 75.33 %




MAT 5325 MT= 75 (n,n') Level 53-I -127
 Cross Section -100.0 To 169.8 %




MAT 5325 MT= 76 (n,n') Level 53-I -127
 Cross Section -100.0 To 64.71 %




MAT 5325 MT= 77 (n,n') Level 53-I -127
 Cross Section -100.0 To 9999. %



MAT 5325 MT= 78 (n, n') Level 53-I -127
 Cross Section -100.0 To 33.88 %



MAT 5325 MT= 79 (n,n') Level 53-I -127
 Cross Section -100.0 To 174.8 %




MAT 5325

(n,n') Continuum

53-I -127

Cross Section -100.0 To 424.6 %



40

Incident Energy (eV)


53-I -127

MAT 5325

(n, γ)

53-I -127

Cross Section -100.0 To 9999. %



41

Incident Energy (eV)


53-I -127

MAT 5325

(n, p)

53-I -127

Cross Section -100.0 To 9999. %



42

Incident Energy (eV)


53-I -127

MAT 5325

(n,d)

53-I -127

Cross Section -100.0 To 9999. %



43

Incident Energy (eV)


53-I -127

MAT 5325

(n, t)

53-I -127

Cross Section -100.0 To 9999. %



44

Incident Energy (eV)


53-I -127

MAT 5325

(n, He-3)

53-I -127

Cross Section -100.0 To 3995. %



45

Incident Energy (eV)


53-I -127

MAT 5325

(n, α)

53-I -127

Cross Section -100.0 To 7312. %



46

Incident Energy (eV)


53-I -127

MAT 5325

Hydrogen Production

53-I -127

Cross Section -100.0 To 9999. %



47

Incident Energy (eV)


53-I -127

MAT 5325

Deuterium Production

53-I -127

Cross Section -57.84 To 9999. %



48

Incident Energy (eV)

53-I -127


MAT 5325

Tritium Production

53-I -127

Cross Section

-99.96 To 9999. %



49

Incident Energy (eV)


53-I -127

MAT 5325


He-4 Production

53-I -127

Cross Section -87.21 To 7312. %




MAT 5325 Kerma total (eV-barns) 53-I -127
 Cross Section -99.32 To 9999. %



MAT 5325

Kerma elastic
Cross Section -99.36 To 9999. %

53-I -127




53

Incident Energy (eV)


53-I -127

MAT 5325 Kerma non-elastic (all but mt2) 53-I -127
 Cross Section -99.95 To 9999. %




54 Incident Energy (eV) 53-I -127

MAT 5325 Kerma inelastic (mt51-91) 53-I -127
 Cross Section -100.0 To 9960. %




MAT 5325 Kerma fission (mt18 or mt19-20-21-38)53-I -127
 Cross Section -100.0 To 9960. %



MAT 5325

Kerma capture (mt102) 53-I -127
Cross Section -100.0 To 9999. %




57

Incident Energy (eV)


53-I -127

MAT 5325 Total photon (eV-barns) 53-I -127
Cross Section -99.97 To 9999. %




58 Incident Energy (eV) 53-I -127

MAT 5325 Total kinematic kerma (high limit) 53-I -127
 Cross Section -99.32 To 9999. %



MAT 5325 Dpa total (eV-barns) 53-I -127
 Cross Section -99.32 To 9999. %




60 Incident Energy (eV) 53-I -127

MAT 5325

Dpa elastic (mt2)

53-I -127

Cross Section -99.97 To 9999. %




61


Incident Energy (eV)

53-I -127


MAT 5325 Dpa inelastic (mt51-91) 53-I -127
 Cross Section -100.0 To 118.4 %





MAT 5325 Dpa disappearance (mt102 -120) 53-I -127
 Cross Section -100.0 To 9999. %




63 Incident Energy (eV) 53-I -127












MAT 5325 (n,t):52-Te-125g 53-I -127
 Radionuclide Production Cross Section 10000 to 9999. %





MAT 5325 (n, t):52-Te-125m2 53-I -127
 Radionuclide Production Cross Section 3906. %






MAT 5325 (n,p):52-Te-127 53-I -127
 Radionuclide Production Cross Section Ratio 9999. %







MAT 5325 (n, t):52-Te-125g 53-I -127
 Radionuclide Production Cross Section 49673 dth 9999. %



MAT 5325 (n, t):52-Te-125m2 53-I -127
 Radionuclide Production Cross Section 9999. %




MAT 5325 (n, α):51-Sb-124g 53-I -127
 Radionuclide Production Cross Section 100.00 dth 9999. %




75 Incident Energy (eV) 53-I -127


MAT 5325 (n, α):51-Sb-124m1 53-I -127
 Radionuclide Production Cross Section Ratio 9999. %




MAT 5325 (n, α):51-Sb-124m2 53-I -127
 Radionuclide Production Cross Section Ratio 9999. %




MAT 5325 (n,2p):51-Sb-126g 53-I -127
 Radionuclide Production Cross Section 9999. %



78 Incident Energy (eV) 53-I -127





MAT 5325 (n,p) α :50-Sn-123g 53-I -127
 Radionuclide Production Cross Section 53-I -127
 9999. %

