

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 4234

Total

42-Mo-95

Cross Section -98.10 To 2191. %



1

Incident Energy (eV)


42-Mo-95

MAT 4234

Elastic

42-Mo-95

Cross Section -98.07 To 4599. %



2

Incident Energy (eV)


42-Mo-95

MAT 4234

Inelastic

42-Mo-95

Cross Section -100.0 To 25.33 %



3

Incident Energy (eV)


42-Mo-95

MAT 4234

(n, remainder)

42-Mo-95

Cross Section 3.422 To 9.544 %



4

Incident Energy (eV)


42-Mo-95

MAT 4234

(n,2n)

42-Mo-95

Cross Section -100.0 To 395.2 %




5

Incident Energy (eV)

42-Mo-95

MAT 4234 (n,3n) 42-Mo-95
 Cross Section -100.0 To 273.9 %




MAT 4234

(n, n') α

42-Mo-95

Cross Section -100.0 To 0.000 %



7

Incident Energy (eV)


42-Mo-95

MAT 4234

(n, n') p

42-Mo-95

Cross Section -100.0 To 87.61 %



8

Incident Energy (eV)


42-Mo-95

MAT 4234

(n, n') d

42-Mo-95

Cross Section -100.0 To 153.5 %




9


Incident Energy (eV)

42-Mo-95


MAT 4234 MT= 52 (n,n') Level 42-Mo-95
 Cross Section -100.0 To 9999. %




MAT 4234 MT= 53 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 213.8 %



MAT 4234 MT= 54 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 1674. %




MAT 4234 MT= 55 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 9999. %




14 Incident Energy (eV) 42-Mo-95

MAT 4234 MT= 56 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 0.000 %




MAT 4234 MT= 57 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 0.000 %




16 Incident Energy (eV) 42-Mo-95

MAT 4234 MT= 58 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 433.7 %




17 Incident Energy (eV) 42-Mo-95

MAT 4234 MT= 59 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 0.000 %




18


MAT 4234 MT= 60 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 0.000 %




MAT 4234 MT= 61 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 692.5 %




MAT 4234 MT= 62 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 2289. %




MAT 4234 MT= 63 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 9999. %




MAT 4234 MT= 64 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 102.9 %




MAT 4234 MT= 65 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 9999. %




MAT 4234 MT= 66 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 9999. %




MAT 4234 MT= 67 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 2400. %




MAT 4234 MT= 68 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 2464. %




MAT 4234 MT= 69 (n,n') Level 42-Mo-95
 Cross Section -100.0 To 42.96 %



MAT 4234 MT= 70 (n, n') Level 42-Mo-95
 Cross Section -100.0 To 1322. %



MAT 4234 (n, n') Continuum 42-Mo-95
 Cross Section -100.0 To 28.75 %




MAT 4234

(n, γ)

42-Mo-95

Cross Section -100.0 To 9999. %



31

Incident Energy (eV)


42-Mo-95

MAT 4234

(n, p)

42-Mo-95

Cross Section -100.0 To 0.000 %



32

Incident Energy (eV)


42-Mo-95

MAT 4234

(n,d)

42-Mo-95

Cross Section -100.0 To 1466. %




33

Incident Energy (eV)

42-Mo-95

MAT 4234 (n, t) 42-Mo-95
 Cross Section -100.0 To 680.3 %




MAT 4234

(n, He-3)

42-Mo-95

Cross Section -100.0 To 3237. %



35

Incident Energy (eV)


42-Mo-95

MAT 4234

(n, α)

42-Mo-95

Cross Section -100.0 To 424.0 %



36

Incident Energy (eV)


42-Mo-95

MAT 4234

Hydrogen Production

42-Mo-95

Cross Section -100.0 To 43.78 %



37

Incident Energy (eV)


42-Mo-95

MAT 4234

Deuterium Production

42-Mo-95

Cross Section -100.0 To 1466. %




38

Incident Energy (eV)

42-Mo-95

MAT 4234 Tritium Production 42-Mo-95
 Cross Section -100.0 To 680.3 %




MAT 4234

He-3 Production

42-Mo-95

Cross Section -100.0 To 3237. %



40

Incident Energy (eV)


42-Mo-95

MAT 4234

He-4 Production

42-Mo-95

Cross Section -99.98 To 424.0 %




41

Incident Energy (eV)

42-Mo-95

MAT 4234 Kerma total (eV-barns) 42-Mo-95
Cross Section -1516. To 996.0 %




42 42-Mo-95

MAT 4234

Kerma elastic

42-Mo-95

Cross Section -98.06 To 4592. %




43

Incident Energy (eV)


42-Mo-95

MAT 4234 Kerma non-elastic (all but mt2) 42-Mo-95
Cross Section -9999. To 1962. %




44 Incident Energy (eV) 42-Mo-95


MAT 4234 Kerma inelastic (mt51-91) 42-Mo-95
 Cross Section -100.0 To 7422. %



MAT 4234 Kerma fission (mt18 or mt19-20-21-38) 42-Mo-95
 Cross Section -100.0 To 7422. %




MAT 4234 Kerma capture (mt102) 42-Mo-95
 Cross Section -100.0 To 9999. %




47 Incident Energy (eV) 42-Mo-95

MAT 4234 Total photon (eV-barns) 42-Mo-95
 Cross Section -99.65 To 9999. %




48 Incident Energy (eV) 42-Mo-95

MAT 4234 Total kinematic kerma (high limit) 42-Mo-95
 Cross Section -98.65 To 3291. %



MAT 4234

Dpa total (eV-barns) 42-Mo-95
Cross Section -95.11 To 9999. %



10^8
 10^7
 10^6
 10^5
 10^4
 10^3
 10^2
 10^1
 10^0
 10^4
 10^2
 10^0


10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^0 10^1 10^2 10^3 10^4 10^5 10^6 10^7 10^8

50


Incident Energy (eV)

42-Mo-95


MAT 4234 Dpa elastic (mt2) 42-Mo-95
 Cross Section -98.02 To 9999. %




MAT 4234 Dpa inelastic (mt51-91) 42-Mo-95
 Cross Section -100.0 To 288.7 %




MAT 4234 Dpa disappearance (mt102 -120) 42-Mo-95
 Cross Section -100.0 To 9999. %




MAT 4234 (n, n') p:41-Nb-94g 42-Mo-95
 Radionuclide Production Cross Section 100.4 %





MAT 4234 (n, n') p:41-Nb-94m1 42-Mo-95
 Radionuclide Production Cross Section 180.01 dth 70.06 %




MAT 4234 (n, n') d:41-Nb-93g 42-Mo-95
 Radionuclide Production Cross Section 152.4 %









MAT 4234 (n,p):41-Nb-95m1 42-Mo-95
 Radionuclide Production Cross Section 180.01 dth 42.62 %





MAT 4234 (n,d):41-Nb-94m1 42-Mo-95
 Radionuclide Production Cross Section 1800 d to 1256. %



61 42-Mo-95

MAT 4234 (n, t): 41-Nb-93g 42-Mo-95
 Radionuclide Production Cross Section 180.0 dth 1464. %

