

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.


Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 4643

Total 46-Pd-108  
Cross Section -89.08 To 9999. %



1 Incident Energy (eV) 46-Pd-108


MAT 4643

Elastic


46-Pd-108

Cross Section

-99.85 To 9999. %



MAT 4643 Inelastic 46-Pd-108  
 Cross Section -43.06 To 91.51 %




3 3 Incident Energy (eV) 46-Pd-108

MAT 4643

(n,2n)

46-Pd-108

Cross Section -39.49 To 34.67 %



4

Incident Energy (eV)


46-Pd-108

MAT 4643

(n,3n)

46-Pd-108

Cross Section -21.91 To 93.02 %




5


Incident Energy (eV)

46-Pd-108

MAT 4643 (n, n')  $\alpha$  46-Pd-108  
 Cross Section -100.0 To 9999. %



MAT 4643 (n,2n)  $\alpha$  46-Pd-108  
 Cross Section -100.0 To 9999. %




MAT 4643

(n, n') p

46-Pd-108

Cross Section -100.0 To 1509. %



8

Incident Energy (eV)


46-Pd-108

MAT 4643

(n, n') d

46-Pd-108

Cross Section -56.55 To 9999. %




MAT 4643

(n,4n)

46-Pd-108

Cross Section -100.0 To 459.5 %




10


Incident Energy (MeV)

46-Pd-108


MAT 4643 (n,2n) p 46-Pd-108  
 Cross Section 10.04 To 9999. %



MAT 4643 MT= 51 (n,n') Level 46-Pd-108  
 Cross Section -32.32 To 91.51 %




MAT 4643 MT= 52 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To 103.6 %




13 Incident Energy (eV) 46-Pd-108

MAT 4643 MT= 53 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To -6.057%




MAT 4643 MT= 54 (n,n') Level 46-Pd-108  
 Cross Section -67.63 To 37.46 %




15 Incident Energy (eV) 46-Pd-108


MAT 4643 MT= 55 (n, n') Level 46-Pd-108  
 Cross Section -48.39 To 9999. %




MAT 4643 MT= 56 (n,n') Level 46-Pd-108  
 Cross Section -48.85 To 9999. %




MAT 4643 MT= 57 (n,n') Level 46-Pd-108  
 Cross Section -87.69 To 17.50 %



MAT 4643 MT= 58 (n, n') Level 46-Pd-108  
 Cross Section -49.22 To 9999. %




MAT 4643 MT= 59 (n,n') Level 46-Pd-108  
 Cross Section -100.0 To -4.595%




20 Incident Energy (eV) 46-Pd-108


MAT 4643 MT= 60 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To 65.82 %




MAT 4643 MT= 61 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To -14.92%



MAT 4643 MT= 62 (n, n') Level 46-Pd-108  
 Cross Section -88.71 To -21.32%




MAT 4643 MT= 63 (n, n') Level 46-Pd-108  
 Cross Section -91.12 To 0.000 %




24 Incident Energy (eV) 46-Pd-108


MAT 4643 MT= 64 (n, n') Level 46-Pd-108  
 Cross Section -62.31 To 0.000 %




MAT 4643 MT= 65 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To 9999. %




MAT 4643 MT= 66 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To 9999. %



MAT 4643 MT= 67 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To 9999. %



MAT 4643 MT= 68 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To -44.94%




MAT 4643

MT= 69 (n,n')

Level 46-Pd-108

Cross Section -100.0 To -8.237%




30


Incident Energy (eV)

46-Pd-108


MAT 4643 MT= 70 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To 541.2 %



MAT 4643 MT= 71 (n,n') Level 46-Pd-108  
 Cross Section -100.0 To -34.76%



MAT 4643 MT= 72 (n, n') Level 46-Pd-108  
 Cross Section -100.0 To 131.0 %




MAT 4643

(n, n') Continuum

46-Pd-108

Cross Section -100.0 To 165.5 %




MAT 4643

46-Pd-108

(n,  $\gamma$ )

Cross Section -99.93 To 9999. %




MAT 4643

(n,p)

46-Pd-108

Cross Section -8.552 To 9999. %




MAT 4643

(n,d)

46-Pd-108

Cross Section -100.0 To 9999. %



37

Incident Energy (eV)


46-Pd-108

MAT 4643

(n,  $\alpha$ )

46-Pd-108

Cross Section -100.0 To 9999. %




MAT 4643

Hydrogen Production

46-Pd-108

Cross Section -14.71 To 9999. %




MAT 4643

Deuterium Production

46-Pd-108

Cross Section -100.0 To 9999. %




40


Incident Energy (eV)

46-Pd-108

MAT 4643 He-4 Production 46-Pd-108  
 Cross Section -100.0 To 9999. %




MAT 4643 Kerma total (eV-barns) 46-Pd-108  
Cross Section -96.99 To 9999. %



42 Incident Energy (eV) 46-Pd-108

MAT 4643


Kerma elastic  
Cross Section -99.85 To 9999. %  
46-Pd-108




43

Incident Energy (eV) 46-Pd-108


MAT 4643 Kerma non-elastic (all but mt2) 46-Pd-108  
 Cross Section -99.91 To 9999. %



MAT 4643 Kerma inelastic (mt51-91) 46-Pd-108  
 Cross Section -42.77 To 91.51 %




MAT 4643 Kerma fission (mt18 or mt19-20-21-38) 46-Pd-108  
 Cross Section -42.77 To 91.51 %



MAT 4643


Kerma capture (mt102) 46-Pd-108  
Cross Section -99.94 To 9999. %



47


Incident Energy (eV) 46-Pd-108

MAT 4643 Total photon (eV-barns) 46-Pd-108  
Cross Section -99.93 To 9999. %



48 Incident Energy (eV) 46-Pd-108


MAT 4643 Total kinematic kerma (high limit) 46-Pd-108  
 Cross Section -96.98 To 9999. %



MAT 4643

Dpa total (eV-barns) 46-Pd-108

Cross Section -97.56 To 9999. %



50

Incident Energy (eV)


46-Pd-108

MAT 4643

Dpa elastic (mt2)

46-Pd-108

Cross Section -99.85 To 9999. %




51

Incident Energy (eV)

46-Pd-108

MAT 4643      Dpa inelastic (mt51-91)      46-Pd-108  
 Cross Section      -32.54 To 91.51 %



MAT 4643 Dpa disappearance (mt102 -120) 46-Pd-108  
 Cross Section -99.95 To 9999. %

