

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 3437

Total

34-Se-78

Cross Section

-99.72 To 9999. %



1

Incident Energy (eV)

34-Se-78


MAT 3437

Elastic

34-Se-78

Cross Section

-99.92 To 9999. %




2

Incident Energy (eV)

34-Se-78

MAT 3437 Inelastic 34-Se-78
 Cross Section -22.53 To 11.75 %




3 Incident Energy (eV) 34-Se-78

MAT 3437

(n,2n)

³⁴Se-78

Cross Section -100.0 To 18.77 %



4

Incident Energy (eV)


³⁴Se-78

MAT 3437

(n,3n)

³⁴Se-78

Cross Section -100.0 To 82.15 %



5

Incident Energy (eV)


³⁴Se-78

MAT 3437

(n, n') α

34-Se-78

Cross Section -100.0 To 385.2 %



6

Incident Energy (eV)


34-Se-78

MAT 3437

(n, n') p

34-Se-78

Cross Section -100.0 To 31.74 %




7

Incident Energy (eV)


34-Se-78

MAT 3437 MT= 51 (n, n') Level 34-Se-78
 Cross Section -12.28 To 41.19 %




8 Incident Energy (eV) 34-Se-78


MAT 3437 MT= 52 (n, n') Level 34-Se-78
 Cross Section -75.12 To 0.086 %




MAT 3437 MT= 53 (n, n') Level 34-Se-78
 Cross Section -100.0 To 11.24 %




MAT 3437 MT= 54 (n, n') Level 34-Se-78
 Cross Section -34.88 To 25.97 %



MAT 3437 MT= 55 (n, n') Level 34-Se-78
 Cross Section -100.0 To 9999. %




MAT 3437 MT= 56 (n, n') Level 34-Se-78
 Cross Section -100.0 To 9999. %




13 Incident Energy (eV) 34-Se-78


MAT 3437 MT= 57 (n, n') Level 34-Se-78
 Cross Section -100.0 To 49.60 %




MAT 3437 MT= 58 (n, n') Level 34-Se-78
 Cross Section -41.18 To 32.17 %




MAT 3437 MT= 59 (n, n') Level 34-Se-78
 Cross Section 0.000 To 9999. %



MAT 3437 MT= 60 (n, n') Level 34-Se-78
 Cross Section -24.67 To 9999. %



MAT 3437 MT= 61 (n,n') Level 34-Se-78
 Cross Section -30.57 To 27.80 %




18 34-Se-78

MAT 3437

(n,n') Continuum

³⁴Se-78

Cross Section -100.0 To 45.17 %



19

Incident Energy (eV)


³⁴Se-78

MAT 3437

(n, γ)

34-Se-78

Cross Section -99.99 To 9999. %



20

Incident Energy (eV)


34-Se-78

MAT 3437

(n,p)

³⁴Se-78

Cross Section -100.0 To -22.87%



21

Incident Energy (eV)


³⁴Se-78

MAT 3437

(n,d)

³⁴Se-78

Cross Section -100.0 To 456.5 %



22

Incident Energy (eV)


³⁴Se-78

MAT 3437

(n, t)

34-Se-78

Cross Section -100.0 To 763.0 %



23

Incident Energy (eV)


34-Se-78

MAT 3437

(n, He-3)

34-Se-78

Cross Section -100.0 To 9999. %



24

Incident Energy (eV)


34-Se-78

MAT 3437

(n, α)

³⁴Se-78


Cross Section -100.0 To 235.3 %



25

Incident Energy (eV)

³⁴Se-78




MAT 3437

Deuterium Production

³⁴Se-78

Cross Section -100.0 To 456.5 %




27

Incident Energy (eV)

³⁴Se-78

MAT 3437 Tritium Production 34-Se-78
 Cross Section -100.0 To 763.0 %




MAT 3437

He-3 Production

34-Se-78

Cross Section -100.0 To 9999. %



29

Incident Energy (eV)


34-Se-78

MAT 3437

He-4 Production

34-Se-78

Cross Section -100.0 To 235.3 %




MAT 3437

Kerma total (eV-barns)

34-Se-78


Cross Section -99.68 To 9999. %



MAT 3437

Kerma elastic
Cross Section

-99.92 To 9999. %
34-Se-78




32


Incident Energy (eV)

34-Se-78


MAT 3437 Kerma non-elastic (all but mt2) 34-Se-78
 Cross Section -99.93 To 9999. %




MAT 3437 Kerma inelastic (mt51-91) 34-Se-78
 Cross Section -34.95 To 2453. %



MAT 3437 Kerma fission (mt18 or mt19-20-21-38) 34-Se-78
 Cross Section -34.95 To 2453. %






MAT 3437

Total photon (eV-barns)

34-Se-78

Cross Section -99.99 To 9999. %




37

Incident Energy (eV)

34-Se-78

MAT 3437 Total kinematic kerma (high limit) 34-Se-78
 Cross Section -99.68 To 9999. %




MAT 3437

Dpa total (eV-barns)

34-Se-78

Cross Section -99.68 To 9999. %



39

Incident Energy (eV)


34-Se-78

MAT 3437

Dpa elastic (mt2)

34-Se-78

Cross Section -99.92 To 9999. %




40


Incident Energy (eV)

34-Se-78

MAT 3437 Dpa inelastic (mt51-91) 34-Se-78
 Cross Section -16.13 To 73.55 %



MAT 3437 Dpa disappearance (mt102 -120) 34-Se-78
 Cross Section -99.94 To 9999. %




MAT 3437

Total photon (eV-barns)

34-Se-78

Cross Section -99.99 To 9999. %




43

Incident Energy (eV)

34-Se-78

MAT 3437 Total kinematic kerma (high limit) 34-Se-78
 Cross Section -99.67 To 9999. %




MAT 3437

Dpa total (eV-barns)

34-Se-78

Cross Section -99.67 To 9999. %



45

Incident Energy (eV)


34-Se-78

MAT 3437

Dpa elastic (mt2)

34-Se-78

Cross Section -99.92 To 9999. %




46


Incident Energy (eV)

34-Se-78


MAT 3437 Dpa inelastic (mt51-91) 34-Se-78
 Cross Section -100.0 To 122.7 %




MAT 3437 Dpa disappearance (mt102 -120) 34-Se-78
 Cross Section -100.0 To 9999. %




MAT 3437 (n,2n):34-Se-77g 34-Se-78
 Radionuclide Production Cross Section Ratio 90.48 %




MAT 3437 (n,2n):34-Se-77m1 34-Se-78
 Radionuclide Production Cross Section 180.01 dth 55.65 %



MAT 3437 (n, α): 32-Ge-75g 34-Se-78
 Radionuclide Production Cross Section Ratio 319.8 %



MAT 3437 (n,α):32-Ge-75m2 34-Se-78
 Radionuclide Production Cross Section 180.0 dth 281.7 %




MAT 3437

Kerma total (eV-barns)

34-Se-78

Cross Section -99.67 To 9999. %



53


Incident Energy (eV)

34-Se-78

MAT 3437

Kerma elastic
Cross Section

34-Se-78
-99.87 To 9999. %




54


Incident Energy (eV)

34-Se-78


MAT 3437 Kerma non-elastic (all but mt2) 34-Se-78
 Cross Section -99.81 To 9999. %



MAT 3437 Kerma inelastic (mt51-91) 34-Se-78
 Cross Section -9.347 To 46.24 %




MAT 3437 Kerma fission (mt18 or mt19-20-21-38) 34-Se-78
 Cross Section -9.347 To 46.24 %




MAT 3437

Kerma capture (mt102) 34-Se-78
Cross Section -99.81 To 9999. %



MAT 3437


Total photon (eV-barns) 34-Se-78
Cross Section -99.76 To 9999. %



59

Incident Energy (eV) 34-Se-78

MAT 3437 Total kinematic kerma (high limit) 34-Se-78
Cross Section -99.67 To 9999. %



60

Incident Energy (eV)


34-Se-78

MAT 3437

Dpa total (eV-barns)

34-Se-78

Cross Section -99.68 To 9999. %



61

Incident Energy (eV)


34-Se-78

MAT 3437

Dpa elastic (mt2)

34-Se-78

Cross Section -99.87 To 9999. %




62

Incident Energy (eV)


34-Se-78

MAT 3437 Dpa inelastic (mt51-91) 34-Se-78
 Cross Section -5.870 To 46.24 %




63 Incident Energy (eV) 34-Se-78

MAT 3437 Dpa disappearance (mt102 -120) 34-Se-78
 Cross Section -99.81 To 9999. %




MAT 3437 (n,2n):34-Se-77g 34-Se-78
 Radionuclide Production Cross Section 137.2 %





65 Incident Energy (eV) 34-Se-78


MAT 3437 (n,2n):34-Se-77m1 34-Se-78
 Radionuclide Production Cross Section 124.2 %




MAT 3437 (n,2n) α :32-Ge-73g 34-Se-78
 Radionuclide Production Cross Section (mb) 9999. %









MAT 3437 (n, n') He-3:32-Ge-75m2 34-Se-78
 Radionuclide Production Cross Section 1012. %




70 Incident Energy (MeV) 34-Se-78







MAT 3437 (n,2p):32-Ge-77m1 34-Se-78
 Radionuclide Production Cross Section 19e021d10 77.88 %



MAT 3437 (n, p) α :31-Ga-74g 34-Se-78
 Radionuclide Production Cross Section 1800 dth 442.3 %





MAT 3437 (n, p) t:32-Ge-75g 34-Se-78
 Radionuclide Production Cross Section 98.991 d to 190.5 %

