

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550  
U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 7437

Total

74-W -184

Cross Section -99.93 To 9999. %



1

Incident Energy (eV)


74-W -184

MAT 7437

Elastic

74-W -184

Cross Section -100.0 To 9999. %



2

Incident Energy (eV)


74-W -184

MAT 7437

Inelastic

74-W -184

Cross Section -6.805 To 27.24 %




3

Incident Energy (eV)

74-W -184

MAT 7437 (n,2n) 74-W -184  
 Cross Section -100.0 To 15.63 %




MAT 7437

(n,3n)

74-W -184

Cross Section -100.0 To 24.44 %



5

Incident Energy (eV)


74-W -184

MAT 7437

(n, n')  $\alpha$

74-W -184

Cross Section -100.0 To -28.51%



6

Incident Energy (eV)


74-W -184

MAT 7437

(n, n') p

74-W -184

Cross Section -100.0 To -48.03%




7


Incident Energy (eV)

74-W -184


MAT 7437 MT= 51 (n, n') Level 74-W -184  
 Cross Section -25.44 To 38.64 %



MAT 7437 MT= 52 (n, n') Level 74-W -184  
 Cross Section -100.0 To 78.14 %




MAT 7437 MT= 53 (n, n') Level 74-W -184  
 Cross Section -88.42 To -12.78%




10 Incident Energy (eV) 74-W -184

MAT 7437 MT= 54 (n, n') Level 74-W -184  
 Cross Section -93.27 To 72.50 %




11 Incident Energy (eV) 74-W -184

MAT 7437 MT= 55 (n,n') Level 74-W -184  
 Cross Section -100.0 To 973.4 %




12 74-W -184

MAT 7437 MT= 56 (n, n') Level 74-W -184  
 Cross Section -100.0 To 20.75 %




13 Incident Energy (eV) 74-W -184


MAT 7437 MT= 57 (n, n') Level 74-W -184  
 Cross Section -97.45 To 160.5 %




MAT 7437 MT= 58 (n, n') Level 74-W -184  
 Cross Section -88.72 To 330.8 %




MAT 7437 MT= 59 (n, n') Level 74-W -184  
 Cross Section -95.27 To -8.083%




MAT 7437 MT= 60 (n, n') Level 74-W -184  
 Cross Section -98.12 To 77.63 %




MAT 7437 MT= 61 (n, n') Level 74-W -184  
 Cross Section -100.0 To 35.01 %



MAT 7437 MT= 62 (n, n') Level 74-W -184  
 Cross Section -100.0 To 331.3 %




MAT 7437 MT= 63 (n,n') Level 74-W -184  
 Cross Section -100.0 To 34.45 %




20 Incident Energy (eV) 74-W -184


MAT 7437 MT= 64 (n, n') Level 74-W -184  
 Cross Section -95.02 To 35.10 %




MAT 7437 MT= 65 (n, n') Level 74-W -184  
 Cross Section -99.52 To 86.51 %




MAT 7437 MT= 66 (n,n') Level 74-W -184  
 Cross Section -100.0 To 46.59 %




MAT 7437 MT= 67 (n, n') Level 74-W -184  
 Cross Section -100.0 To -0.480%




MAT 7437 MT= 68 (n,n') Level 74-W -184  
 Cross Section -100.0 To 22.23 %



MAT 7437 MT= 69 (n,n') Level 74-W -184  
 Cross Section -98.23 To 415.0 %




MAT 7437 MT= 70 (n,n') Level 74-W -184  
 Cross Section -97.16 To 222.0 %




27 Incident Energy (eV) 74-W -184


MAT 7437 MT= 71 (n, n') Level 74-W -184  
 Cross Section -100.0 To 5.872 %




MAT 7437 MT= 72 (n, n') Level 74-W -184  
 Cross Section -100.0 To 1.588 %



MAT 7437 MT= 73 (n, n') Level 74-W -184  
 Cross Section -100.0 To 42.38 %






MAT 7437

(n,  $\gamma$ )

74-W -184

Cross Section -100.0 To 9999. %



32

Incident Energy (eV)


74-W -184

MAT 7437

Hydrogen Production

74-W -184

Cross Section -100.0 To -81.41%



33

Incident Energy (eV)


74-W -184

MAT 7437

He-4 Production

74-W -184

Cross Section -100.0 To -78.41%



34


Incident Energy (eV)

74-W -184

MAT 7437


Kerma total (eV-barns) 74-W -184

Cross Section -409.2 To 9999. %



MAT 7437

Kerma elastic 74-W -184  
Cross Section -100.0 To 9999. %




36


Incident Energy (eV)

74-W -184


MAT 7437 Kerma non-elastic (all but mt2) 74-W -184  
 Cross Section -451.4 To 9999. %



MAT 7437 Kerma inelastic (mt51-91) 74-W -184  
 Cross Section -30.16 To 9999. %




MAT 7437 Kerma fission (mt18 or mt19-20-21-38)74-W -184  
 Cross Section -30.16 To 9999. %



MAT 7437

Kerma capture (mt102) 74-W -184  
Cross Section -99.99 To 9999. %




40


Incident Energy (eV)

74-W -184


MAT 7437 Total photon (eV-barns) 74-W -184  
 Cross Section -100.0 To 9999. %




MAT 7437 Total kinematic kerma (high limit) 74-W -184  
 Cross Section -99.83 To 9999. %



MAT 7437      Dpa total (eV-barns)      74-W -184  
 Cross Section      -100.0 To 9999. %




MAT 7437      Dpa elastic (mt2)      74-W -184  
 Cross Section      -100.0 To 9999. %




MAT 7437

Dpa inelastic (mt51-91) 74-W -184

Cross Section -9.324 To 9999. %




MAT 7437 Dpa disappearance (mt102 -120) 74-W -184  
 Cross Section -99.99 To 9999. %



MAT 7437

Kerma total (eV-barns) 74-W -184  
Cross Section -99.58 To 9999. %



47

Incident Energy (eV)


74-W -184

MAT 7437

Kerma elastic

74-W -184

Cross Section -100.0 To 9999. %




48


Incident Energy (eV)

74-W -184

MAT 7437 Kerma non-elastic (all but mt2) 74-W -184  
 Cross Section -99.99 To 9999. %




MAT 7437 Kerma inelastic (mt51-91) 74-W -184  
 Cross Section -100.0 To 9999. %



50 Incident Energy (eV) 74-W -184


MAT 7437 Kerma fission (mt18 or mt19-20-21-38)74-W -184  
 Cross Section -100.0 To 9999. %



MAT 7437

Kerma capture (mt102) 74-W -184

Cross Section -100.0 To 9999. %




52

Incident Energy (eV)


74-W -184

MAT 7437 Total photon (eV-barns) 74-W -184  
 Cross Section -100.0 To 9999. %




53 Incident Energy (eV) 74-W -184

MAT 7437 Total kinematic kerma (high limit) 74-W -184  
 Cross Section -99.58 To 9999. %



MAT 7437 Dpa total (eV-barns) 74-W -184  
 Cross Section -98.76 To 9999. %




MAT 7437

Dpa elastic (mt2)

74-W -184

Cross Section -95.72 To 9999. %




56


Incident Energy (eV)

74-W -184


MAT 7437 Dpa inelastic (mt51-91) 74-W -184  
 Cross Section -100.0 To 9999. %




MAT 7437 Dpa disappearance (mt102 -120) 74-W -184  
 Cross Section -100.0 To 9999. %



MAT 7437 (n,2n):74-W -183g 74-W -184  
 Radionuclide Production Cross Section Ratio 489.4 %



MAT 7437 (n,2n):74-W -183m7 74-W -184  
 Radionuclide Production Cross Section 180.01 dth 5180. %



60 Incident Energy (eV) 74-W -184

