

Program EVALPLOT
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911


E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start


MAT 3310


Neutron Major
293 Kelvin Cross Sections


33-As-70































MAT 3310

(n,n') Levels
293 Kelvin Cross Sections

33-As-70






MAT 3310

(n,d) Levels
293 Kelvin Cross Sections

33-AS-70



14


Incident Energy (MeV)

33-AS-70

MAT 3310

(n,He3) Levels
293 Kelvin Cross Sections

33-As-70



16


Incident Energy (MeV)

33-As-70

MAT 3310

(n, α) Levels
293 Kelvin Cross Sections


33-As-70





17


Incident Energy (MeV)


33-As-70
















MAT 3310

MT= 51 (n, n') Level
Legendre Coefficients

33-AS-70








MAT 3310


MT= 52 (n, n') Level
Legendre Coefficients


33-AS-70

















MAT 3310

MT= 54 (n, n') Level
Legendre Coefficients

33-AS-70










MAT 3310


MT= 55 (n, n') Level
Legendre Coefficients

33-AS-70










MAT 3310

MT= 56 (n, n') Level
Legendre Coefficients


33-AS-70




MAT 3310

MT= 56 (n, n') Level
Legendre Coefficients

33-AS-70






MAT 3310

MT= 57 (n, n') Level
Legendre Coefficients


33-AS-70





43


Incident Energy (MeV)


33-AS-70













MAT 3310

MT= 59 (n, n') Level
Legendre Coefficients

33-AS-70








MAT 3310


MT= 60 (n, n') Level
Legendre Coefficients


33-AS-70




























MAT 3310

MT= 63 (n, n') Level
Legendre Coefficients

33-AS-70






MAT 3310

MT= 64 (n, n') Level
Legendre Coefficients


33-AS-70





MAT 3310

MT= 64 (n, n') Level
Legendre Coefficients

33-AS-70








MAT 3310

MT= 65 (n, n') Level
Legendre Coefficients


33-AS-70




29

Incident Energy (MeV)

33-AS-70








MAT 3310


MT= 66 (n, n') Level
Legendre Coefficients


33-AS-70


























MAT 3310


MT= 69 (n, n') Level
Legendre Coefficients


33-AS-70














MAT 3310


MT= 70 (n, n') Level
Legendre Coefficients

33-AS-70










MAT 3310

MT= 71 (n, n') Level
Legendre Coefficients


33-AS-70





MAT 3310


MT= 71 (n, n') Level
Legendre Coefficients


33-AS-70






























MAT 3310

MT= 75 (n, n') Level
Legendre Coefficients

33-AS-70



MAT 3310

MT= 75 (n, n') Level
Legendre Coefficients

33-As-70

