

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way

Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net

Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 3325

Total

33-As-75

Cross Section

-87.32 To 6560. %



1

Incident Energy (eV)


33-As-75

MAT 3325

Elastic

33-As-75

Cross Section -92.68 To 9999. %





10⁻⁵ 10⁻⁴ 10⁻³ 10⁻² 10⁻¹ 10⁰ 10¹ 10² 10³ 10⁴ 10⁵ 10⁶ 10⁷ 10⁸


2


Incident Energy (eV)

33-As-75












MAT 3325 (n,n') p 33-As-75
Cross Section -98.46 To 9999. %




7 Incident Energy (eV) 33-As-75


MAT 3325 MT= 51 (n,n') Level 33-As-75
Cross Section -100.0 To 131.6 %









MAT 3325 MT= 54 (n,n') Level 33-As-75
Cross Section -100.0 To 272.0 %








MAT 3325

MT= 57 (n,n') Level

33-As-75

Cross Section

-77.41 To 168.1 %





14

Incident Energy (eV)


33-As-75

MAT 3325 MT= 58 (n,n') Level 33-As-75
Cross Section -100.0 To 127.4 %






MAT 3325 MT= 60 (n,n') Level 33-As-75
Cross Section -100.0 To 204.0 %




17 Incident Energy (eV) 33-As-75

MAT 3325 MT= 61 (n,n') Level 33-As-75
Cross Section -79.35 To 142.0 %



18 Incident Energy (eV) 33-As-75

MAT 3325 MT= 62 (n,n') Level 33-As-75
Cross Section -78.52 To 141.4 %





MAT 3325

MT= 63 (n, n') Level

33-AS-75

Cross Section -100.0 To -16.12%






MAT 3325

MT= 65 (n,n') Level

33-As-75

Cross Section

-78.59 To 138.6 %




MAT 3325


MT= 66 (n,n') Level


33-As-75

Cross Section


-78.59 To 165.8 %









25








MAT 3325

MT= 72 (n,n') Level


33-As-75

Cross Section


-37.77 To 745.6 %




MAT 3325 MT= 73 (n,n') Level 33-As-75
Cross Section -100.0 To 2574. %




MAT 3325	MT= 74 (n, n') Level	33-As-75
	Cross Section	-100.0 To 506.7 %




MAT 3325 MT= 75 (n,n') Level 33-As-75
Cross Section -100.0 To 458.4 %



MAT 3325 MT= 76 (n,n') Level 33-As-75
Cross Section -100.0 To 2300. %







MAT 3325


MT= 78 (n, n') Level


33-AS-75


Cross Section	-100.0 To 3036. %

























MAT 3325 Kerma total (eV-barns) 33-As-75
Cross Section -89.72 To 8703. %



MAT 3325

Kerma elastic
Cross Section

33-As-75
-92.68 To 9999. %





45

Incident Energy (eV)


33-As-75

MAT 3325 Kerma non-elastic (all but mt2) 33-As-75
Cross Section -98.04 To 9999. %







MAT 3325 Kerma fission (mt18 or mt19-20-21-38) 33-As-75
Cross Section -100.0 To 216.6 %



MAT 3325 Kerma capture (mt102) 33-As-75
Cross Section -98.04 To 9999. %




MAT 3325 Total photon (eV-barns) 33-As-75
Cross Section -98.49 To 9999. %




50 Incident Energy (eV) 33-As-75


MAT 3325 Total kinematic kerma (high limit) 33-As-75
Cross Section -89.72 To 8703. %




MAT 3325 Dpa total (eV-barns) 33-As-75
 Cross Section -89.80 To 9347. %




MAT 3325 Dpa elastic (mt2) 33-As-75
 Cross Section -96.73 To 9999. %





MAT 3325 Dpa disappearance (mt102 -120) 33-As-75
Cross Section -98.04 To 9999. %



55 Incident Energy (eV) 33-As-75