

Program Complot
(Version 2021-1)


by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 2719

27-Co-57

Elastic


Cross Section -99.88 To 1329. %





2


Incident Energy (eV)


27-Co-57






















MAT 2719

MT= 52 (n, n') Level

27-Co-57

Cross Section -100.0 To 54.59 %







MAT 2719


MT= 54 (n, n') Level


27-Co-57


Cross Section -100.0 To 14.19 %

























MAT 2719 MT= 63 (n,n') Level 27-Co-57
Cross Section -100.0 To 1314. %







MAT 2719


MT= 65 (n, n') Level

27-Co-57


Cross Section -100.0 To 9999. %










MAT 2719 MT= 68 (n,n') Level 27-Co-57
Cross Section -100.0 To 243.9 %





27 Incident Energy (eV) 27-Co-57















MAT 2719 MT= 74 (n,n') Level 27-Co-57
 Cross Section -100.0 To 1669. %




MAT 2719	MT= 75 (n, n') Level	27-Co-57
	Cross Section	-100.0 To 3059. %











MAT 2719 MT= 78 (n,n') Level 27-Co-57
Cross Section -100.0 To 391.6 %

































47


27-Co-57
































MAT 2719Kerma fission (mt18 or mt19-20-21-38) 27-Co-57

Cross Section -100.0 To 9999. %




60 Incident Energy (eV) 27-Co-57






MAT 2719 Total kinematic kerma (high limit) 27-Co-57
Cross Section -70.97 To 537.0 %



63 Incident Energy (eV) 27-Co-57




MAT 2719


Dpa elastic (mt2)

27-Co-57

Cross Section


-94.24 To 1328. %





MAT 2719 Dpa disappearance (mt102 -120) 27-Co-57

Cross Section -100.0 To 1367. %




67


Incident Energy (eV)

27-Co-57


MAT 2719 Kerma non-elastic (all but mt2) 27-Co-57
 Cross Section -73.48 To 116.8 %





68 Incident Energy (eV) 27-Co-57




MAT 2719Kerma fission (mt18 or mt19-20-21-38) 27-Co-57
Cross Section -22.05 To 18.23 %








MAT 2719 Total kinematic kerma (high limit) 27-Co-57
Cross Section -88.70 To 115.5 %



73 Incident Energy (eV) 27-Co-57

MAT 2719 Dpa total (eV-barns) 27-Co-57
Cross Section -99.36 To 2449. %



74 Incident Energy (eV) 27-Co-57


MAT 2719


Dpa elastic (mt2)

27-Co-57

Cross Section

-99.32 To 2549. %





MAT 2719 Dpa disappearance (mt102 -120) 27-Co-57
Cross Section -99.36 To 2392. %

