

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start




































MAT 4132

MT=52 (n,n') Level

41-Nb-95m

Cross Section -100.0 To 9999. %





MAT 4132


MT=53 (n,n') Level

41-Nb-95m

Cross Section -100.0 To 9999. %









MAT 4132


MT=56 (n,n') Level


41-Nb-95m


Cross Section -100.0 To 9999. %



























Cross Section -100.0 To 9999. %





MAT 4132

MT= 68 (n, n') Level


41-Nb-95m


Cross Section -100.0 To 9999. %








Cross Section -100.0 To 9999. %





















MAT 4132


MT=78 (n,n') Level

41-Nb-95m

Cross Section -100.0 To 9999. %



MAT 4132 MT= 79 (n,n') Level 41-Nb-95m
Cross Section -100.0 To 9999. %




41 Incident Energy (eV) 41-Nb-95m


MAT 4132


MT= 80 (n, n') Level


41-Nb-95m


Cross Section -100.0 To 9999. %







































MAT 4132

Kerma elastic

41-Nb-95m

Cross Section -99.65 To 534.9 %





95

Incident Energy (eV)

41-Nb-95m


MAT 4132 Kerma non-elastic (all but mt2) 41-Nb-95m
Cross Section -99.99 To 9999. %







MAT 4132Kerma fission (mt18 or mt19-20-21-38)41-Nb-95m

Cross Section -100.0 To 9999. %




59 Incident Energy (eV) 41-Nb-95m







MAT 4132 Total kinematic kerma (high limit) 41-Nb-95m


Cross Section -99.98 To 9999. %




MAT 4132 Dpa total (eV-barns) 41-Nb-95m
Cross Section -99.98 To 9999. %











MAT 4132 Dpa disappearance (mt102 -120) 41-Nb-95m
Cross Section -100.0 To 8343. %




















74

Incident Energy (eV)

41-Nb-95m

