

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9125

Total

91-Pa-229

Cross Section

-99.96 To 7307. %



1

Incident Energy (eV)


91-Pa-229

MAT 9125

Elastic

91-Pa-229

Cross Section -100.0 To 1051. %




MAT 9125

Inelastic

91-Pa-229

Cross Section 30.83 To 9999. %




MAT 9125

(n,2n)

91-Pa-229

Cross Section -87.61 To 2178. %



4

Incident Energy (eV)


91-Pa-229

MAT 9125

(n,3n)

91-Pa-229

Cross Section -100.0 To 1366. %



5

Incident Energy (eV)


91-Pa-229

MAT 9125


Fission

91-Pa-229


Cross Section -100.0 To 9999. %




MAT 9125 MT= 51 (n, n') Level 91-Pa-229
 Cross Section -95.65 To 9999. %




MAT 9125 MT= 52 (n,n') Level 91-Pa-229
 Cross Section -100.0 To 9999. %




MAT 9125 MT= 53 (n, n') Level 91-Pa-229
 Cross Section -100.0 To 348.8 %



MAT 9125 MT= 55 (n,n') Level 91-Pa-229
 Cross Section -100.0 To 9999. %




MAT 9125 MT= 56 (n,n') Level 91-Pa-229
 Cross Section -100.0 To 457.0 %




12 Incident Energy (eV) 91-Pa-229


MAT 9125 MT= 57 (n,n') Level 91-Pa-229
 Cross Section -100.0 To 66.24 %




MAT 9125 MT= 58 (n,n') Level 91-Pa-229
 Cross Section -100.0 To 84.87 %




MAT 9125 MT= 59 (n, n') Level 91-Pa-229
 Cross Section -100.0 To 1739. %



MAT 9125 MT= 60 (n, n') Level 91-Pa-229
 Cross Section -100.0 To 9999. %



MAT 9125 (n,n') Continuum 91-Pa-229
 Cross Section -20.44 To 9999. %




MAT 9125

(n, γ)

91-Pa-229

Cross Section -99.62 To 9999. %




18

Incident Energy (eV)

91-Pa-229


MAT 9125 Kerma total (eV-barns) 91-Pa-229
 Cross Section -100.0 To 9999. %




MAT 9125


Kerma elastic
Cross Section -100.0 To 1051. %

91-Pa-229




MAT 9125 Kerma non-elastic (all but mt2) 91-Pa-229
 Cross Section -100.0 To 9999. %






MAT 9125 Kerma fission (mt18 or mt19-20-21-38) 91-Pa-229
 Cross Section -100.0 To 9999. %




MAT 9125


Kerma capture (mt102) 91-Pa-229
Cross Section -99.72 To 9999. %



MAT 9125 Total photon (eV-barns) 91-Pa-229
 Cross Section -99.62 To 9999. %



MAT 9125 Total kinematic kerma (high limit) 91-Pa-229
 Cross Section -100.0 To 9999. %




MAT 9125

Dpa total (eV-barns)

91-Pa-229

Cross Section -100.0 To 9999. %




MAT 9125

Dpa elastic (mt2)


91-Pa-229

Cross Section -36.62 To 14.20 %



MAT 9125

Dpa inelastic (mt51-91) 91-Pa-229
Cross Section 65.49 To 9999. %




29

Incident Energy (eV)

91-Pa-229

MAT 9125 Dpa disappearance (mt102 -120) 91-Pa-229
 Cross Section -100.0 To 9999. %




MAT 9125

Dpa total (eV-barns)

91-Pa-229

Cross Section -100.0 To 9999. %




MAT 9125

Dpa elastic (mt2)

91-Pa-229


Cross Section

-36.62 To 14.20 %



MAT 9125

Dpa inelastic (mt51-91) 91-Pa-229
Cross Section 65.49 To 9999. %



33

Incident Energy (eV)

91-Pa-229

MAT 9125 Dpa disappearance (mt102 -120) 91-Pa-229
 Cross Section -100.0 To 9999. %

