

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.


Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 9134

Total  
Cross Section -35.15 To 1057. %




1 Incident Energy (eV) 91-Pa-232

MAT 9134

Elastic

91-Pa-232

Cross Section -16.57 To 52.57 %



2

Incident Energy (eV)

91-Pa-232


MAT 9134

Inelastic

91-Pa-232

Cross Section

-8.977 To 9999. %




3

Incident Energy (eV)

91-Pa-232

MAT 9134 (n,2n) 91-Pa-232  
 Cross Section -100.0 To 4944. %




4 Incident Energy (eV) 91-Pa-232

MAT 9134

(n,3n)

91-Pa-232

Cross Section -39.68 To 9999. %




5

Incident Energy (eV)

91-Pa-232


MAT 9134


Fission Cross Section -37.93 To 1067. %  
91-Pa-232



MAT 9134

(n,f) First Chance 91-Pa-232  
Cross Section -37.99 To 1067. %






MAT 9134


(n,2nf) Third Chance

91-Pa-232


Cross Section -41.48 To 9999. %







MAT 9134 MT= 51 (n,n') Level 91-Pa-232  
 Cross Section 2119. To 9999. %



MAT 9134


(n, n') Continuum

91-Pa-232

Cross Section

12.35


To 9999. %



MAT 9134

(n,  $\gamma$ )  
Cross Section -63.43 To 5972. %

91-Pa-232




14

Incident Energy (eV)

91-Pa-232


MAT 9134 Kerma total (eV-barns) 91-Pa-232  
 Cross Section -40.94 To 1019. %




MAT 9134

Kerma elastic Cross Section -42.54 To 52.57 %


91-Pa-232



MAT 9134 Kerma non-elastic (all but mt2) 91-Pa-232  
 Cross Section -40.94 To 1019. %




MAT 9134 Kerma inelastic (mt51-91) 91-Pa-232  
 Cross Section -155.3 To 9999. %




18 Incident Energy (eV) 91-Pa-232

MAT 9134 Kerma fission (mt18 or mt19-20-21-38) 91-Pa-232  
 Cross Section -40.95 To 1019. %



MAT 9134

Kerma capture (mt102) 91-Pa-232  
Cross Section -54.04 To 6946. %




20

Incident Energy (eV)


91-Pa-232

MAT 9134

Total photon (eV-barns) 91-Pa-232  
Cross Section 52.28 To 9999. %



MAT 9134 Total kinematic kerma (high limit) 91-Pa-232  
 Cross Section -38.35 To 1067. %




22 Incident Energy (eV) 91-Pa-232

MAT 9134

Dpa total (eV-barns)

91-Pa-232

Cross Section -37.63 To 1059. %



23

Incident Energy (eV)


91-Pa-232

MAT 9134

Dpa elastic (mt2)

91-Pa-232

Cross Section -41.777 To 14.46 %




24

Incident Energy (eV)

91-Pa-232

MAT 9134 Dpa inelastic (mt51-91) 91-Pa-232  
 Cross Section -25.45 To 9999. %



MAT 9134 Dpa disappearance (mt102 -120) 91-Pa-232  
 Cross Section -100.0 To 8086. %

