

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way

Livermore, CA 94550


U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net

Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 4449

Elastic

44-Ru-104


Cross Section -100.0 To 9999. %





2


Incident Energy (eV)


44-Ru-104





































MAT 4449	MT= 56 (n, n') Level	44-Ru-104
	Cross Section	-100.0 To 9999. %













MAT 4449


MT= 61 (n, n') Level


44-Ru-104


Cross Section -100.0 To 9999. %
















































MAT 4449 MT= 77 (n,n') Level 44-Ru-104


Cross Section -100.0 To 436.5 %




















































MAT 4449 Kerma non-elastic (all but mt2) 44-Ru-104
 Cross Section -9999. To 9999. %




54 Incident Energy (eV) 44-Ru-104



MAT 4449Kerma fission (mt18 or mt19-20-21-38)44-Ru-104


Cross Section -100.0 To 9999. %




56


Incident Energy (eV)

44-Ru-104







MAT 4449 Total kinematic kerma (high limit) 44-Ru-104
Cross Section -98.64 To 9999. %




59 Incident Energy (eV) 44-Ru-104




MAT 4449 Dpa elastic (mt2) 44-Ru-104
 Cross Section -100.0 To 9999. %



61 Incident Energy (eV) 44-Ru-104



MAT 4449 Dpa disappearance (mt102 -120) 44-Ru-104
 Cross Section -100.0 To 9999. %



63 Incident Energy (eV) 44-Ru-104

