

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 7443

Total

74-W -186

Cross Section -99.61 To 9999. %




Incident Energy (eV)


74-W -186


MAT 7443


Elastic
Cross Section -100.0 To 9999. %
74-W -186





2 Incident Energy (eV) 74-W -186




















10


74-W -186



MAT 7443 MT= 51 (n,n') Level 74-W -186
 Cross Section -100.0 To 285.0 %









MAT 7443 MT= 54 (n,n') Level 74-W -186

Cross Section -100.0 To 77.82 %







MAT 7443


MT= 56 (n, n') Level


24-W -186

Cross Section -100.0 To 9999. %











MAT 7443 MT= 60 (n,n') Level 74-W -186

Cross Section -100.0 To 349.2 %





21 Incident Energy (eV) 74-W -186


MAT 7443 MT= 61 (n,n') Level 74-W -186
Cross Section -100.0 To 32.75 %





22 Incident Energy (eV) 74-W -186
















































MAT 7443Kerma fission (mt18 or mt19-20-21-38)74-W -186


Cross Section -100.0 To 9999. %




41 Incident Energy (eV) 74-W -186

MAT 7443 Kerma capture (mt102) 74-W -186


Cross Section -100.0 To 9999. %




42 Incident Energy (eV) 74-W -186




MAT 7443 Total kinematic kerma (high limit) 74-W -186
Cross Section -99.60 To 9999. %




44 Incident Energy (eV) 74-W -186



MAT 7443 Dpa elastic (mt2) 74-W -186
Cross Section -19.60 To 1219. %




46 Incident Energy (eV) 74-W -186



MAT 7443 Dpa disappearance (mt102 -120) 74-W -186

Cross Section -100.0 To 9999. %



48 Incident Energy (eV) 74-W -186

