

Program EVALPLOT
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net

Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start


MAT 5310


α Major


53-I -122


0 Kelvin Cross Sections


















MAT 5310


(α, d) Levels
0 Kelvin Cross Sections


53-I -122



Incident Energy (MeV)

53-I -122






MAT 5310

(α, α) Levels

53-I -122

0 Kelvin Cross Sections




MAT 5310

(n,2n)

53-I -122

Radionuclide Production Cross Section



12


Incident Energy (MeV)

53-I -122

MAT 5310

53-I -122

(n,3n)
Radionuclide Production Cross Section



55-Cs-123g
55-Cs-123m5

53-I -122

Incident Energy (MeV)


13

MAT 5310

(n,2n) α

53-I -122

Radionuclide Production Cross Section



14


Incident Energy (MeV)

53-I -122

MAT 5310

53-I -122

(n,p)
Radionuclide Production Cross Section



15

Incident Energy (MeV)


53-I -122

MAT 5310

(n,2α)

53-I -122

Radionuclide Production Cross Section



— 51-Sb-118g
- - - 51-Sb-118m7

16

Incident Energy (MeV)

53-I -122

Radionuclide Production Cross Section

